

AXOR Starck Organic
Thermostat for concealed installation with shut-off valve
 Surfaces: Article Number: **12715000**




product features

- 1 function
- thermostat cartridge, ceramic valves 90°
- maximum flow rate at 3 bar: 25 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety stop at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- connection type: basic set

Product image




Scale drawing



AXOR Starck Organic
Thermostat for concealed installation with shut-off valve
Surfaces: Article Number: **12715000**



Flowchart




AXOR Starck Organic
Thermostat for concealed installation with shut-off valve
 Surfaces: Article Number: **12715000**



Exploded Drawing

Year of production: >11/12



AXOR Starck Organic
Thermostat for concealed installation with shut-off valve
 Surfaces: Article Number: **12715000**



Spare part list

Year of production: >11/12

Pos.		Article Number	PC	PU
1	handle for thermostat	98313000	15	1
2	adapter for handle	96435000	6	1
3	handle	98316000	14	1
4	hollow set screw M4x8	97669000	1	1
5	adapter for handle	95256000	7	1
6	escutcheon 170 / 170 mm	98317000	16	1
7	O-Ring 48x3	95508000	1	1
8	O-ring 29x3	98371000	2	1
9	sleeve	96439000	9	1
10	sleeve	96446000	8	1
11	holder for escutcheon	98793000	9	1
12	set of fixing screws	96454000	3	1
13	installation unit cpl.	92760000	18	1
14	thermostat cartridge	94282000	15	1
15	sealing set	95037000	10	1
16	shut off unit right closing	94009000	9	1
17	set of screws	96525000	3	1
18	O-ring 39x2	98158000	1	1
19	O-ring 16x2	98133000	1	1
20	noise reduction	94073000	7	1
21	set of non return valves DW 15	94074000	5	1
22	extension 25 mm	13595000	99	1
23	set of fixing screws	97747000	1	1
24	extension 22 mm	97407000	99	1
25	escutcheon height = 33 mm (when wall is not deep enough).	14970000	99	1
26	non return valve (pressure-resistant up to 2 MPa)	92594000	5	1
a	concealed item	01800180	99	1
b	adapter for exchanged connections	93181000	18	1
c	non return valve with filter	92499000	5	1