



hansgrohe

Product Book 2022

hansgrohe assortment bath and kitchen

[hansgrohe.com](https://www.hansgrohe.com)

Hansgrohe contact

Hansgrohe Headquarters



The Hansgrohe Master Service - Headquarters

Service hours:

Monday-Thursday: 8:00 am - 4:00 pm
Friday: 8:00 am - 3:00 pm

Phone: +49 7836 51-1282
Fax: +49 7836 51-1440
info@hansgrohe.com

You will also find technical information at
pro.hansgrohe-int.com



Global Projects Services - Headquarters

gpservices@hansgrohe.com

You will also find tender texts and planning
details at
pro.hansgrohe-int.com/planning-data



Hansgrohe Aquademie - Headquarters

Monday-Friday: 7:30 am - 7:00 pm
Saturday-Sunday: 10:00 am - 4:00 pm

Hansgrohe SE
Hansgrohe Aquademie
Austr. 9
77761 Schiltach/Germany
Phone: +49 7836 51-3272
Fax: +49 7836 51-1505

The Aquademie is our adventure centre on
all aspects of water.
pro.hansgrohe-int.com/aquademie

Errors and omissions excepted.
This Product Book renders all preceding ones void.

Measurements within scale drawings are in mm.

You will find further information and sales arguments on the individual products in the sales manual or at
pro.hansgrohe-int.com

All products subject to availability. Availability may be temporarily affected by material shortages,
supply chain disruption or other force majeure events. Please contact us for details.

The following general terms and conditions shall apply:
<https://www.hansgrohe.com/terms-of-conditions>

Product Book 2022

hansgrohe

Hansgrohe SE · P.O. Box 1145 · 77757 Schiltach/Germany
Tel. +49 7836 51-0 · Fax +49 7836 51-1300
info@hansgrohe.com · www.hansgrohe.com

Index

Brand hansgrohe	10 Editorial	8 Quality
	12 Company	19 Service
	14 Innovation	20 Responsibility
	16 Design	21 Sports sponsorship
Spray modes and technologies	Bath	Kitchen
	22 Spray types	36 Spray types
	37 Technologies	37 Technologies
	41 FinishPlus	41 FinishPlus
	42 Phase out products	58 Packaging units
	47 New products	68 Code numbers
	57 Index price brackets	

Bath

Hand showers	96 Rainfinity	103 Crometta
	96 Rainsance	104 Vernis NEW
	98 Pulsify S NEW	105 Jocolino NEW
	100 Croma	106 DogShower NEW
Shower sets / Shower bars / Shower holder	110 Shower sets	154 Shower holder sets
	140 Shower sets with thermostatic mixer for exposed installation	163 Shower holder
	147 Wall bars	164 Fixfit wall outlets
Shower hoses and accessories	170 Sensoflex	171 Comfortflex
	170 Isiflex	171 Metaflex
Overhead showers	176 Rainmaker Select	204 Croma
	181 Rainfinity	210 Crometta
	187 Rainsance	213 Vernis NEW
	202 Pulsify S NEW	
Showerpipes and shower panels	226 Rainmaker Select	245 Croma
	228 Rainfinity	264 Crometta
	229 Rainsance	272 Vernis NEW
	242 Pulsify S NEW	
Thermostatic mixers / valves	288 Thermostatic mixers and combis for exposed installation	308 Thermostatic mixers for concealed installation
iBox universal	333 iBox universal	
Mixer lines	343 FinishPlus NEW	421 Talis
	355 Metropol	451 Focus
	381 Metris	465 Vernis NEW
	401 Finoris NEW	489 Logis NEW
	411 Vivenis NEW	
Electronic- and project mixers/ Care assortment	508 Electronic mixers	526 Unica Comfort shower sets and wall bars
	512 CoolStart mixers	529 Unica Comfort Accessories
	519 LowFlow mixers	530 Hand showers
	524 Focus Care mixers	
Accessories	538 XtraStoris NEW	550 Unica Comfort Accessories
	541 Rainfinity	551 Logis Universal
	541 Logis	554 WallStoris NEW
	544 AddStoris NEW	562 RainScent
Wastes and overflow	Shower	Basin
	570 RainDrain NEW	597 Waste for basin/ bidet
	589 Waste for shower trays	598 Traps
	Bath	601 Accessories
	590 Bath filler with waste and overflow for bath tubs	
	595 Waste and overflow for bath tubs	

Kitchen

Kitchen mixers and sinks	606 Stainless-steel sinks	658 Focus M41
	618 SilicaTec sinks	661 Focus M42
	630 Aqittura M91	665 Zesis M33 NEW
	634 Aquano Select M81	668 Logis M31
	635 Metris Select M71 / Metris M71	670 Logis M32
	645 Talis Select M51 / Talis M51	670 Vernis M35 NEW
	652 Talis M52	673 Sink combis
	653 Talis M54	

Spare parts

Spare parts and accessories for showers, bath mixers and kitchen mixers	Showers	Bath mixers and kitchen mixers
	692 Shower hose	699 Cartridges
	692 Showers	700 Spray former/ aerators
	692 Shower holder and slider	702 Diverter
	693 Soap dishes and shampoo holder	702 Shut-off units and thermostatic cartridges
	695 Covers	703 Handles
	696 Service sets for showers	706 Escutcheons and flanges
	696 Wall bar spacers	

Flow diagrams

714 Hand showers	732 Body showers
720 Overhead showers	732 Showerpipes and shower panels

Spray types



Powder Rain
An unrivalled shower experience thanks to gently enveloping micro-droplets.



Intense Powder Rain
Intense jet of micro-fine droplets for sensational showering.



Rain
Full rain shower, ideal for washing hair.



Intense Rain
An intensely invigorating water flow



Turbo Rain
Intensive shower rain that refreshes and rejuvenates.



Rain Air
Gentle shower rain with air-enriched drops.



RainAir XL
Large jet envelops your whole body in soft droplets.




SoftRain
A soft water spray that caresses the body for that feel-good sensation.




Mono
Targeted spray, for a soothing shower experience.



Massage
A powerful and invigorating massage spray.



Whirl
Concentrated targeted massage spray.



Mix
The harmonious combination of gentle shower drops and dynamic spray.



Carresse Air
Boosts energy after a challenging day.



Balance Air
A harmonious combination of soft shower rain and a dynamic spray.



Normal
shower rain, ideal for washing hair.



Shampoo
An intense jet of water that activates and wakes you up.



RainFlow
Powerful flood jet for generous coverage.



Rain Stream
Generous flow of soft sprays.



Fur Spray
Full shower spray for rinsing off dirt and shampoo.



Leg Spray
For legs and sensitive areas.



Paw Spray
A soft spray, ideal for gently cleaning paws.



Laminar Spray
Crystal clear and economical, without added air. Ideal for quickly filling large containers, and preventing splashing.



Normal Spray
Ventilated jet thanks to AirPower technology. Fuller, lighter and softer droplets for a truly unique water spray.



Shower Spray
Economical and cleansing. Also perfect for fast spraying at the sink.




Satin Flow Spray
The soft, flat spray is splash-free, making it highly efficient at saving water.

Finishes

When specifying the surface, each order number (#) has 8 digits, for example 28500, -000 = chrome



-000
Chrome



-090
Chrom
Gold Optic




-140
Brushed Bronze



-340
Brushed Black
Chrome



-400
White Chrome



-450
White



-540
Petrol



-560
Pink




-600
Black Chrome



-610
Black



-670
Matt Black



-700
Matt White



-800
Stainless Steel



-820
Brushed Nickel



-990
Polished Gold
Optic

Technologies



Simply regulates the water flow at the touch of a button: a convenient way to turn the shower on and off or switch between spray modes.



Reduces the flow rate to save water and energy. For long-lasting pleasure.



Combines water with a generous amount of air. For a soft, splashfree water spray and rich, full shower drops.



Wipe limescale deposits away easily by rubbing your finger over the flexible silicone nubs.



Easy and fast cleaning and maintenance of surfaces.



Distributes the water over the large spray face enveloping the whole body in drops of wellbeing.



With the adjustable shower head, the water jet can be adjusted individually.



Fast drainage of shower to reduce the dripping time.



With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.




Easy water control: with the control dial the water flow can be adjusted easily.



Cools through the controlled flow of cold water to stop the product getting hot. For even safer showering.



The bath spout can be neatly stored underneath the thermostat when not in use. A truly aesthetical solution for safety and mobility.



Cold water starts to flow when it is opened in the basic setting. You consume hot water only when you need it.



Defines the useable area between washstand and mixer. Something to suit every customer.



Highest flexibility by pullout function.



Like many motion detectors, the sensor reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water will flow.



Defines the height, side clearance and - with the pull-out function - the length of the space around the mixer.



The hose extends quietly and smoothly from the base cabinet by up to 76 cm.



The kitchen tap can be quickly removed from its holder and lowered so you can easily open the window inwards.




Low pressure fitting for cold water pipe with boiler/heat storage.



Assembly possible both with included glue-kit and screws.



All accessories can be easily clicked onto the wall bar and removed from it.



Variable installation depth of finish set for an individual look.



For flush integration into the adjacent area.




Water damage protection via water proof basic set and preassembled sealing membrane.



In-floor installation as design highlight.



Wallbound installation for comfortable use of space.



Installation adapted to the integration between two walls.



Minimalistic installation against back and side walls.



Drain can be cut to length. For optimal adaptation to the installation surrounding.



High capacity drain.



Comfortable cleaning of the siphon.



You can increase the amount of water in a targeted way when needed.

Meet the beauty of water

The new meaning of 'home'

Over the past year, many of us have come to realise the importance of home providing a place of relaxation and retreat. As a company, we know we are providing something truly fundamental to our customers: a home filled with beauty and quality, a place of escape from the outside world. Whatever happens, we are – and always will – be by your side.

Innovations to bring your business to life

This year, we're introducing a range of exciting new products that deliver on our guiding principles: **innovation, design, quality** and **responsibility**. We offer solutions to every need, by developing cutting-edge products to suit every lifestyle. Meet Pulsify, the shower that offers a completely new experience in any sized bathroom, thanks to the innovative PowderRain spray. Or Finoris, the tap that gives a new freedom of movement in the bathroom. Innovation continues with the multi-sensory shower experience RainTunes*, the fun Jocolino children's shower, the flexible WallStoris storage system and the RainDrain shower channels.

Designed for people

hansgrohe is a brand for life. Whether you are looking for a moment of calm or refreshment, every product we make is designed to make life easier. Our products are not one-off ideas but comprehensive solutions, destined to become integral to everyday life. It's this that defines our brand: our focus on people.



*RainTunes is not available worldwide



hansgrohe – our past informs our future

hansgrohe is a company steeped in tradition. It was founded by Hans Grohe in 1901, with a small metalwork shop in Schiltach, the Black Forest. Today, you will still find our Innovation Centre and corporate headquarters there. The hansgrohe brand has an international reputation for excellence, thanks largely to the commitment of its people. Each employee is passionate about water, but it's our expertise which really set us apart as a company. These qualities have resulted in revolutionary bathroom innovations and pioneering water-saving technologies, yesterday, today and tomorrow.



In 1901, Hans Grohe founded his metalwork business. He was a visionary, recognising the changing role of the bathroom in the home (despite it being a fairly new concept to most at the time).



1928

Hand shower
The first shower with a white porcelain handle. This hansgrohe innovation made showering affordable for many households for the first time.



1953

Shower bar Unica
Thanks to this revolutionary idea, hand showers could be mounted at a required height



1974

Tribel
First design award winning hand shower in many colours and with three spray types.



1981

ALLEGROH
The first mixer with the new lever handle, swivel spout and innovative ball mix technique.



2001

iBox universal
First and only basic set for all standard and thermostat solutions - a revolution in concealed installation.



2003

Raindance
The first hand shower with an XXL shower head, flat silhouette and short handle. The all-rounder becomes a trendsetter.

New milestones in bathroom innovation



2018

PowderRain
A unique shower experience thanks to the soft caress of micro droplets.



2019

FinishPlus
High-quality finishes provide a variety of design options.



2021

RainTunes*
We combine water with sound, light, imagery and fragrance into one holistic wellness experience.

* RainTunes is not available worldwide

Innovation – driving our business and yours

Whether in a new build or renovation, clever products and state-of-the-art technologies will keep you ahead of the competition. Hansgrohe SE registers hundreds of new designs, patents and brands every year, holding 15,000 patents to date. It's the reason we're considered pioneers in the industry. We combine top technical performance with a focus on the needs and enjoyment of the customer. With hansgrohe, you can have confidence that you have technological innovation on your side.



Our own research and development laboratory

We believe every part of a product is important. From the look, functionality and material of a shower, to the sound it makes as water flows. In our in-house spray laboratory, acoustic experts tirelessly research the perfect water sound. This attention to detail is reflected in over 15,000 active patents. The result is that customers around the world can enjoy more comfort and relaxation in the bathroom.





The right spray type for every shower

Different people require different things from the shower. Some look for a relaxing time-out from the world, while others want an energising, refreshing shower experience. Whatever your customers are looking for, with hansgrohe you will find the right spray type. PowderRain is one such spray, enveloping the body in thousands of ultra-fine droplets and creating a delicate cocoon of water. Our experts have used all of their knowledge to ensure quiet operation, and the result is a sensual, whisper-quiet home spa experience.



Technologies that inspire

The best products enrich people's lives, bringing more comfort and enjoyment. And sometimes, it's the smallest technologies that make the difference. hansgrohe's Select is just one button that brings a new ease of use to the bathroom. Or QuickClean, the clever anti-limescale solution. hansgrohe technologies make taps and showers enjoyable to use and easy to clean.

Design – collaborating for excellence

Elegant functionality appeals to both the heart and mind, and it's something we specialise in. Our products are consistently award-winning, outlasting fads and instead providing long-lasting value, whether they are found in the home or in a world famous hotel. With over 30 years of collaboration with Phoenix Design, hansgrohe is a leader within the industry, with more than 600 awards collected for our design achievements.

More than
600 awards





Serenia The Palm
 Dubai, United Arab Emirates
 Produkte: hansgrohe Metris
 Copyright: Serenia The Palm



Developers, investors, architects and planners around the world spearhead the most ambitious of projects, ensuring that intelligent and elegant water solutions are always in demand. Our shower and bathroom collections are well known as the very embodiment of design excellence. That's why you'll find them in world class hotels, exclusive sports clubs, royal castles and luxury yachts.

You can find more inspiring examples at

pro.hansgrohe.com/your-selling-points/references

At home
 all over the world



InterContinental - ANA Beppu Resort & Spa
 Oita, Japan
 Products: hansgrohe Logis
 Copyright: ANA Beppu Resort & Spa



Quality – the highest standards for the longest product life

Install a hansgrohe product, and you know it will be enjoyed for years to come. Offering customers the highest quality at all times is a fundamental part of our philosophy. We have been manufacturing bathroom and kitchen products for over 120 years, and we are proud of our intensive quality control processes, practiced around the world.

Our reliability goes one step further: we offer our end users a five year* manufacturer's guarantee on our products.

This manufacturer's guarantee goes far beyond statutory requirements. With this, we provide our sales partners with yet another advantage of using hansgrohe over other brands. We also ensure that we provide assistance to our specialist partners when applying this manufacturer's guarantee.

Your customer will also benefit from the fifteen year parts availability guarantee, which ensures the security of their investment even after a product is phased out.



hansgrohe
guarantee and
availability guarantee



hansgrohe produces incredibly advanced technology, but the measurement of quality is a very human endeavour. That's why every single product is carefully checked by human hands before it leaves our factory.

* This guarantee applies to all hansgrohe products, with the exception of the products listed under II b on [hansgrohe.com/terms-of-conditions](https://www.hansgrohe.com/terms-of-conditions)

Service – a partnership you can rely on

You deliver your best on each job and need a partner you can rely on. As a trade partner, hansgrohe is here to support you. Through hansgrohe, you can contact experienced plumbers to help you with even the most complex problems – anytime, anywhere. We also provide brochures, videos and online webinars to help you keep your skills up-to-date and provide the best service for your customers.

We keep you up-to-date – on hansgrohe product innovations, marketing and sales campaigns, seminars, events and company news. Whether you're from a trade, craftsman or project management background, register here to always stay in the know.
pro.hansgrohe.com/newsletter



Professional knowledge from our online Aquademie or on-site seminars

hansgrohe eLearnings gives you the skills and knowledge to be able to advise customer effectively. Our digital training courses train you on the features and benefits of our products. This is all accessible online, on your computer, tablet or smartphone, for the ultimate in flexibility.
pro.hansgrohe.com/service/elearning

Knowledge update: We offer seminars, training and events on a variety of topics, such as new technologies, modern marketing tools or operational and personnel management. These happen regularly at our in-house training centre, Aquademie in Schiltach, and nationwide on-site.
pro.hansgrohe.com/service/showrooms

Your success is our success

On our partners website you'll find many additional services, such as delivery information, online spare parts catalogue, dimensional drawings and 3D data, price lists and Building Information Modelling (BIM) data for most software applications and marketing tools. This means you can access it at any time, whether you're out and about or with a customer.

pro.hansgrohe.com

Taking responsibility – acting sustainably

We focus on three areas of accountability: **responsible management, social action** and **ecological awareness**. We believe this is the only way to be successful, both now and in the future. This is something we put into practice worldwide, and have been doing so for many years. This includes ensuring we have an environmentally conscious production process, and mindfully employing people and other resources.

Klaus Grohe, the founder's son, was an ardent campaigner for sustainability from an early age. He ensured that environmentally-conscious thinking was a core principle at Hansgrohe. As early as 1987, Hansgrohe was one of the first to bring a water-saving shower to the market. From this point on, many projects were undertaken to ensure environmentally and resource-friendly production in our factories.

At Hansgrohe, we are in the process of taking giant steps forward to help minimise climate change. By 2030, our aim is to make the entire company, including our products, climate neutral. To implement this, we carefully choose our raw materials, packaging and logistics based on their climate impact.



Simply calculate potential savings

With our water saving calculator, it's easy to see the amount of water that could potentially be saved with our environmentally-friendly EcoSmart technology. It's useful for both large and small customers, showing instantly the products that will help conserve our most valuable resource.

pro.hansgrohe.com/consultation/water-savings-calculator




Calculate individually


- Number of people in household
- Energy type
- Average shower length (in mins)
- Water costs €/1000 L
- Energy costs €/kWh
- Product selection


Sports sponsorship – teaming premium athletes with premium products

hansgrohe has been the official title sponsor of the world class cycling team BORA-hansgrohe since 2017. We share the same values and have a similarly global reach: with this international dream team of 29 athletes from ten nations, hansgrohe has helped them to compete in 140 countries around the world. As brand ambassadors, the athletes are on the road for almost 300 days a year.

In 2019, BORA-hansgrohe was the second ranked team in the UCI WorldTour. A highlight of 2021 was the top German team winning the points classification at the Giro d'Italia – largely thanks to superstar Peter Sagan, who won the famous “Maglia Ciclamino” jersey. Find out where, when and who is in the starting position on the website and via social media from hansgrohe and the BORA-hansgrohe team.

 borahansgroheofficial
hansgrohe

 borahansgrohe
hansgrohe

 BORA-hansgrohe.com
pro.hansgrohe.com



More indulgence with a range spray types by hansgrohe

Spray types – relax or energise with every shower

Different people require different things from the shower. Some look for a relaxing time-out from the world, while others want an energising, refreshing shower experience.

Whatever your customers are looking for, with hansgrohe you will find the right hand and overhead shower, with the right spray type. Products featuring our Select technology

provide particular convenience for your customers.



PowderRain

Revolutionise your daily shower experience with Powder-Rain and transform your bathroom into an oasis of relaxation. Instead of only one jet outlet per nozzle, PowderRain has up to five openings that create thousands of fine and silky micro-droplets that envelope your body.



Intense PowderRain

Intense jets of fine micro-droplets for sensational showering. Intense PowderRain is extraordinarily effective as the number of droplets has been substantially increased to produce an intense, yet velvety soft spray.



Simply scan the code and experience the spray patterns in the video.



Rain

Despite the smaller nozzles on the hand shower and overhead shower, the performance of both are consistently excellent. The Rain spray invigorates and refreshes, making rinsing out shampoo quick and easy.



RainAir and RainAir XL

Relaxing shower rain, which is enriched with air inside the shower head. This makes the water feel exceptionally soft and plump, covering your body with soft beads of water and enveloping you to create a sense of well-being. It's a spray most loved by pleasure seekers.



IntenseRain

It's not just shampoo you can rinse away with ease thanks to IntenseRain water spray. It's perfect for setting yourself up for the day too: wash morning tiredness down the drain – for a refreshing start to the day.



Turbo Rain

The all-purpose tool for quick, straightforward results: TurboRain is the most powerful of our Rain spray modes and lives up to its name every time.



Soft Rain

The gentle SoftRain spray is a treat for soul and skin, whether it's a quick daily shower or a pampering evening indulgence.



Mix

Simultaneously gentle and dynamic. The mix spray combines the rich, soft RainAir spray with the strong, revitalising CaresseAir spray. Soft drops envelop your body, while a warm jet massages the skin. It's a dream combination for daily showering pleasure.




Whirl

A swirling massage spray, which showers away the stresses of the day. This relieves tension, primarily in the neck area and shoulders. The rotating helix jet wanders over the skin, just like a masseur's fingers. The ideal choice for relieving stress or giving yourself a spa-like treatment after playing sport.




Caresse Air

Five strong single sprays combine in a pleasantly revitalising and powerful massage. It's just the thing for post-exercise or after a hard day at work – good as new in minutes.



Massage

A concentrated spray that relieves the stress of everyday life, easing areas of tension. The innovative ring-shaped spray creates an at-home wellness experience like no other.



Mono

A targeted, soothing spray from the centre of the shower-head. The Mono jet's lightness helps you to unwind, making it a perfect spray for relaxing.



RainFlow

An overhead shower with RainFlow creates a waterfall in the bathroom. The effect is a cascade of water on the neck and shoulders, easing tension and bringing total relaxation.



RainStream

The new single sparkling RainStream spray is a crowning achievement for the hansgrohe R&D team. These special overhead shower sprays remain revitalising and intense from head to toe, giving a consistent experience however tall you are.

Our experience means more efficiency in the bathroom

Technology – providing the ultimate ease of use for your customers



Select

Because sometimes pressing is easier than turning. With our innovative Select technology, a simple touch of a button on the shower or shower control is all it takes to change the spray mode or turn the water on/off for even more comfort while showering, no matter your age.

- Intuitive control at the touch of a button
- Suitable for all age groups
- Mechanical construction for permanent functional safety
- Temperature can be pre-set
- Can even be operated with your elbow or arm



The idea: a button instead of a lever at the sink. The mechanical Select button simplifies everyday routines, and is robust enough to stand the rigours of everyday life, as our longterm testing proves.

These small changes can have a large impact on how convenient a product is to use, and make them ideal for a multi-generational household.






EcoSmart

Thanks to EcoSmart technology, hansgrohe showers consume up to 60 % less water than conventional products thanks to the addition of air to the spray. This also saves valuable energy.

- Up to 60% less water consumption (shower)
- Water consumption of only 5 l/min (tap)
- Lower consumption means lower energy requirements, and therefore fewer CO₂ emissions
- Lower water and energy consumption for double efficiency

The savings calculator computes how much water and energy can be saved at:

pro.hansgrohe.com/consultation/water-savings-calculator



Thanks to EcoSmart technology's aeration, our basin taps consume just 5 l/min of water. This saves warm water and energy. All of our basin taps have achieved level A in the home sector: EcoSmart tech- the best possible result.



QuickClean

QuickClean means flexible silicone inserts on the aerators. Dirt and limescale deposits can be simply rubbed off with your finger with no need to use cleaning products, helping to extend your shower's lifespan.

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality





AirPower

Comfort and efficiency don't have to be mutually exclusive and our AirPower showers prove it. An ample supply of air is sucked in via the spray disc of your shower, making the droplets fuller, lighter and softer, increasing water efficiency at the same time.

- Fuller, lighter and softer drops – pure shower pleasure
- Fewer splashes, so less cleaning
- Higher water efficiency thanks to a larger water volume



XXL Performance

Large-format showers have to be experienced to be truly appreciated. The luxurious hansgrohe design envelops the individual in water, bringing XXL performance to the bathroom.

- Large-format showering sensation
- Higher water efficiency – evenly distributed spray nozzles, for an incomparable shower experience



Tiltable

You can adjust this overhead shower at an angle to suit the shower area, so that the whole body is soothingly enveloped in water.

- Adjustable shower head to suit the individual
- Angle of adjustments provides flexibility
- Modern installation for contemporary enjoyment



FastDrain minimises drips

This clever technology significantly reduces dripping from the overhead shower.

- Reduces annoying dripping
- Smarter waterflow inside the shower
- Easier cleaning



Water regulation

The amount of water can be precisely regulated using the thermostat. Not only does this conserve water, it's great for children, who often find a gentler waterflow more pleasant.

- Precisely regulate the amount of water
- Actively regulate water consumption with the volume control
- Easy operation – suitable for all ages



Height-adjustable PushSlider

With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.

- Easy to use with one hand
- More comfort for every generation
- Easily adjustable shower heights



Rotatable bath spout

The water inlet of this bath thermostat can be turned 90° so that it disappears underneath, providing more space to move while bathing or showering and creating a neater overall appearance

- More freedom of movement when bathing or showering
- Functional design
- Streamlining the overall look



CoolContact

The CoolContact cooling technology stops the thermostatic mixer's housing getting too hot. So there is no more need to keep a safe distance from the taps, making showering even more care-free. It also means there is no more risk of children burning their delicate hands.

- Innovative cooling technology
- More safety in the bathroom, for children too
- Care-free showering



Pull-out function

Thanks to the pull-out tap, the working area at the sink becomes much larger. It also offers fantastic ease of use, thanks to the magnetic recoil function.

- The pull-out tap extends your workspace
- Easy handling
- Minimalist design for maximum flexibility and freedom of movement




ComfortZone


Whether you want more elbow room when washing your hands, a comfortable way to wash your hair or just fill containers, the higher the tap, the more flexible your options become. We call the space between the tap and the ceramics the ComfortZone because you can use it however you like.

- The optimal height for every requirement
- The perfect combination of tap and basin
- Reduce unnecessary water spraying through a reliable test: pro.hansgrohe.com/consultation/comfortzone


The right fitting for every need




Mixer behind free standing exposed basin or behind wash bowl.




Wash bowl with exposed mixer.



Wash bowl with wall mixer.



Mixer for built-in basin.



Wall-hanging wash basin with exposed mixer.

The right tap for every sink



The ComfortZone test — ensuring perfect synchronisation

The higher the tap, the more flexible the space. However, if a wash basin and tap do not match up properly it can result in

splashback. To avoid this, we developed the ComfortZone test. Carried out under realistic conditions, the test reveals just how well

customers' taps work in combination with conventional wash basins from leading manufacturers.



How the ComfortZone test works

1. Free space test

Is there enough of a gap in the combination of mixer and wash basin? A test sphere is positioned between the mixer and wash basin to check how easy and comfortable it is to wash the hands.

2. Splash test

Is there any splashing when the mixer is turned on? The mixer is opened and closed several times under different water pressures. Between tests, the splashes are analysed and the wash basin rubbed dry.

3. Practice test

Is there any splashing when washing the hands? A standardised hand model is passed under the water flow and the splashes outside of the basin analysed.

Free PDF: the test results from over 12.000 combinations

Take advantage of the thousands of tests we have conducted: as a professional partner, we make the results exclusively available to you.

With an overview of all sink and tap combinations, the results give you everything you need for a successful sales conversation. The PDF

test result files are available free of charge at pro.hansgrohe.de/comfortzone-test

Advantages and benefits


- Reliable test procedure on the wash basins of leading manufacturers, fitted in accordance with the instructions
- Recommendations from over 12.000 tested mixer wash basin combinations available online for planning – constantl expanded and updated
- The certainty that wash basin and mixer harmonise – without annoying splashes



Contactless taps

Like many motion detectors, the sensor on our non-contact products reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water flows, making it economical and hygienic.

- Contactless
- Savings in water and energy
- Maximum hand hygiene - ideal in public spaces



CoolStart

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO₂ emissions and costs.

- Basic setting enables only cold water to flow
- Large energy, and therefore money, saving potential - ideal in business premises
- Special user ergonomics (the lever only needs to be moved to the left for hot water)



LowFlow

In business projects, water and energy savings are important criteria for building certification, such as LEED or BREEAM. This is why hansgrohe has developed LowFlow cartridges, providing a waterflow of only 3.5 l/min.

- Savings in water and energy
- Certification advantages especially for projects
- Precise temperature setting despite low flow rate



EasyClick installation

Modern accessories, easy to install: hansgrohe hooks, shelves and baskets can be attached to the wall bar with one click. With this modular organisation system, accessories can be moved or removed quickly and easily.

- Simply attach it to the wall bar with one click
- It can be removed or re-attached at any time
- Flexible storage system with almost infinite combinations



Can be attached using glue or screw

Secure hold, residue-free fixing: hansgrohe wall bars can be glued or drilled to the bathroom wall using a rustproof steel plate. Both types of attachment securely hold the accessories.

- Easy DIY installation: use glue or screws to secure
- Remove at any time without leaving any residue
- Robust material: stainless steel plate



Variable installation depth

These hansgrohe accessories provide plenty of storage space. With their variable installation depth, the ready-to-use sets suit every customer requirement - while also ensuring an individual look.

- Variable installation depth
- Storage solution embedded into the wall



Protection against water damage

This basic installation set is embedded flush with the wall and is 100 % waterproof. A pre-assembled seal prevents shower water from penetrating the surrounding floor or under the tiles.

- 100 % waterproof
- Pre-assembled seal



Freely install in any area

Adaptable installation: This shower drain can be positioned in different places on the floor. This type of installation requires a four-sided slope.

- hansgrohe shower channel installed freely in the area
- Four slopes required
- A highly functional design highlight



Wall-mounted installation

Wall-mounted installation: Install this shower drain against a wall. This type of installation requires a slope on three sides.

- hansgrohe shower channel installed on a wall
- Three slopes required
- Effective use of space



Wall-to-wall installation

Wall-to-wall installation: Install this shower drain between two walls. This type of installation requires a slope on both sides.

- hansgrohe shower channel installed between two walls
- Two slopes required
- Requires an shower drain the exact length



Installation against three walls

Minimalist installation against three walls: Install this shower drain on the rear wall and between the side walls. This type of installation requires a one-sided slope the exact length of the shower drain.

- hansgrohe shower channel installed against the rear and two side walls
- One slope is required
- Requires an shower drain the exact length



Adjustable frame height

The drain channel must close the surrounding area without creating a trip hazard. The level of the cover can still be adjusted using the height adjustment frame, even after the screed has been poured.

- High-quality hansgrohe shower channel
- Easy adjustment to the surrounding tiled area thanks to the height-adjustable frame
- Flexible installation



Shower channel that can be shortened

This shower channel can be shortened, so you can adapt it to the structural requirements.

- Adaptable hansgrohe shower channel
- Can be shortened on-site
- Flexible installation



High drainage capacity

A truly great shower experience from a powerful overhead shower places high demands on drainage. This drain is designed for high flow volumes of up to 60 l/min, preventing flooding.

- High flow rate of up to 60 l/min
- Avoids flooding
- Maximum enjoyment



Easy to clean siphon

The aerodynamic geometry and high flow rate of the innovative hansgrohe Dryphon allows dirt and hair to pass through smoothly, reducing the need for cleaning.

- Easier cleaning

Personality-infused design, thanks to coloured fittings

FinishPlus — new surfaces bring new individuality to the bathroom

Today's bathroom increasingly reflects our own personal style. FinishPlus has been developed to provide five new surface designs

in matte and metallic tones, expanding your style options far beyond classic chrome. The high-quality surfaces offer a wide range of

design options, giving you brand new ways of expressing yourself.



670 Matte Black: Getting back to basics with black and white contrasts.



700 Matte White: Cheeky, unconventional freshness.



340 Brushed Black Chrome: A dark, partially reflective surface creates asophisticated aesthetic.



140 Brushed Bronze: Soft natural tones and subtle nuances.



990 Polished Gold Optic: Glamorous look for aesthetic extravagance.



000 Chrome: Timeless classic paired with dainty elegance.

Advantages and benefits

- A large selection for self-expression: new tap colours and complementary products
- Resilient and scratch-proof, with tactile appeal
- Immediate availability: easy ordering process as products are kept in stock



Make washing-up a breeze

Spray types – for a streamlined workflow in every kitchen



Laminar spray
Crystal clear waterspray without added air, which prevents splashing and is ideal for filling large containers, like vases, quickly.



Normal spray
Fuller, lighter and softer droplets from an aerated spray, thanks to AirPower technology.



Shower spray
A gently water-saving cleaning spray, suitable for rinsing the sink.



SatinFlow spray
The soft, flat spray is splash-free, making it highly efficient at saving water.

Clever functions mean more efficiency

Technologies to make life easier



Select

Select technology makes using the kitchen tap easier than ever before, because the water can be turned on and off with just one click. You can do that with your elbow or even the back of your hand, keeping your taps clean when you're cooking or washing up.


- Convenient use and optimal water flow
- Stop and start the water flow at the touch of a button during operation
- Can also be operated with an arm or elbow



QuickClean

QuickClean means flexible silicone discs. Dirt and limescale deposits can be simply rubbed off with your finger - low effort with no need to use cleaning products, extending your shower's lifespan.


- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality



EcoSmart

Thanks to EcoSmart technology with added air, certain hansgrohe kitchen taps consume only 6 l/min. This reduced water volume means less water needs to be heated up, which also saves valuable energy for your customer.

- Air enriched water for a full, sparkling spray
- Lower energy consumption means fewer CO₂ emissions
- Lower water and energy consumption for double efficiency



AirPower

AirPower works by drawing in air via the jet outlet. This addition of air enriches the incoming water, making the jet fuller, lighter and softer. AirPower cleverly delivers a high jet volume with less water.

- Fuller, lighter and softer droplets, for an enhanced water jet
- Less risk of splashing
- High efficiency helps to reduce water consumption



ComfortZone

Kitchen taps with an extra high spout offer additional space, making them ideal for filling large pots and tall vases. For those that swivel, the rotation can be set incrementally up to 360°.

- The optimum height for all needs
- A flexible swivel area prevents over-rotation
- Ultimate freedom to move



Pull-out function

More flexibility, thanks to the pull-out function. This pull-out tap extends your working area at the sink, making it easier to fill containers or water plants.

- Standard extension max. 50 cm
- The sBox extends the working space to 76 cm



Lower in front of a window


With kitchen windows that open inwards, conventional taps often get in the way. A Hansgrohe tap with TiltFunction solves this. It can be easily lifted and lowered, so that the window can be open and shut easily.

- Ideal for installation in front of a window
- Easily lifted up and folded down
- For easy opening and closing of a window



sBox kitchen

With extendible kitchen taps and sink combi units, the sBox ensures that the hose can be pulled out and stowed away safely and easily. The 52 cm-tall box fits into all standard base units from 74 cm upwards. Alternatively, products can also be purchased without the sBox.



- Smooth and safe retrieval of the hose, without getting in the way of the drawer or waste separation system
- Multiple installation options in the base unit thanks to flexible mounting elements
- For a more organised sink cabinet
- The hose weight in the sBox ensures smooth and quiet use
- Optional accessories:
An additional spacer rail that allows for installation lower in the cabinet body

Installation options



Best placement – vertically below kitchen tap:

The lower brackets are firmly screwed to the base. The upper brackets can be either screwed to or suspended on the rear panel. The mounting elements can be moved and rotated 360°. This makes installation fast and easy.



Vertically below kitchen tap, tilted backwards or forwards:

The tilted back assembly is recommended if the rear wall is offset to the front or if there are obstacles on the floor. The brackets are all aligned to the front. This way, the sBox can simply be tilted forward and clicked out of all brackets. This enables quick and easy cleaning. The sBox can be tilted backwards or forwards. Maximum recommended tilt angle: $\pm 20^\circ$.




At the back of the rear wall, tilted sideways:

Laterally tilted installation is an option where there are obstacles on the ground such as waste pull-out or drainage systems, or when angle valves are difficult to access. The brackets can be screwed to the base, sides or rear panel. Maximum recommended tilt angle: $\pm 20^\circ$.



Tilted and offset on the side wall:

The installation on the side panel is ideal for corner sinks, sinks with draining boards or sinks with tap holes that are positioned to the side. All the brackets are screwed to the side. You should avoid parallel displacement of the sBox. If displacement is required for the installation, there must not be more than 30mm between the tap and outlet axis of the sBox.



CoolStart

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO₂ emissions and costs.

- Basic setting enables only cold water to flow
- Potential for water, energy and financial savings
- Special user ergonomics (the lever only needs to be moved to the left for hot water)



LowPressure

Kitchen fittings equipped with LowPressure technology can be used at sinks with a water pressure of just 0.2 bar. A low pressure fitting for cold water pipes with boiler/heat storage.

- hansgrohe low pressure fittings
- Suitable for cold water pipes with boiler/heat storage tanks
- Suitable for water pressure of 0.2 bar or more

High-quality designs for the sink

FinishPlus — for kitchens with personality

Customers are increasingly looking for ways to stamp their individuality onto their kitchen. We can help that happen, offering

kitchen taps in various coloured finishes. In addition to chrome and stainless steel, taps in a matte black finish are more popular than ever

before. And with FinishPlus you can fulfil your customer's every dream, creating a kitchen bursting with personality.



670 Matte Black: Getting back to basics with black and white contrasts.



800 stainless steel finish: A harmonious look



000 Chrome: Timeless classic paired with dainty elegance.

Advantages and benefits

- A large selection for self-expression: new tap colours and complementary products
- Resilient and scratch-proof, with tactile appeal
- Immediate availability: easy ordering process as products are kept in stock

Phase-out products

	Code no.	available up to
Hand showers		
Crometta 100		
Hand shower Multi	26823400	12/31/2023
Hand shower Vario	26824400	12/31/2023
Hand shower 1jet	26825400	12/31/2023
Hand shower Vario EcoSmart 9 l/min	26827400	12/31/2023
Hand shower 1jet EcoSmart 9 l/min	26828400	12/31/2023
Hand shower Vario EcoSmart 6 l/min	26834400	12/31/2023

Shower sets / Shower bars / Shower holder

Raindance Select E shower sets

Shower set 150 3jet with shower bar 65 cm and soap dish	27856400	12/31/2022
Shower set 150 3jet with shower bar 90 cm and soap dish	27857400	12/31/2022

Raindance Select S shower sets

Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm and soap dish	26632400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish	26633400	12/31/2022
Shower set 120 3jet with shower bar 150 cm and soap dishes	27646400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 150 cm and soap dishes	27647000 27647400	12/31/2022 12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish	27649400	12/31/2022
Shower set 150 3jet with shower bar 65 cm and soap dish	27802400	12/31/2022

Unica Comfort shower sets

Shower set 120 3jet with shower bar 65 cm	26320400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm	26321000 26321400	12/31/2022 12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm	26323400	12/31/2022
Shower set 120 3jet with shower bar 110 cm left	26324400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 110 cm left	26325000 26325400	12/31/2022 12/31/2022
Shower set 120 3jet with shower bar 110 cm right	26326400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 110 cm right	26327000 26327400	12/31/2022 12/31/2022

Croma 100 shower sets

Shower set Multi with shower bar Unica'Reno Lift 105 cm	27791000	12/31/2022
---	----------	------------

Crometta 100 shower sets

Shower set Multi with shower bar 65 cm	26650400	12/31/2023
Shower set Vario with shower bar 65 cm	26651400	12/31/2023
Shower set 1jet with shower bar 65 cm	26652400	12/31/2023

Shower sets / Shower bars / Shower holder

Crometta 100 shower sets

Shower set Vario EcoSmart 9 l/min with shower bar 65 cm	26654400	12/31/2023
Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm	26655400	12/31/2023
Shower set Multi with shower bar 90 cm	26656400	12/31/2023
Shower set Vario with shower bar 90 cm	26657400	12/31/2023
Shower set 1jet with shower bar 90 cm	26658400	12/31/2023
Shower system for exposed installation Vario with EcoStat universal thermostat and shower bar 65 cm	27030400	12/31/2023
Shower system for exposed installation Vario with EcoStat universal thermostat and shower bar 90 cm	27031400	12/31/2023

Wall bars Unica'E

Unica Shower bar E 90 cm with Isiflex shower hose 160 cm	27640600 27645400 27645600	12/31/2022 12/31/2022 12/31/2022
--	----------------------------------	--

Raindance Select E shower holder sets

Shower holder set 120 3jet with shower hose 125 cm	26700400	12/31/2022
--	----------	------------

Raindance Select S shower holder sets

Shower holder set 120 3jet with shower hose 125 cm	26701400	12/31/2022
--	----------	------------

Crometta 100 shower holder sets

Shower holder set 1jet with shower hose 125 cm	26664400	12/31/2023
Shower holder set 1jet with shower hose 160 cm	26665400	12/31/2023
Shower holder set Vario with shower hose 125 cm	26666400	12/31/2023

Overhead showers

Raindance Select E

Overhead shower 300 3jet with shower arm	26468000 26468400	12/31/2022 12/31/2022
Overhead shower 300 2jet EcoSmart 9 l/min with ceiling connector	26608000 26608400	12/31/2022 12/31/2022
Overhead shower 300 2jet EcoSmart 9 l/min with shower arm	26609000 26609400	12/31/2022 12/31/2022
Shower system for concealed installation with ShowerSelect thermostat	27296000	12/31/2022
Overhead shower 300 2jet with ceiling connector	27384000 27384400	12/31/2022 12/31/2022
Overhead shower 300 2jet with shower arm	27385000 27385400	12/31/2022 12/31/2022

Raindance E

Overhead shower 240 1jet EcoSmart 9 l/min with ceiling connector	27383000	12/31/2022
--	----------	------------

Raindance S

Overhead shower 180 1jet EcoSmart 9 l/min with ceiling connector	27464000	12/31/2022
--	----------	------------

	Code no.	available up to		Code no.	available up to
Overhead showers					
Croma Select E					
Overhead shower 180 2jet EcoSmart 9 l/min	26523400	12/31/2022	Single lever basin mixer 240 for washbowls with push-open waste set	15072000 15072400	12/31/2022 12/31/2022
Croma					
Overhead shower 220 1jet LowPressure	26734000	12/31/2022	Single lever basin mixer 110 with pop-up waste set	15074000 15074400	12/31/2022 12/31/2022
Overhead shower 160 1jet	27450000	12/31/2022	Single lever basin mixer 100 for hand washbasins with push-open waste set	15075000 15075400	12/31/2022 12/31/2022
Crometta					
Overhead shower 160 1jet LowPressure	26576400	12/31/2022	Single lever basin mixer 200 with push-open waste set	15081000 15081400	12/31/2022 12/31/2022
Overhead shower 160 1jet	26577000 26577400	12/31/2022 12/31/2022	Single lever basin mixer for concealed installation wall-mounted with spout 16,5 cm	15084000 15084400	12/31/2022 12/31/2022
Overhead shower 160 1jet EcoSmart 9 l/min	26578000 26578400	12/31/2022 12/31/2022	Single lever basin mixer for concealed installation wall-mounted with spout 22,5 cm	15085000 15085400	12/31/2022 12/31/2022
Bundle hand shower Vario EcoSmart with shower hose 160 cm	26994400	12/31/2023	Electronic basin mixer with temperature control battery operation	15170000 15170400	12/31/2022 12/31/2022
Showerpipes					
Croma					
Showerpipe 160 1jet with thermostat	27135000	12/31/2023	Electronic basin mixer with temperature control mains connection 230 V	15172000	12/31/2022
Showerpipe 160 1jet with single lever mixer	27154000	12/31/2022	Single lever bidet mixer with pop-up waste set	15270000 15270400	12/31/2022 12/31/2022
Crometta					
Showerpipe 160 1jet with thermostat	27264400	12/31/2022	Single lever basin mixer with bidette hand shower and shower hose 160 cm	15275400	12/31/2022
Showerpipe 160 1jet EcoSmart 9 l/min with thermostat	27265400	12/31/2022	3-hole rim mounted single lever bath mixer	15432000 15432400	12/31/2022 12/31/2022
Showerpipe 160 1jet with single lever mixer	27266400	12/31/2022	Single lever bath mixer for concealed installation for iBox universal	15445000 15445400	12/31/2022 12/31/2022
Thermostatic mixers/ valves					
Thermostatic mixers and combis for exposed installation					
Bath thermostat 700 for exposed installation	13183400	12/31/2022	Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	15447000 15447400	12/31/2022 12/31/2022
RainSelect thermostatic mixers for concealed installation					
Basic set for 2 functions bath tub	15314180	12/31/2022	Single lever bath mixer for exposed installation	15472000 15472400	12/31/2022 12/31/2022
Thermostat for concealed installation for 2 functions bath tub	15359000 15359400 15359600	12/31/2022 12/31/2022 12/31/2022	Single lever bath mixer floor-standing	15473000 15473400	12/31/2022 12/31/2022
ShowerSelect glass thermostatic mixers for concealed installation					
Thermostat HighFlow for concealed installation	15734600	12/31/2022	Single lever shower mixer for concealed installation for iBox universal	15665000 15665400	12/31/2022 12/31/2022
Thermostat HighFlow for concealed installation for 1 function and additional outlet	15735600	12/31/2022	Single lever shower mixer for exposed installation	15672000 15672400	12/31/2022 12/31/2022
Valve for concealed installation for 3 functions	15736600	12/31/2022	Thermostat for concealed installation with shut-off/ diverter valve	15771000 15771400	12/31/2022 12/31/2022
Thermostat for concealed installation for 1 function	15737600	12/31/2022	Shut-off/ diverter valve iControl for concealed installation for 3 functions	15777000	12/31/2022
Thermostat for concealed installation for 2 functions	15738600	12/31/2022	Shut-off valve for concealed installation	15978000 15978400	12/31/2022 12/31/2022
PuraVida					
Single lever basin mixer 110 with push-open waste set	15070000 15070400	12/31/2022 12/31/2022	Overhead shower 400 1jet with ceiling connector	27390000 27390400	12/31/2022 12/31/2022
			Overhead shower 400 1jet with shower arm	27437000 27437400	12/31/2022 12/31/2022
			Unica Shower bar PuraVida 90 cm with Isiflex shower hose 160 cm	27844000	12/31/2022
			Shower set with shower bar 90 cm	27853000 27853400	12/31/2022 12/31/2022
			Body shower 100 1jet	28430000 28430400	12/31/2023 12/31/2023
			Hand shower 150 3jet	28557000 28557400	12/31/2022 12/31/2022
			Baton hand shower 120 1jet	28558000 28558400	12/31/2023 12/31/2023
			Hand shower 3jet EcoSmart 9 l/min	28567000 28567400	12/31/2022 12/31/2022

Phase-out products

	Code no.	available up to		Code no.	available up to
PuraVida			Talis		
Baton hand shower 120 ljet EcoSmart 9 l/min	28568000	12/31/2023	Talis Single lever basin mixer 80 with pop-up waste set	32040000	12/31/2022
	28568400	12/31/2023			
Towel hook	41501000	12/31/2022	Talis Single lever basin mixer 80 without waste set	32041000	12/31/2022
Soap dish	41502000	12/31/2022	Talis Single lever basin mixer 210 with swivel spout and push-open waste set	32082000	12/31/2022
Liquid soap dispenser	41503000	12/31/2022	Talis Single lever basin mixer 210 with swivel spout and pop-up waste set	32084000	12/31/2022
Toothbrush tumbler	41504000	12/31/2022	Talis Single lever bidet mixer with pop-up waste set	32240000	12/31/2022
Toilet brush holder wall-mounted	41505000	12/31/2022	Talis Single lever bath mixer for exposed installation	32440000	12/31/2022
Bath towel rail	41506000	12/31/2022	Talis Single lever shower mixer for exposed installation	32640000	12/31/2022
Roll holder with cover	41508000	12/31/2022			
Towel holder twin-handle	41512000	12/31/2022			
Grab rail	41513000	12/31/2022			
Spare roll holder	41518000	12/31/2022			
			Focus		
			Ventil für Wandmontage ohne Ablaufgarnitur	31131000	12/31/2022
			Bidet Set mit Unterdusche	31629000	12/31/2022
			Einhebel-Waschtischmischer 70 mit 2 Durchflussmengen mit Zugstangen-Ablaufgarnitur	31738000	12/31/2022
			4-Loch Wannenrandarmatur	31936000	12/31/2022
			Einhebel-Waschtischmischer 70 LowFlow 3,5 l/min mit Zugstangen-Ablaufgarnitur	31951000	12/31/2022
			Novus		
			Single lever basin mixer 70 with pop-up waste set	71020000	12/31/2022
			Single lever basin mixer 70 without waste set	71021000	12/31/2022
			Single lever basin mixer 70 CoolStart with push-open waste set	71022000	12/31/2022
			Single lever basin mixer 70 LowFlow with push-open waste set	71024000	12.31.2022
			Single lever basin mixer 100 with pop-up waste set	71030000	12/31/2022
			Single lever basin mixer 100 without waste set	71031000	12/31/2022
			Single lever basin mixer 100 CoolStart with push-open waste set	71032000	12/31/2022
			Single lever basin mixer 100 LowFlow with push-open waste set	71034000	12/31/2022
			Single lever basin mixer 100 for vented hot water cylinders with push-open waste set	71036000	12/31/2022
			Single lever bath mixer for exposed installation	71040000	12/31/2022
			Single lever bath mixer for exposed installation with centre distance 15.3 cm	71041000	12/31/2022
			Single lever bath mixer for exposed installation with 2 flow rates	71042000	12/31/2022
Metropol					
Metropol Classic					
Single lever basin mixer 110 with lever handle and pop-up waste set	31300000	12/31/2022			
	31300090	12/31/2022			
Single lever basin mixer 110 with lever handle without waste set	31301000	12/31/2022			
	31301090	12/31/2022			
Single lever basin mixer 160 with lever handle for washbowls with pop-up waste set	31302000	12/31/2022			
	31302090	12/31/2022			
Single lever basin mixer 260 with lever handle for washbowls with pop-up waste set	31303000	12/31/2022			
	31303090	12/31/2022			
3-hole basin mixer 110 with cross handles and pop-up waste set	31306000	12/31/2022			
	31306090	12/31/2022			
3-hole basin mixer 160 with cross handles and pop-up waste set	31307000	12/31/2022			
	31307090	12/31/2022			
Single lever bidet mixer with lever handle and pop-up waste set	31320000	12/31/2022			
	31320090	12/31/2022			
3-hole basin mixer 110 with lever handles and pop-up waste set	31330000	12/31/2022			
	31330090	12/31/2022			
3-hole basin mixer 160 with lever handles and pop-up waste set	31331000	12/31/2022			
	31331090	12/31/2022			
Single lever bath mixer for exposed installation with lever handle	31340000	12/31/2022			
	31340090	12/31/2022			
Single lever bath mixer for concealed installation with lever handle for iBox universal	31345000	12/31/2022			
	31345090	12/31/2022			
Single lever shower mixer for exposed installation with lever handle	31360000	12/31/2022			
	31360090	12/31/2022			
Single lever shower mixer for concealed installation with lever handle for iBox universal	31365000	12/31/2022			
	31365090	12/31/2022			
4-hole rim mounted bath mixer with lever handles	31441000	12/31/2022			
	31441090	12/31/2022			
Single lever bath mixer floor-standing with lever handle	31445000	12/31/2022			
	31445090	12/31/2022			
4-hole rim mounted bath mixer with cross handles	31449000	12/31/2022			
	31449090	12/31/2022			

	Code no.	available up to		Code no.	available up to
Novus			Novus		
2-hole rim mounted bath mixer	71043000	12/31/2022	Single lever basin mixer for exposed installation with extra long handle 11,8 cm	71923000	12/31/2022
2-hole rim mounted bath mixer with diverter valve and Croma Select S hand shower	71044000	12/31/2022	Single lever shower mixer for exposed installation with extra long handle 11,8 cm	71926000	12/31/2022
Single lever bath mixer for concealed installation for iBox universal	71045000	12/31/2022	Wastes and overflow		
Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	71046000	12/31/2022	Bath filler with wastes and overflow for bath tubs		
Single lever bath mixer for concealed installation	71047000	12/31/2022	Flexaplus S Finish set waste and overflow set	58186820	12/31/2022
Pillar tap 70 for cold water without waste set	71050000	12/31/2022	Wastes and overflow for bath tubs		
Single lever shower mixer for exposed installation	71060000	12/31/2022	Staro Complete set waste set 52	60060000	12/31/2022
Single lever shower mixer for exposed installation with centre distance 15.3 cm	71061000	12/31/2022	Wastes for basin/ bidet		
Single lever shower mixer for exposed installation with 2 flow rates	71062000	12/31/2022	Waste set non-closing for washbasins	50001800	12/31/2022
Single lever shower mixer for concealed installation	71063000	12/31/2022	Kitchen mixers and sinks		
Single lever shower mixer for concealed installation for iBox universal	71065000	12/31/2022	Metris Select M71		
Single lever shower mixer HighFlow for concealed installation for iBox universal	71066000	12/31/2022	2-hole single lever kitchen mixer 220, pull-out spray, 2jet, sBox	73805000	12/31/2022
Single lever shower mixer for concealed installation	71067000	12/31/2022		73805800	12/31/2022
Shower mixer set for concealed installation	71068000	12/31/2022	2-hole single lever kitchen mixer 320, pull-out spray, 2jet, sBox	73806000	12/31/2022
Single lever basin mixer 230 with pop-up waste set	71123000	12/31/2022		73806800	12/31/2022
Single lever basin mixer 230 without waste set	71124000	12/31/2022	2-hole single lever kitchen mixer 220, Eco, pull-out spray, 2jet, sBox	73826000	12/31/2022
Single lever basin mixer 240 with swivel spout and pop-up waste set	71126000	12/31/2022		73827000	12/31/2022
Single lever basin mixer for concealed installation wall-mounted with spout 19,5 cm	71127000	12/31/2022	2-hole single lever kitchen mixer 320, Eco, pull-out spray, 2jet, sBox		
Single lever basin mixer 240 with swivel spout without waste set	71128000	12/31/2022	Talis M52		
3-hole basin mixer 100 with pop-up waste set	71140000	12/31/2022	Single lever kitchen mixer 230, 7 l/min, pull-out spray, 2jet	14851000	12/31/2022
Single lever bidet mixer 70 with pop-up waste set	71142000	12/31/2022	Single lever kitchen mixer 260, 7 l/min, pull-out spout, 1jet	14853000	12/31/2022
Single lever basin mixer 70 with bidette hand shower and shower hose 160 cm	71144000	12/31/2022	Single lever kitchen mixer 270, 1jet	14870000	12/31/2022
Bidet set with vertical spray	71145000	12/31/2022	Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1jet	14872000	12/31/2022
Single lever bath and shower mixer Monotrou	71321000	12/31/2022	Single lever kitchen mixer 270, device shut-off valve, 1jet	14875000	12/31/2022
Single lever bath mixer Monotrou	71322000	12/31/2022	Single lever kitchen mixer 220, installation in front of a window, pull-out spray, 2jet	14877000	12/31/2022
Single lever bath and shower mixer Monotrou with 2 flow rates	71324000	12/31/2022	Single lever kitchen mixer 220, Eco, pull-out spray, 2jet	72831000	12/31/2022
4-hole rim mounted bath mixer	71333000	12/31/2022	Single lever kitchen mixer 260, Eco, pull-out spout, 1jet	72832000	12/31/2022
Single lever basin mixer 70 with extra long handle 11,8 cm and pop-up waste set	71920000	12/31/2022	Single lever kitchen mixer 220, installation in front of a window, pull-out spray, 2jet, sBox	73863000	12/31/2022
Single lever basin mixer 100 with extra long handle 11,8 cm and pop-up waste set	71921000	12/31/2022		73863800	12/31/2022
			Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1jet, sBox	73864000	12/31/2022
				73864800	12/31/2022
			Single lever kitchen mixer 170, Eco, pull-out spray, 2jet, sBox	73869000	12/31/2022
			Single lever kitchen mixer 260, Eco, pull-out spout, 1jet, sBox	73878000	12/31/2022
			Single lever kitchen mixer 220, Eco, pull-out spray, 2jet, sBox	73879000	12/31/2022

Phase-out products

Code no. **available
up to**

Kitchen mixers and sinks

Focus M41

Single lever kitchen mixer E, 160, 1 jet 31780000 12/31/2022

Single lever kitchen mixer E, 160,
LowPressure/vented hot water cylinders, 1 jet 31784000 12/31/2022

Zubehör für Edelstahlspülen

D14-12 Automatic waste and overflow set
for single bowl Select 43941800 12/31/2022

D15-12 Automatic waste and overflow set
for double bowl Select 43942800 12/31/2022

Zubehör für Granitspülen

D16-12 Automatic waste and overflow set
for single bowl granite Select 43947000 12/31/2022

D17-12 Automatic waste and overflow set
for double bowl granite Select 43948000 12/31/2022

	Code no.		Code no.
Hand showers		Shower sets / Shower bars / Shower holder	
Raindance Select S		Pulsify Select S shower sets	
Hand shower 120 3jet PowderRain	26014140 26014340 26014670 26014700 26014990	Select Shower set 105 3jet Relaxation with shower bar 65 cm	24160000 24160670 24160700
		Select Shower set 105 3jet Relaxation EcoSmart with shower bar 65 cm	24161000 24161670 24161700
		Select Shower set 105 3jet Relaxation with shower bar 90 cm	24170000 24170670 24170700
		Select Shower set 105 3jet Relaxation EcoSmart with shower bar 90 cm	24171000 24171670 24171699
Pulsify Select S		Vernis Blend shower sets	
Select Hand shower 105 3jet Activation	24100000 24100670 24100700	Shower set Vario with shower bar Crometta 65 cm	26275000
Select Hand shower 105 3jet Activation EcoSmart	24101000 24101670 24101700	Shower set Vario EcoSmart with shower bar Crometta 65 cm	26279000
Select Hand shower 105 3jet Relaxation	24110000 24110670 24110700	Shower set Vario with shower bar 65 cm project pack (6 pieces)	26371000
Select Hand shower 105 3jet Relaxation EcoSmart	24111000 24111670 24111700	Shower set Vario with shower bar 65 cm	26422670
Pulsify S		Shower set Vario EcoSmart with shower bar S Puro 65 cm	26423670
Hand shower 105 1jet	24120000 24120670 24120700	Modern style wall bars	
Hand shower 105 1jet Green	24121000 24121670 24121700	Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm	24400000
		Shower bar Pulsify S 90 cm with push slider and Isiflex shower hose 160 cm	24401000
Croma Select E		Pulsify Select S shower holder sets	
Hand shower 1jet	26814140 26814340 26814670 26814700 26814990	Select Shower holder set 105 3jet Relaxation with shower hose 125 cm	24302000 24302670 24302700
Hand shower 1jet EcoSmart 9 l/min	26815140 26815340 26815670 26815700 26815990	Select Shower holder set 105 3jet Relaxation with shower hose 160 cm	24303000 24303670 24303700
Vernis Blend		Pulsify S shower holder sets	
Hand shower Vario project pack (12 pcs.)	26085000	Shower holder set 105 1jet with shower hose 125 cm	24301000 24301670 24301700
Hand shower Vario Green	26090000	Vernis Blend shower holder sets	
Hand shower Vario	26270000 26270670	Shower holder set Vario with shower hose 160 cm	26273000
Hand shower Vario EcoSmart	26340000 26340670	Shower holder set Vario EcoSmart with shower hose 160 cm	26278000
Jocolino		Overhead showers	
Children hand shower lion 2jet	28760210	Raindance E	
Children hand shower zebra 2jet	28787640	Shower system 300 1jet with ShowerSelect Square	27952000
Children hand shower crocodile 2jet	28788570	Raindance S	
DogShower		Shower system 240 1 jet PowderRain with ShowerSelect S	27951000
Dogs hand shower 150 3jet Select	26640540 26640560 26640670 26640700	Shower system 240 1 jet PowderRain with ShowerSelect S	27959670
		Pulsify S	
		Overhead shower 105 1jet	24130000 24130670 24130700

New products

	Code no.		Code no.
Overhead showers		Ceiling connectors for overhead showers	
Pulsify S			
Overhead shower 105 1jet Green	24132000 24132670 24132700	Ceiling connector 10 cm	26406000 26406670
Overhead shower 260 1jet	24140000 24140670 24140700	Ceiling connector 30 cm	26407000 26407670
Overhead shower 260 1jet EcoSmart	24141000 24141670 24141700	Ceiling connector 10 cm	27479140 27479340 27479670 27479700 27479990
Overhead shower 260 2jet with wall connector	24150000 24150670 24150700	Ceiling connector 10 cm	27804000 27804670
Overhead shower 260 2jet EcoSmart with wall connector	24151000 24151670 24151700	Ceiling connector 30 cm	27805000 27805670
Croma E		Showerpipes	
Shower system 280 1jet with Ecostat E	27953000	Pulsify S	
Croma		Showerpipe 260 1jet with ShowerTablet Select 400	24220000
Shower system 280 1jet with Ecostat S	27954000	Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400	24221000
Shower system 280 1jet with Ecostat S	27961670	Showerpipe 260 1jet with bath thermostat ShowerTablet 400	24230000
Crometta E		Showerpipe 260 2jet with ShowerTablet Select 400	24240000 24240670 24240700
Shower system 240 1jet with single lever mixer	27957000	Showerpipe 260 2jet EcoSmart with ShowerTablet Select 400	24241000 24241670 24241700
Crometta S		Vernis Blend	
Shower system 240 1jet with single lever mixer	27958000	Showerpipe 200 1jet EcoSmart with bath thermostat	26079000
Vernis Blend		Showerpipe 200 1jet EcoSmart with thermostat	26089000 26089670
Overhead shower 200 1jet Green	26093000	Showerpipe 200 1jet Reno EcoSmart	26099000 26099670
Overhead shower 200 1jet LowPressure	26095000	Showerpipe 200 1jet Reno	26272000 26272670
Overhead shower 200 1jet	26271000 26271670	Showerpipe 200 1jet with bath thermostat	26274000
Overhead shower 200 1jet EcoSmart	26277000 26277670	Showerpipe 200 1jet with thermostat	26276000 26276670
Overhead shower 200 1jet project pack (12 pcs.)	26365000	Showerpipe 200 1jet with thermostat project pack (2 pcs.)	26285000
Vernis Shape		Showerpipe 200 1jet Green with thermostat	26318000
Overhead shower 230 1jet Green	26094000	Vernis Shape	
Overhead shower 200 1jet LowPressure	26096000	Showerpipe 230 1jet EcoSmart with thermostat	26097000 26097670
Overhead shower 230 1jet	26281000 26281670	Showerpipe 230 1jet EcoSmart with bath thermostat	26098000
Overhead shower 230 1jet EcoSmart	26283000 26283670	Showerpipe 230 1jet Reno	26282000 26282670
Overhead shower 230 1jet project pack (12 pcs.)	26579000	Showerpipe 230 1jet with bath thermostat	26284000
Shower arms for overhead showers		Showerpipe 230 1jet with thermostat	26286000 26286670
Wall connector for overhead shower 105	24139000 24139670 24139700	Showerpipe 230 1jet with shower thermostat project pack (2 pcs.)	26287000
Wall connector for overhead shower 260	24149000 24149670 24149700	Showerpipe 230 1jet Reno EcoSmart	26289000 26289670
Shower arm 24 cm	26405000 26405670	Showerpipe 230 1jet Green with thermostat	26319000
Shower arm 24 cm	27809000 27809670		

	Code no.		Code no.
Thermostatic mixers/ valves			
Thermostatic mixers and combis for exposed installation			
Select Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 65 cm, slider and shower hose	24260000	Single lever basin mixer 230 with swivel spout and push-open waste set	76060000 76060670 76060700
Select Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 90 cm, slider and shower hose	24270000	Single lever basin mixer 230 with pull-out spray, 2jet and push-open waste set	76063000 76063670 76063700
Bath thermostat 400 for exposed installation	24340000 24340670 24340700	Single lever basin mixer 260 for washbowls with push-open waste set	76070000 76070670 76070700
Shower thermostat 400 for exposed installation	24360000 24360670 24360700	Single lever bidet mixer with push-open waste set	76200000 76200670 76200700
iBox Universal			
Extension elements			
Extension element	13593140 13593340 13593670 13593700 13593990	Single lever basin mixer 260 with bidette hand shower and shower hose 160 cm	76220000 76220670
Extension element 15 cm	13597140 13597340 13597670 13597700 13597990	Bath spout	76410000 76410670 76410700
Extension element	15597140 15597340 15597670 15597700 15597990	Single lever bath mixer for concealed installation for iBox universal	76415000 76415670 76415700
Finoris		Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	76416000 76416670 76416700
Basic set for 4-hole rim mounted bath mixer	13440180	Single lever bath mixer for exposed installation	76420000 76420670 76420700
Single lever basin mixer 100 with push-open waste set	76010000 76010670 76010700	4-hole rim mounted bath mixer with sBox	76444000 76444670 76444700
Pillar tap 100 for cold water without waste set	76013000 76013670 76013700	Single lever bath mixer floor-standing	76445000 76445670 76445700
Single lever basin mixer 110 with pop-up waste set	76020000 76020670 76020700	Single lever shower mixer for concealed installation for iBox universal	76615000 76615670 76615700
Single lever basin mixer 110 with push-open waste set	76023000 76023670 76023700	Single lever shower mixer for exposed installation	76620000 76620670 76620700
Single lever basin mixer 110 CoolStart with push-open waste set	76024000 76024670 76024700	Vivenis	
3-hole basin mixer 110 with push-open waste set	76033000 76033670 76033700	Basic set for 4-hole rim mounted bath mixer	13440180
3-hole basin mixer 160 with push-open waste set	76034000 76034670 76034700	Single lever basin mixer 80 with pop-up waste set	75010000 75010670 75010700
Single lever basin mixer for concealed installation wall-mounted with spout 22,8 cm	76050000 76050670 76050700	Single lever basin mixer 80 without waste set	75012000 75012670 75012700
Single lever basin mixer for concealed installation wall-mounted with spout 16,8 cm	76051000 76051670 76051700	Pillar tap 80 for cold water without waste set	75013000 75013670 75013700
		Single lever basin mixer 110 with pop-up waste set	75020000 75020670 75020700
		Single lever basin mixer 110 without waste set	75022000 75022670 75022700
		Single lever basin mixer 110 CoolStart with pop-up waste set	75023000 75023670 75023700

New products

	Code no.		Code no.
Vivenis		Logis	
Single lever basin mixer 110 CoolStart without waste set	75024000 75024670 75024700	Single lever bidet mixer 110 Fine with pop-up waste set	71201000
Single lever basin mixer 210 with swivel spout and pop-up waste set	75030000 75030670 75030700	Single lever basin mixer 110 Fine with pop-up waste set	71251000
Single lever basin mixer 210 with swivel spout without waste set	75032000 75032670 75032700	Single lever basin mixer 110 Fine with push-open waste set	71252000
3-hole basin mixer 90 with pop-up waste set	75033000 75033670 75033700	Single lever basin mixer 110 Fine without waste set	71253000
Single lever basin mixer 250 for washbowls with pop-up waste set	75040000 75040670 75040700	Single lever basin mixer 110 Fine CoolStart with pop-up waste set	71254000
Single lever basin mixer 250 for washbowls without waste set	75042000 75042670 75042700	Single lever basin mixer 110 Fine CoolStart without waste set	71255000
Single lever basin mixer for concealed installation wall-mounted with spout 19,2 cm	75050000 75050670 75050700	Single lever basin mixer for concealed installation Fine wall-mounted with spout 20,5 cm	71256000
Single lever bidet mixer with pop-up waste set	75200000 75200670 75200700	Single lever basin mixer 240 Fine with pop-up waste set	71257000
Single lever basin mixer with bidette hand shower and shower hose 160 cm	75210000	Single lever basin mixer 240 Fine without waste set	71258000
Bath spout	75410000 75410670 75410700	Vernis	
Single lever bath mixer for concealed installation for iBox universal	75415000 75415670 75415700	Vernis Blend	
Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	75416000 75416670 75416700	Single lever bidet mixer with pop-up waste set	71210000 71210670
Single lever bath mixer for exposed installation	75420000 75420670 75420700	Bidet set with vertical spray	71214000
4-hole rim mounted bath mixer with sBox	75444000 75444670 75444700	Single lever basin mixer 100 with bidette hand shower and shower hose 160 cm	71215000
Single lever bath mixer floor-standing	75445000 75445670 75445700	Bath spout	71420000 71420670
Single lever shower mixer for concealed installation for iBox universal	75615000 75615670 75615700	Single lever bath mixer for exposed installation	71440000 71440670
Single lever shower mixer for exposed installation	75620000 75620670 75620700	2-hole rim mounted bath mixer	71442000 71442670
		Single lever bath mixer Monotrou	71443000
		Single lever bath and shower mixer Monotrou	71444000
		Single lever bath and shower mixer Monotrou with 2 flow rates	71446000
		Single lever bath mixer for exposed installation projects pack (6 pcs.)	71447000
		Single lever bath mixer for concealed installation	71449000 71449670
		Single lever bath mixer for exposed installation with 2 flow rates	71454000
		4-hole rim mounted bath mixer	71456000 71456670
		2-hole rim mounted bath mixer with diverter valve and hand shower Vario	71461000 71461670
		Single lever bath mixer for concealed installation for iBox universal	71466000 71466670
		Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	71467000 71467670
		Electronic basin mixer with temperature pre-adjustment mains connection 230 V	71501000
		Electronic basin mixer with temperature pre-adjustment battery operation	71502000
		Electronic basin mixer for cold water or pre-adjusted water battery operation	71503000
Talis			
Talis E			
Self-closing basin mixer with temperature control	71718000		
Self-closing pillar tap for cold water or pre-adjusted water	71719000		
Service tool for thermal disinfection	93913000		

	Code no.		Code no.
Vernis		Vernis Shape	
Vernis Blend		Single lever bidet mixer with pop-up waste set	71211000 71211670
Electronic basin mixer for cold water or pre-adjusted water mains connection 230 V	71504000	Single lever basin mixer 100 with bidette hand shower and shower hose 160 cm	71216000
Single lever basin mixer 70 with pop-up waste set	71550000 71550670	Single lever bath mixer for exposed installation	71450000 71450670
Single lever basin mixer 100 with pop-up waste set	71551000 71551670	2-hole rim mounted bath mixer	71452000 71452670
Single lever basin mixer 190 with pop-up waste set	71552000 71552670	Single lever bath mixer for exposed installation with 2 flow rates	71453000
3-hole basin mixer with pop-up waste set	71553000 71553670	Single lever bath mixer for exposed installation project pack (6 pcs.)	71457000
Single lever basin mixer with swivel spout and pop-up waste set	71554000	Single lever bath mixer for concealed installation	71458000 71458670
Single lever basin mixer 70 with metal pop-up waste set	71557000	4-hole rim mounted bath mixer	71459000 71459670
Single lever basin mixer 70 without waste set	71558000 71558670	Bath spout	71460000 71460670
Single lever basin mixer 100 with metal pop-up waste set	71559000	2-hole rim mounted bath mixer with diverter valve and Vernis Blend hand shower Vario	71462000 71462670
Single lever basin mixer 70 with isolated water conduction and pop-up waste set	71570000	Single lever bath and shower mixer Monotrou	71463000
Single lever basin mixer 100 with isolated water conduction and pop-up waste set	71571000	Single lever bath and shower mixer Monotrou with 2 flow rates	71464000
Single lever basin mixer 190 with isolated water conduction and pop-up waste set	71572000	Single lever bath mixer for concealed installation for iBox universal	71468000 71468670
Single lever basin mixer for concealed installation wall-mounted with spout 20,7 cm	71576000 71576670	Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	71469000 71469670
Single lever basin mixer 100 without waste set	71580000 71580670	Single lever basin mixer 70 with pop-up waste set	71560000 71560670
Single lever basin mixer 190 with metal pop-up waste set	71581000	Single lever basin mixer 100 with pop-up waste set	71561000 71561670
Single lever basin mixer 190 without waste set	71582000 71582670	Single lever basin mixer 190 with pop-up waste set	71562000 71562670
Pillar tap 70 for cold water without waste set	71583000 71583670	3-hole basin mixer with pop-up waste set	71563000 71563670
Single lever basin mixer 70 CoolStart with pop-up waste set	71584000 71584670	Single lever basin mixer with swivel spout and pop-up waste set	71564000
Single lever basin mixer 100 CoolStart with pop-up waste set	71585000 71585670	Single lever basin mixer 70 with metal pop-up waste set	71566000
Single lever basin mixer 70 with pop-up waste set project pack (6 pcs.)	71587000	Single lever basin mixer 70 without waste set	71567000 71567670
Single lever basin mixer 100 with pop-up waste set project pack (6 pcs.)	71588000	Single lever basin mixer 100 with metal pop-up waste set	71568000
Single lever shower mixer for exposed installation	71640000 71640670	Single lever basin mixer 100 without waste set	71569000 71569670
Single lever shower mixer for exposed installation with 2 flow rates	71646000	Single lever basin mixer for concealed installation wall-mounted with spout 20,7 cm	71578000 71578670
Single lever shower mixer for exposed installation projects pack (6 pcs.)	71647000	Single lever basin mixer 190 with metal pop-up waste set	71590000
Single lever shower mixer for concealed installation	71649000 71649670	Single lever basin mixer 190 without waste set	71591000 71591670
Single lever shower mixer for concealed installation for iBox universal	71667000 71667670	Pillar tap 70 for cold water without waste set	71592000 71592670
		Single lever basin mixer 70 CoolStart with pop-up waste set	71593000 71593670
		Single lever basin mixer 100 CoolStart with pop-up waste set	71594000 71594670

New products

	Code no.		Code no.
Vernis		XtraStoris Individual	
Vernis Shape			
Single lever basin mixer 70 with pop-up waste set project pack (6 pcs.)	71596000	Wall niche Brushed Stainless Steel with design frame 300/150/100	56094140 56094340 56094670 56094700 56094800 56094990
Single lever basin mixer 100 with pop-up waste set project pack (6 pcs.)	71597000		
Single lever shower mixer for exposed installation	71650000 71650670	Wall niche Matt Black with design frame 300/150/100	56095140 56095340 56095670 56095700 56095800 56095990
Single lever shower mixer for exposed installation with 2 flow rates	71656000		
Single lever shower mixer for exposed installation project pack (6 pcs.)	71657000	Wall niche Matt White with design frame 300/150/100	56096140 56096340 56096670 56096700 56096800 56096990
Single lever shower mixer for concealed installation	71658000 71658670		
Single lever shower mixer for concealed installation for iBox universal	71668000 71668670	Wall niche Brushed Stainless Steel with design frame 300/300/100	56097140 56097340 56097670 56097700 56097800 56097990
Accessories			
XtraStoris Original			
Wall niche with frame 300/150/100	56057670 56057700 56057800	Wall niche Matt Black with design frame 300/300/100	56098140 56098340 56098670 56098700 56098800 56098990
Wall niche with frame 300/300/100	56061670 56061700 56061800		
Wall niche with frame 300/600/100	56064670 56064700 56064800	Wall niche Matt White with design frame 300/300/100	56099140 56099340 56099670 56099700 56099800 56099990
Wall niche with frame 300/900/100	56067670 56067700 56067800		
XtraStoris Minimalistic		XtraStoris Safe	
Wall niche frameless 300/150/100	56070670 56070700 56070800	Wall niche with tileable door and integrated shut-off valve 150/300/100	56100800
Wall niche frameless 300/300/100	56073670 56073700 56073800	AddStoris	
Wall niche frameless 300/150/140	56076670 56076700 56076800	Corner basket	41741000 41741140 41741340 41741670 41741700 41741990
Wall niche frameless 300/300/140	56079670 56079700 56079800	Towel hook	41742000 41742140 41742340 41742670 41742700 41742990
XtraStoris Rock			
Wall niche with tileable door 300/150/100	56082670 56082700 56082800	Double bath towel rail	41743000 41743140 41743340 41743670 41743700 41743990
Wall niche with tileable door 300/300/100	56085670 56085700 56085800		
Wall niche with tileable door 300/150/140	56088670 56088700 56088800	Grab bar	41744000 41744140 41744340 41744670 41744700 41744990
Wall niche with tileable door 300/300/140	56091670 56091700 56091800		

	Code no.		Code no.
Accessories		Shower door handle	41759000
AddStoris			41759140
Liquid soap dispenser	41745000		41759340
	41745140		41759670
	41745340		41759700
	41745670	Towel holder twin-handle	41759990
	41745700		41770000
	41745990		41770140
Soap dish	41746000		41770340
	41746140		41770670
	41746340		41770700
	41746670	Roll holder without cover	41770990
	41746700		41771000
	41746990		41771140
Bath towel rail	41747000		41771340
	41747140		41771670
	41747340		41771700
	41747670	Roll holder with shelf	41771990
	41747700		41772000
	41747990		41772140
Double roll holder	41748000		41772340
	41748140		41772670
	41748340		41772700
	41748670	Sanitary bag dispenser	41772990
	41748700		41773000
	41748990		41773140
Toothbrush tumbler	41749000		41773340
	41749140		41773670
	41749340		41773700
	41749670	Tissue box	41773990
	41749700		41774000
	41749990		41774140
Towel rack with towel holder	41751000		41774340
	41751140		41774670
	41751340		41774700
	41751670	Pedal Bin	41774990
	41751700		41775000
	41751990		41775670
Toilet brush holder wall-mounted	41752000	Shaving mirror with LED light	41775700
	41752140		41790000
	41752340		41790140
	41752670		41790340
	41752700		41790670
	41752990		41790700
Roll holder with cover	41753000	Shaving mirror	41790990
	41753140		41791000
	41753340		41791140
	41753670		41791340
	41753700		41791670
	41753990		41791700
Towel ring	41754000	WallStoris	41791990
	41754140		
	41754340	Bundle hand shower 105 3jet EcoSmart Activation, thermostat, shower bar 70 cm and storage set	24250670
	41754670		24250700
	41754700	Bundle hand shower 105 3jet Activation EcoSmart, shower bar 70 cm and storage set	24291670
	41754990		24291700
Towel hook double	41755000	Wall bar 50 cm	27902670
	41755140		27902700
	41755340	Wall bar 70 cm	27904670
	41755670		27904700
	41755700	Storage basket deep	27912670
	41755990		27912700
Spare roll holder	41756000	Storage basket	27913670
	41756140		27913700
	41756340	Towel hook wide	27914670
	41756670		27914700
	41756700		
	41756990		

New products

	Code no.		Code no.
Accessories			
WallStoris			
Shelf	27915670 27915700	Complete set for standard installation - 900 for shower drains finish sets	56025180
Squeegee	27916670 27916700	Complete set for standard installation - 1000 for shower drains finish sets	56026180
Push slider	27917670 27917700	Complete set for standard installation - 1200 for shower drains finish sets	56027180
Tumbler	27921670 27921700	RainDrain	
Cover for storage basket	27925670 27925700	Installation set 600 for shower drains finish sets	56010180
Towel rail	27926670 27926700	Installation set 700 for shower drains finish sets	56011180
Toilet brush holder	27927670 27927700	Installation set 800 for shower drains finish sets	56012180
Toilet paper holder with shelf	27928670 27928700	Installation set 900 for shower drains finish sets	56013180
Towel hook slim	27929670 27929700	Installation set 1000 for shower drains finish sets	56014180
Bathtub bundle	27966670 27966700	Installation set 1200 for shower drains finish sets	56015180
Shower bundle	27967670 27967700	RainDrain Flex	
Bathroom bundle	27968670 27968700	Finish set shower drain 700 cuttable	56043000 56043140 56043340 56043670 56043700 56043800 56043990
Toilet bundle	27969670 27969700	Finish set shower drain 800 cuttable	56044000 56044140 56044340 56044670 56044700 56044800 56044990
Mounting set (3 screws, 3 plugs)	94268000	Finish set shower drain 900 cuttable	56045000 56045140 56045340 56045670 56045700 56045800 56045990
Wastes and overflow			
uBox universal			
Base set for finish sets for flat installation	01000180	Finish set shower drain 1000 cuttable	56046000 56046140 56046340 56046670 56046700 56046800 56046990
Base set for finish sets for standard installation	01001180		
Base set for finish sets for vertical installation	01002180		
Complete set for flat installation - 600 for shower drains finish sets	56016180		
Complete set for flat installation - 700 for shower drains finish sets	56017180	Finish set shower drain 1200 cuttable	56047000 56047140 56047340 56047670 56047700 56047800 56047990
Complete set for flat installation - 800 for shower drains finish sets	56018180		
Complete set for flat installation - 900 for shower drains finish sets	56019180		
Complete set for flat installation - 1000 for shower drains finish sets	56020180	Finish set shower drain 700 cuttable for wall mounting	56050000 56050140 56050340 56050670 56050700 56050800 56050990
Complete set for flat installation - 1200 for shower drains finish sets	56021180		
Complete set for standard installation - 600 for shower drains finish sets	56022180		
Complete set for standard installation - 700 for shower drains finish sets	56023180	Finish set shower drain 800 cuttable for wall mounting	56051000 56051140 56051340 56051670 56051700 56051800 56051990
Complete set for standard installation - 800 for shower drains finish sets	56024180		

	Code no.		Code no.
Wastes and overflow		Finish set shower drain 1000 cut on size and tileable	56033000
RainDrain Flex		Finish set shower drain 1200 cut on size and tileable	56034000
Finish set shower drain 900 cuttable for wall mounting	56052000 56052140 56052340 56052670 56052700 56052800 56052990	RainDrain Spot	
		Complete set 150/150 point drain and installation set	56055800
		Height compensation supplementary piece	56056000
Finish set shower drain 1000 cuttable for wall mounting	56053000 56053140 56053340 56053670 56053700 56053800 56053990	Complete set 150/150 point drain tileable rear cover and installation set	56112800
		Bath filler with wastes and overflow for bath tubs	
Finish set shower drain 1200 cuttable for wall mounting	56054000 56054140 56054340 56054670 56054700 56054800 56054990	Finish set oval	28020140 28020340 28020670 28020700 28020990
		Accessories	
		Straight pipe 30 cm	53428670 53428700
RainDrain Match		Kitchen mixers and sinks	
		Aqittura M91	
Finish set shower drain 600 with height adjustable frame	56036000 56036450 56036610 56036670 56036700 56036800	FilterSystem 210, pull-out spout, 1jet, sBox, starter set	76800000 76800670 76800800
		FilterSystem 210, pull-out spout, 1jet, starter set	76801000 76801670 76801800
Finish set shower drain 700 with height adjustable frame	56037000 56037450 56037610 56037670 56037700 56037800	FilterSystem 240, 1jet, starter set	76802000 76802670 76802800
		FilterSystem 210, pull-out spout, 1jet	76803000 76803670 76803800
Finish set shower drain 800 with height adjustable frame	56038000 56038450 56038610 56038670 56038700 56038800	FilterSystem 240, 1jet	76804000 76804670 76804800
		Filter active carbon	76814000
Finish set shower drain 900 with height adjustable frame	56040000 56040450 56040610 56040670 56040700 56040800	Filter ion exchanger and active carbon	76815000
		F23 Flowmeter	76818000
		FilterSystem 210, pull-out spout, 1jet, sBox	76826000 76826670 76826800
Finish set shower drain 1000 with height adjustable frame	56041000 56041450 56041610 56041670 56041700 56041800	Filter ion exchanger Pro and active carbon	76827000
		Mineralisation and filter Harmony	76828000
		Mineralisation and filter Life	76829000
Finish set shower drain 1200 with height adjustable frame	56042000 56042450 56042610 56042670 56042700 56042800	Mineralisation and filter Sport	76830000
		Zesis M33	
		Single lever kitchen mixer 150, pull-out spray, 2jet	74800000 74800670 74800800
		Single lever kitchen mixer 160, pull-out spray, 2jet	74801000 74801670 74801800
		Single lever kitchen mixer 150, 1jet	74802000 74802670 74802800
RainDrain Rock			
Finish set shower drain 600 cut on size and tileable	56029000		
Finish set shower drain 700 cut on size and tileable	56030000		
Finish set shower drain 800 cut on size and tileable	56031000		
Finish set shower drain 900 cut on size and tileable	56032000		

Kitchen mixers and sinks

Zesis M33

Single lever kitchen mixer 150, pull-out spray, 2jet, sBox lite	74803000 74803670 74803800
Single lever kitchen mixer, 160, pull-out spray, 2jet, sBox lite	74804000 74804670 74804800
Single lever kitchen mixer 160, installation in front of a window, 1jet	74805000
Single lever kitchen mixer 150, LowPressure/vented hot water cylinders, 1jet	74806000
Single lever kitchen mixer 200, device shut-off valve, CoolStart, 1jet	74807000
Single lever kitchen mixer 200, device shut-off valve, 1jet	74808000
Single lever kitchen mixer 150, Eco, pull-out spray, 2jet	74810000
Single lever kitchen mixer 150, Eco, 1jet	74811000
Single lever kitchen mixer 150, CoolStart, EcoSmart, 1jet	74813000

Vernis M35

Single lever kitchen mixer 210 with swivel spout	71870000 71870670
Single lever kitchen mixer 210 with swivel spout	71871000 71871670

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
01		13423000	20	14883000	4	15742000	10	21141000	64
01000180	8	13424000	15	14883800	4	15743000	10	21142000	64
01001180	8	13437180	2	14884000	4	15743140	10	21143000	64
01002180	8	13439180	8	14884800	4	15743340	10	21144000	64
01800180	10	13444180	2	14888000	4	15743670	10	21145000	64
01850180	10	13593000	15	14893000	36	15743700	10	21146000	64
06		13595000	50	14920000	20	15743990	10	24	
06010000	2500	13597000	24	15		15744000	10	24010180	6
10		13601000	20	15310180	3	15745000	10	24100000	30
10452180	6	13604000	20	15311180	3	15747000	10	24100670	30
10823000	30	13620180	24	15346000	31	15748000	10	24100700	30
10823800	30	13622180	25	15355000	2	15755000	6	24101000	30
13		13901000	100	15355400	2	15756000	9	24101670	30
13111000	4	13902000	100	15356000	2	15757000	10	24101700	30
13111400	3	13903000	100	15356400	2	15758000	10	24110000	30
13114000	7	13912000	750	15357000	2	15758140	10	24110670	30
13114140	7	13913000	750	15357400	2	15758340	10	24110700	30
13114340	7	13950000	40	15358000	2	15758670	10	24111000	30
13114670	7	13950140	36	15358400	2	15758700	10	24111670	30
13114700	7	13950340	36	15380000	4	15758990	10	24111700	30
13114990	7	13950670	36	15380670	2	15760000	10	24120000	30
13115000	7	13950700	36	15380700	4	15761000	10	24120670	30
13116000	10	13950990	36	15381000	2	15762000	10	24120700	30
13116140	8	13952000	50	15381700	2	15763000	10	24121000	30
13116340	8	13954000	50	15382000	2	15763140	6	24121670	30
13116670	8	13954820	36	15382670	2	15763670	6	24121700	30
13116700	8	13961000	200	15382700	2	15763700	6	24130000	12
13116990	8	13964000	100	15384000	2	15764000	10	24130670	12
13117000	7	14		15384700	2	15765000	6	24130700	12
13122000	10	14095000	56	15597000	17	15767000	10	24132000	12
13123000	7	14096000	56	15705000	12	15768000	10	24132670	12
13132000	20	14420000	28	15706000	9	15773000	8	24132700	12
13141000	5	14495000	28	15707000	9	15774000	7	24139000	10
13141400	5	14806000	3	15708000	10	15930180	25	24140000	4
13151000	4	14820000	4	15712000	10	15932000	25	24150000	4
13151400	4	14820800	4	15714000	10	15970180	25	24160000	12
13159180	10	14821000	4	15714140	10	15972000	40	24160670	12
13161000	4	14821800	4	15714340	10	15973180	50	24160700	12
13161400	4	14822000	4	15714670	10	15974180	50	24161000	12
13171000	4	14822800	4	15714700	10	15981180	20	24161670	12
13171400	4	14823000	4	15714990	10	16		24161700	12
13182000	136	14834000	4	15734400	12	16884000	100	24170000	6
13201000	7	14834800	4	15735400	6	16884820	80	24170670	6
13211000	10	14847000	4	15736400	12	19		24170700	6
13233180	5	14847800	4	15737400	12	19418000	2	24171000	6
13244180	8	14857000	4	15738400	10	21		24171670	6
13414000	35	14857800	4	15741000	10	21140700	64	24171700	6

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
24270000	2	26221700	6	26282670	2	26453000	110	26524000	10
24291670	2	26221990	6	26283000	6	26453670	110	26524400	10
24291700	2	26228000	6	26283670	6	26455000	110	26528000	10
24301000	20	26228700	6	26284000	2	26455140	110	26528400	10
24301670	20	26229000	6	26286000	2	26455340	110	26530000	20
24301700	20	26229700	6	26286670	2	26455670	110	26530140	20
24302000	20	26231000	2	26289000	2	26455700	110	26530340	20
24302670	20	26231340	2	26289670	2	26455990	110	26530400	20
24302700	20	26231700	2	26318000	2	26456000	10	26530670	20
24303000	20	26238000	3	26319000	2	26456400	10	26530700	20
24303670	20	26238140	3	26320000	10	26457000	168	26530990	20
24303700	20	26238340	3	26322000	3	26457140	168	26531000	25
24340000	2	26238670	3	26322400	3	26464000	10	26531140	20
24340670	2	26238700	3	26323000	5	26465000	7	26531340	20
24340700	2	26238990	3	26326000	2	26466000	6	26531400	25
24360000	2	26239000	3	26328400	9	26466400	6	26531670	20
24360670	2	26243000	8	26329000	15	26467000	6	26531700	20
24360700	2	26243700	8	26330400	24	26467400	6	26531990	20
24400000	12	26250000	3	26331400	24	26469000	6	26532400	12
24401000	11	26250140	3	26332400	24	26470000	6	26533400	12
26		26250340	3	26333400	24	26470400	6	26534400	12
26014000	22	26250670	3	26334400	24	26471180	10	26535400	12
26014140	20	26250700	3	26336400	24	26472000	6	26536400	7
26014340	20	26250990	3	26340000	34	26481000	6	26537400	4
26014670	20	26251000	3	26340670	34	26485000	40	26538400	4
26014700	20	26252000	3	26401000	10	26486000	25	26539400	6
26014990	20	26253000	3	26402000	5	26487000	25	26550000	28
26079000	2	26254180	6	26403400	2	26503000	16	26550400	28
26089000	2	26257000	4	26404400	2	26504000	8	26551000	30
26089670	2	26258000	4	26405000	70	26505000	12	26551400	28
26090000	24	26270000	34	26405670	70	26506000	6	26553400	12
26093000	8	26270670	34	26406000	140	26511000	24	26554400	12
26097000	2	26271000	8	26406670	140	26511400	24	26555400	16
26097670	2	26271670	8	26407000	60	26511600	24	26560400	12
26098000	2	26272000	2	26407670	60	26519000	38	26561400	12
26099000	2	26273000	8	26410400	20	26520000	25	26562400	12
26099670	2	26274000	2	26411400	20	26520140	20	26563400	12
26220000	6	26275000	12	26412400	20	26520340	20	26564400	12
26220140	6	26276000	2	26413400	20	26520400	25	26565400	12
26220340	6	26276670	2	26420400	20	26520670	20	26566400	12
26220670	6	26277000	6	26421400	20	26520700	20	26567400	20
26220700	6	26277670	6	26422670	14	26520990	20	26568400	20
26220990	6	26278000	8	26423670	12	26521000	25	26569400	20
26221000	6	26279000	12	26424400	20	26521400	24	26570400	7
26221140	6	26281000	8	26425400	20	26522000	10	26571400	7
26221340	6	26281670	8	26442000	10	26522400	7	26572400	7
26221670	6	26282000	2	26443000	10	26523000	7	26573400	7

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
26574400	7	26720400	20	26867000	30	27381000	4	27492000	2
26575400	4	26721000	20	26867700	30	27388000	7	27493000	6
26580400	12	26721400	10	27		27389000	7	27494000	6
26581400	12	26722000	10	27013400	7	27389140	7	27505000	150
26582400	12	26723000	10	27014400	5	27389340	7	27506000	100
26583400	10	26724000	10	27032000	6	27389670	7	27521000	100
26584400	12	26725000	10	27033000	3	27389700	7	27558000	20
26585400	12	26726000	10	27034000	7	27389990	7	27559000	20
26586400	12	26727000	10	27035000	3	27393000	24	27574000	20
26590400	7	26790000	2	27038000	2	27393140	24	27575000	20
26591400	7	26791000	2	27081400	7	27393670	24	27576000	20
26592400	6	26793000	2	27082400	5	27393700	24	27577000	20
26593400	7	26794000	2	27085000	4	27405000	7	27592000	20
26594400	7	26800400	24	27086000	8	27405090	7	27593000	20
26595400	7	26801400	24	27114000	2	27409000	20	27594000	20
26600000	3	26802400	24	27115000	2	27411000	48	27595000	20
26601000	6	26803400	24	27116000	2	27412000	15	27607000	6
26604000	4	26804400	24	27129000	2	27413000	21	27609000	10
26605000	4	26805400	34	27129400	2	27413140	21	27610000	10
26620000	16	26806400	34	27133000	2	27413340	21	27611000	20
26620400	12	26810400	32	27133400	2	27413670	21	27614000	10
26621000	7	26811400	34	27185000	2	27413700	21	27615000	20
26621400	7	26812400	32	27188000	2	27413990	21	27617000	12
26622000	12	26813400	32	27222000	2	27414000	150	27617820	12
26622400	12	26814400	32	27224000	2	27424000	5	27620000	7
26623000	6	26815400	34	27254400	2	27424090	7	27623000	7
26623400	6	26816400	34	27256400	2	27438000	36	27636000	5
26626000	6	26840180	8	27258400	2	27441000	26	27640000	3
26626400	6	26843000	8	27267000	2	27443000	26	27640400	3
26630000	12	26843700	8	27268000	2	27446000	20	27645000	2
26630400	16	26844000	8	27269000	2	27452000	20	27646000	2
26631000	7	26844700	8	27270000	2	27453000	100	27648000	3
26631400	5	26852000	12	27271000	2	27454000	100	27648400	3
26632000	12	26852700	12	27281000	2	27454140	100	27649000	3
26633000	6	26857000	12	27284000	2	27454340	100	27652000	12
26640540	12	26857700	12	27289000	2	27454670	100	27653000	7
26640560	12	26858000	8	27337000	6	27454700	100	27654000	12
26640670	12	26858700	8	27337400	6	27454990	100	27660000	2
26640700	12	26864000	26	27355000	10	27456000	98	27667000	7
26690400	20	26864700	26	27356000	10	27458000	100	27668000	10
26691400	20	26865000	20	27370000	4	27461000	6	27669000	11
26692400	20	26865700	16	27371000	4	27463000	7	27671000	4
26693400	15	26866000	30	27375000	4	27467000	24	27672000	2
26694400	14	26866340	30	27376000	4	27474000	6	27673000	2
26700000	20	26866670	48	27378000	6	27477000	7	27674000	2
26701000	20	26866700	30	27378400	6	27478000	7	27704000	14
26720000	20	26866990	30	27380000	4	27479000	36	27717000	10

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
27724000	7	27926700	30	28276700	25	28631000	10	31161000	5
27728000	10	27927670	10	28276800	25	28631140	10	31162000	6
27729000	7	27927700	10	28276990	25	28631340	10	31163000	6
27762000	7	27928670	28	28307000	20	28631670	10	31166000	10
27763000	10	27928700	28	28321000	200	28631700	10	31171000	4
27764000	12	27929670	216	28324000	100	28631990	10	31172000	4
27766000	7	27929700	216	28328000	72	28632000	20	31173000	4
27767000	10	27966670	2	28331000	100	28632140	20	31174000	8
27771000	7	27966700	2	28331140	105	28632340	20	31183000	5
27772000	10	27967670	8	28331340	105	28632670	20	31184000	4
27774000	7	27967700	8	28331670	105	28632700	20	31185000	5
27776000	12	27968670	4	28331700	105	28632990	20	31186000	10
27802000	10	27968700	4	28331800	105	28650000	170	31187000	6
27803000	5	27969670	4	28331990	105	28662000	10	31190000	6
27803400	5	27969700	4	28335000	54	28663000	12	31203000	11
27804000	70	28		28346000	180	28672000	20	31204000	11
27804670	70	28010000	5	28387000	60	28675000	60	31261000	10
27805000	40	28010670	6	28387140	105	28678000	40	31280000	10
27805670	60	28010700	5	28387340	105	28679000	60	31285000	6
27809000	60	28020000	5	28387670	105	28684000	50	31422000	4
27809670	60	28020670	5	28387700	105	28694000	100	31423000	4
27812400	7	28020700	5	28387990	105	28698000	6	31442000	6
27813400	3	28072000	400	28389000	2	28760210	24	31443000	9
27833400	3	28132000	25	28423000	50	28787640	24	31446000	6
27856000	10	28134000	25	28424000	32	28788570	24	31451000	12
27857000	5	28136000	25	28425000	25	31		31454000	12
27902670	25	28167000	25	28462000	26	31016000	10	31456000	12
27902700	25	28168000	25	28466000	48	31022000	4	31460000	8
27904670	30	28169000	25	28467000	80	31023000	4	31465000	10
27904700	30	28248000	25	28496000	18	31060000	10	31466000	10
27912670	24	28249000	25	28535000	20	31068000	10	31480000	8
27912700	24	28262000	50	28536000	20	31080000	10	31493000	10
27913670	40	28264000	50	28537000	24	31081000	6	31494000	20
27913700	40	28266000	50	28538000	24	31082000	4	31509000	10
27914670	216	28272000	25	28539000	16	31084000	10	31513000	10
27914700	216	28272140	25	28548000	12	31085000	6	31517000	10
27915670	24	28272340	25	28548090	15	31086000	6	31518000	5
27915700	24	28272450	25	28561000	30	31087000	5	31519000	6
27916670	170	28272670	25	28562000	30	31088000	10	31521000	4
27916700	170	28272700	25	28563000	30	31100000	4	31523000	4
27917670	120	28272990	25	28580000	24	31101000	4	31531000	5
27917700	120	28274000	25	28583000	24	31102000	4	31532000	5
27921670	12	28276000	25	28585000	35	31103000	4	31539000	10
27921700	12	28276140	25	28587000	20	31121000	10	31603000	10
27925670	112	28276340	25	28587400	20	31130000	10	31604000	10
27925700	112	28276450	25	28588000	20	31159000	6	31607000	10
27926670	30	28276670	25	28588400	20	31160000	10	31608000	5

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
31609000	6	31938000	8	32511990	6	32565700	10	40952800	90
31621000	10	31940000	8	32512000	7	32565990	10	41	
31657000	10	31945000	10	32512140	7	32570000	5	41710000	30
31658000	4	31946000	10	32512340	7	32571000	5	41711000	200
31660000	8	31947000	25	32512670	4	32572000	4	41712000	18
31665000	10	31948000	8	32512700	4	32620000	8	41713000	30
31677000	40	31952000	7	32512990	4	32675000	10	41714000	30
31680000	8	31960000	8	32514000	4	32841000	10	41715000	30
31685000	9	31961000	20	32515000	9	32851000	10	41716000	25
31686000	15	31965000	10	32515340	9	40		41717000	24
31730000	10	31967000	25	32515670	9	40068000	48	41718000	40
31732000	10	31968000	8	32515700	9	40088000	48	41720000	4
31733000	10	31971000	50	32515990	9	40089000	22	41722000	6
31741180	20	32		32520000	5	40418000	15	41723000	30
31803000	6	32020000	10	32520140	7	40418800	15	41724000	9
31804000	10	32031000	10	32520990	7	40438000	15	41725000	75
31806000	10	32032000	10	32522000	4	40438340	15	41726000	75
31806800	10	32070000	6	32525000	6	40438670	15	41727000	3
31815000	4	32122000	15	32526000	9	40438800	15	41728000	2
31815670	4	32127000	20	32526700	7	40448000	15	41741000	12
31815800	4	32128000	20	32540000	6	40448670	15	41741140	12
31816000	10	32129000	20	32540670	8	40448800	15	41741340	12
31817000	10	32420000	8	32540990	10	40468000	15	41741670	12
31817670	4	32475000	10	32542000	20	40468670	15	41741700	12
31817800	10	32477000	10	32543000	5	40468800	15	41741990	12
31820000	10	32500000	6	32543140	7	40511000	125	41742000	72
31820670	10	32500140	6	32543340	7	40511820	80	41742140	72
31820800	10	32500340	6	32543670	7	40512000	15	41742340	72
31822000	10	32500670	6	32543700	7	40512820	6	41742670	72
31823000	4	32500700	6	32543990	7	40513000	20	41742700	72
31825000	8	32500990	6	32545000	6	40513820	6	41742990	72
31910000	8	32501000	5	32545140	10	40514000	12	41743000	12
31911000	8	32502000	5	32545670	10	40514820	12	41743140	6
31913000	6	32503000	5	32545700	10	40515000	18	41743340	6
31914000	8	32506000	5	32545990	10	40515820	6	41743670	6
31915000	8	32507000	5	32546000	6	40516000	18	41743700	6
31916000	2	32507140	5	32548000	30	40516820	20	41743990	6
31917000	8	32507340	5	32550000	6	40517000	30	41744000	18
31920000	10	32507670	5	32551000	6	40517820	36	41744140	18
31922000	10	32507700	5	32552000	6	40518000	18	41744340	18
31923000	6	32507990	5	32553000	6	40518820	6	41744670	18
31926000	10	32508000	5	32560000	6	40522000	10	41744700	18
31927000	6	32511000	6	32560670	10	40522820	10	41744990	18
31928000	10	32511140	6	32560700	10	40523000	32	41745000	20
31930000	10	32511340	6	32565000	6	40523820	10	41745140	20
31931000	10	32511670	6	32565140	10	40526000	30	41745340	20
31937000	4	32511700	6	32565670	10	40526820	10	41745670	19

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
41745700	20	41754670	20	41774340	12	53		56042000	2
41745990	20	41754700	20	41774670	12	53002000	25	56042450	2
41746000	15	41754990	20	41774700	12	53010000	25	56042610	2
41746140	15	41755000	144	41774990	12	53428000	50	56042670	2
41746340	15	41755140	144	41775000	2	53646000	14	56042700	2
41746670	15	41755340	144	41775670	2	53990000	100	56042800	2
41746700	15	41755670	144	41775700	2	55		56043000	4
41746990	15	41755700	144	41790000	4	55213000	30	56043140	4
41747000	10	41755990	144	41790140	6	55237000	25	56043340	4
41747140	12	41756000	30	41790340	6	56		56043670	4
41747340	12	41756140	30	41790670	6	56010180	2	56043700	4
41747670	12	41756340	30	41790700	6	56011180	2	56043800	4
41747700	12	41756670	30	41790990	6	56012180	2	56043990	4
41747990	12	41756700	30	41791000	10	56013180	2	56044000	4
41748000	18	41756990	30	41791140	10	56014180	2	56044140	4
41748140	18	41759000	15	41791340	10	56015180	2	56044340	4
41748340	18	41759140	15	41791670	10	56029000	4	56044670	4
41748670	18	41759340	15	41791700	10	56030000	4	56044700	4
41748700	18	41759670	15	41791990	10	56031000	4	56044800	4
41748990	18	41759700	15	43		56032000	4	56044990	4
41749000	15	41759990	15	43921800	12	56033000	4	56045000	4
41749140	15	41770000	18	43927000	10	56034000	2	56045140	4
41749340	15	41770140	18	43928000	4	56036000	4	56045340	4
41749670	15	41770340	18	43931800	12	56036450	4	56045670	4
41749700	15	41770670	18	43937000	10	56036610	4	56045700	4
41749990	15	41770700	18	43938000	6	56036670	4	56045800	4
41751000	4	41770990	18	50		56036700	4	56045990	4
41751140	4	41771000	30	50001000	80	56036800	4	56047000	2
41751340	4	41771140	30	50100000	30	56037000	4	56047140	2
41751670	4	41771340	30	50100140	100	56037450	4	56047340	2
41751700	4	41771670	30	50100340	70	56037610	4	56047670	2
41751990	4	41771700	30	50100670	100	56037670	4	56047700	2
41752000	8	41771990	30	50100700	100	56037700	4	56047800	2
41752140	8	41772000	30	50100990	70	56037800	4	56047990	2
41752340	8	41772140	30	50105000	100	56038000	4	56050000	4
41752670	8	41772340	30	50107000	12	56038450	4	56050140	4
41752700	8	41772670	30	52		56038610	4	56050340	4
41752990	8	41772700	30	52010000	30	56038670	4	56050670	4
41753000	20	41772990	30	52053000	30	56038700	4	56050700	4
41753140	20	41773000	30	52100000	18	56038800	4	56050800	4
41753340	20	41773140	30	52105000	30	56040000	4	56050990	4
41753670	20	41773340	30	52105140	24	56040450	4	56051000	4
41753700	20	41773670	30	52105340	24	56040610	4	56051140	4
41753990	20	41773700	30	52105670	18	56040670	4	56051340	4
41754000	20	41773990	30	52105700	24	56040700	4	56051670	4
41754140	20	41774000	12	52105990	24	56040800	4	56051700	4
41754340	20	41774140	12	52120000	20	56041800	4	56051800	4

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
56051990	4	56088670	2	58113000	13	71120000	13	71407000	10
56052000	4	56088700	2	58115180	13	71130000	6	71409000	12
56052140	4	56088800	2	58116180	10	71131000	6	71410000	20
56052340	4	56091670	2	58117000	50	71133000	4	71420000	50
56052670	4	56091700	3	58117140	36	71170000	13	71420670	50
56052700	4	56091800	2	58117340	36	71171000	13	71430000	8
56052800	4	56094140	3	58117670	36	71200000	13	71440000	8
56052990	4	56094340	3	58117700	36	71201000	5	71440670	8
56054000	2	56094670	3	58117820	50	71203000	13	71442000	4
56054140	2	56094700	3	58117990	36	71204000	13	71442670	3
56054340	2	56094800	3	58123000	13	71210000	5	71444000	10
56054670	2	56094990	3	58125180	13	71210670	5	71447000	2
56054700	2	56095140	3	58126180	10	71211000	5	71449000	10
56054800	2	56095340	3	58127000	50	71211670	5	71449670	10
56054990	2	56095670	3	58128000	36	71215000	6	71450000	8
56055800	3	56095700	3	58140180	13	71216000	6	71450670	10
56056000	8	56095800	3	58141180	10	71220000	6	71452670	3
56057670	3	56095990	3	58142000	13	71221000	4	71456670	4
56057700	3	56096140	3	58143000	13	71222000	4	71458000	10
56057800	3	56096340	3	58150000	13	71225000	8	71458670	10
56061670	3	56096670	3	58185000	100	71243000	6	71459670	4
56061700	3	56096700	3	58185990	100	71251000	5	71460000	50
56061800	3	56096800	3	58186000	80	71252000	5	71460670	50
56064670	2	56096990	3	58192000	20	71253000	5	71461000	4
56064700	2	56097140	3	60		71254000	5	71463000	14
56064800	2	56097340	3	60056000	20	71255000	5	71466670	7
56067670	2	56097670	3	60067000	14	71256000	8	71474140	10
56067700	2	56097700	3	71		71257000	4	71474670	10
56067800	2	56097800	3	71070000	13	71258000	4	71474700	10
56070670	3	56097990	3	71071000	13	71263000	9	71474990	10
56070700	3	56098140	3	71072000	13	71280000	5	71501000	9
56070800	3	56098340	3	71073000	13	71283000	5	71502000	9
56073670	3	56098670	3	71074000	10	71285000	5	71503000	9
56073700	3	56098700	3	71075000	13	71286000	6	71504000	9
56073800	3	56098800	3	71076000	13	71287000	6	71550000	5
56076670	2	56098990	3	71077000	13	71290000	10	71550670	5
56076700	2	56099140	3	71078000	13	71310000	5	71551000	5
56076800	2	56099340	3	71090000	5	71311000	12	71551670	5
56079670	2	56099670	3	71091000	5	71312000	12	71552000	5
56079700	2	56099700	3	71095000	5	71313000	5	71552670	5
56079800	2	56099800	3	71100000	13	71314000	9	71553670	6
56082670	3	56099990	3	71101000	13	71315000	12	71554000	4
56082700	3	56100800	3	71102000	13	71400000	8	71557000	6
56082800	3	56112800	7	71103000	13	71401000	8	71558000	15
56085670	3	56373000	36	71104000	13	71402000	5	71558670	6
56085700	3	58		71105000	13	71405000	10	71559000	6
56085800	3	58112000	12	71107000	13	71406000	15	71560000	6

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
71560670	6	71640000	8	71716670	5	71760000	8	72013000	10
71561000	6	71640670	8	71716700	5	71760140	6	72014000	10
71561670	6	71647000	2	71716990	5	71760340	6	72017000	10
71562000	5	71649000	10	71717000	5	71760670	6	72020000	10
71562670	5	71649670	10	71717140	5	71760700	6	72021000	10
71563670	6	71650000	10	71717340	5	71760990	6	72022000	10
71564000	4	71650670	8	71717670	5	71761000	8	72023000	10
71566000	6	71658000	10	71717700	5	71764000	20	72031000	5
71567000	10	71658670	10	71717990	5	71765000	10	72032000	8
71567670	6	71666000	9	71718000	6	71765140	10	72040000	10
71568000	6	71667670	7	71719000	6	71765670	10	72041000	10
71569000	10	71700000	10	71720000	10	71765700	10	72042000	10
71569670	6	71701000	10	71721000	10	71765990	10	72043000	10
71570000	7	71702000	10	71729000	7	71766000	20	72044000	7
71576000	8	71703000	10	71731000	5	71768000	10	72045000	5
71576670	8	71704000	10	71732000	6	71802000	4	72105000	6
71578000	8	71705000	10	71733000	4	71802800	4	72110000	8
71578670	8	71706000	10	71733140	4	71804000	10	72111000	9
71580000	15	71710000	10	71733670	4	71805000	10	72113000	5
71580670	15	71710140	10	71734000	6	71806000	10	72115000	6
71581000	5	71710340	10	71734140	6	71806800	10	72116000	6
71582000	5	71710670	10	71734340	6	71807000	10	72200000	10
71583000	15	71710700	10	71734670	6	71808000	6	72202000	10
71583670	15	71710990	10	71734700	6	71813000	3	72290000	6
71584000	5	71711000	10	71734990	6	71814000	10	72291000	8
71584670	6	71712000	10	71740000	8	71820000	6	72400000	8
71585000	5	71712140	10	71740140	6	71820800	6	72405000	9
71585670	6	71712340	10	71740340	6	71829000	3	72410000	20
71587000	2	71712670	10	71740670	6	71829800	3	72416000	6
71588000	2	71712700	10	71740700	6	71830000	10	72417000	5
71590000	5	71712990	10	71740990	6	71831000	10	72419000	6
71591000	5	71713000	10	71745000	10	71832000	10	72600000	8
71591670	6	71713140	10	71745140	9	71833000	4	72605000	12
71592000	15	71713340	10	71745340	9	71834000	3	72606000	20
71592670	15	71713670	10	71745670	10	71835000	10	72800000	4
71593000	5	71713700	10	71745700	10	71836000	10	72800670	4
71593670	6	71713990	10	71745990	10	71837000	10	72800800	9
71594000	5	71714000	10	71747000	5	71839000	10	72801000	3
71594670	6	71714140	10	71748000	6	71870000	5	72801670	3
71596000	2	71714340	10	71748140	3	71870670	5	72801800	3
71600000	8	71714670	10	71748670	5	71871000	5	72802000	4
71601000	8	71714700	10	71750000	10	71871670	5	72802670	9
71604000	15	71714990	10	71751000	10	71970000	50	72802800	9
71605000	10	71715000	10	71752000	5	72		72803000	3
71606000	20	71716000	4	71753000	10	72010000	10	72803670	3
71629000	5	71716140	5	71754000	6	72011000	10	72803800	3
71630000	8	71716340	5	71755000	5	72012000	10	72804000	9

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
72804670	9	72844000	4	74550000	6	75042000	3	76060670	2
72804800	9	72844670	9	74551000	6	75042670	3	76060700	2
72805000	9	72845000	4	74552000	6	75042700	4	76063000	2
72805670	9	72845670	9	74553000	6	75050000	6	76063670	2
72805800	9	73		74560000	8	75050670	6	76063700	2
72806000	9	73561000	9	74565000	10	75050700	6	76070000	3
72806670	9	73800000	6	74800000	4	75200000	5	76070670	3
72806800	9	73800800	6	74800670	4	75200670	5	76070700	3
72807000	9	73801000	6	74801000	4	75200700	5	76200000	5
72807670	9	73801800	6	74802000	4	75410000	20	76200670	5
72807800	9	73802000	6	74802670	4	75410670	20	76200700	5
72808000	4	73802800	4	74807000	3	75410700	20	76410000	20
72808670	9	73803000	6	74808000	3	75415000	6	76410670	20
72808800	9	73803800	6	74810000	4	75415670	6	76410700	20
72809000	3	73804000	5	74811000	4	75415700	6	76415000	6
72809670	3	73804800	6	74813000	4	75420000	2	76415670	6
72809800	3	73812000	4	75		75420670	2	76415700	6
72810000	4	73812800	6	75010000	5	75420700	2	76420000	2
72810800	4	73850000	6	75010670	5	75615000	6	76420670	2
72811000	9	73850800	6	75010700	5	75615670	6	76420700	2
72813000	4	73851000	6	75012000	5	75615700	6	76615000	6
72813800	4	73851800	6	75012670	5	75620000	8	76615670	6
72814000	4	73852000	6	75012700	5	75620670	8	76615700	6
72814800	9	73852800	6	75013000	5	75620700	8	76620000	4
72815000	9	73853000	6	75013670	5	76		76620670	4
72815800	9	73853800	5	75013700	5	76010000	5	76620700	8
72820000	4	73860000	6	75020000	5	76010670	5	92	
72820800	4	73860800	6	75020670	5	76010700	5	92019000	180
72821000	4	73880000	4	75020700	5	76013000	5	92601000	50
72821800	4	73880800	3	75022000	5	76013670	5	92631000	30
72822000	8	74		75022670	5	76013700	5	92730000	50
72822800	8	74500000	5	75022700	5	76020000	5	93	
72823000	3	74502000	5	75023000	5	76020670	5	93286000	20
72823800	3	74506000	5	75023670	5	76020700	5	93500000	32
72827000	9	74507000	5	75023700	5	76023000	5	94	
72827670	9	74511000	5	75024000	5	76023670	5	94004000	30
72827800	9	74512000	4	75024670	5	76023700	5	94005000	200
72840000	9	74514000	9	75024700	5	76024000	5	94008000	90
72840670	9	74515000	9	75030000	2	76024670	5	94009000	120
72840800	9	74520000	5	75030670	2	76024700	5	94051000	200
72841000	16	74522000	8	75030700	2	76050000	6	94055000	80
72841670	16	74525000	6	75032000	2	76050670	6	94139000	20
72841800	16	74526000	6	75032670	2	76050700	6	94139140	20
72842000	4	74540000	8	75032700	2	76051000	6	94139340	20
72842670	9	74545000	10	75040000	4	76051670	6	94140000	106
72843000	4	74546000	10	75040670	4	76051700	6	94148000	25
72843670	4	74548000	30	75040700	4	76060000	2	94149000	200

code no.	Number Of Items Per PackingUnit
94246000	800
94282000	50
94850000	200
95	
95048000	25
95052000	30
95053000	100
95239000	100
96	
96016000	160
96026000	50
96083000	50
96100000	1000
96153000	50
96170000	50
96177880	80
96179000	200
96184000	200
96186000	400
96188000	160
96189000	160
96190000	50
96191000	100
96192000	160
96339000	56
96370000	100
96387000	18
96392000	160
96441000	6
96467000	80
96507000	100
96529000	200
96615000	27
96618000	160
96657000	31
97	
97116000	20
97231000	160
97450000	4000
97462000	140
98	
98066000	4500
98556000	80
98610000	160
98993000	100

Code Numbers

brand	code no.	EAN	page
01			
HG	01000180	4059625350867	566
HG	01001180	4059625350850	566
HG	01002180	4059625350836	567
HG	01800180	4011097347240	176
HG	01850180	4011097677545	336
02			
HG	02024000	4011097100005	167
HG	02026000	4011097729220	233
06			
HG	06010000	4011097100135	602
10			
AX	10452180	4011097254104	365
AX	10490000	4011097432601	705
AX	10823000	4011097693712	689
AX	10823800	4011097694566	689
AX	10890000	4011097460901	705
AX	10891000	4011097462110	705
11			
AX	11095000	4011097165110	700
AX	11098000	4011097257051	702
13			
HG	13085000	4011097102184	700
HG	13085810	4011097423449	700
HG	13097000	4011097102375	699
HG	13111000	4011097754161	296
HG	13111400	4011097753928	296
HG	13114000	4011097678832	299
HG	13114140	4059625229774	299
HG	13114340	4059625229781	299
HG	13114670	4059625229798	299
HG	13114700	4059625229804	299
HG	13114990	4059625229811	299
HG	13115000	4011097678849	300
HG	13116000	4011097678856	300
HG	13116140	4059625229828	300
HG	13116340	4059625229835	300
HG	13116670	4059625229842	300
HG	13116700	4059625229859	300
HG	13116990	4059625229866	300
HG	13117000	4011097678863	301
HG	13122000	4011097739205	305
HG	13123000	4011097739229	306
HG	13132000	4011097526058	446
HG	13141000	4011097661308	294
HG	13141400	4011097666402	294
HG	13151000	4011097717036	291
HG	13151400	4011097717029	291
HG	13159180	4011097835310	373
HG	13161000	4011097661315	295
HG	13161400	4011097665696	295
HG	13171000	4011097717012	290
HG	13171400	4011097717005	290
HG	13182000	4011097668482	701
HG	13183000	4011097771021	289
HG	13184000	4011097771083	288
HG	13184400	4011097771076	288
HG	13201000	4011097799599	306
HG	13211000	4011097799582	306
HG	13233180	4011097629407	429
HG	13244180	4011097629414	378
AX	13290450	4011097102993	704
AX	13290480	4011097103013	704
HG	13414000	4011097532509	448

brand	code no.	EAN	page
HG	13423000	4011097603766	448
HG	13424000	4011097594774	448
HG	13437180	4011097660837	374
HG	13439180	4011097734033	375
HG	13440180	4059625321218	408
HG	13444180	4011097140841	376
HG	13473000	4011097178233	702
AX	13485000	4011097104416	700
HG	13560180	4059625202968	594
HG	13593000	4011097745015	337
HG	13593140	4059625346716	337
HG	13593340	4059625346723	337
HG	13593670	4059625346693	337
HG	13593700	4059625346709	337
HG	13593990	4059625346730	337
HG	13595000	4011097333670	337
HG	13597000	4011097564739	330
HG	13597140	4059625250075	330
HG	13597340	4059625346839	330
HG	13597670	4059625346815	330
HG	13597700	4059625346822	330
HG	13597990	4059625346846	330
HG	13601000	4011097783727	318
HG	13604000	4011097825915	317
HG	13620180	4011097228747	392
HG	13622180	4011097625386	363
AX	13690430	4011097104997	704
AX	13690450	4011097105017	704
AX	13690480	4011097105031	704
AX	13690610	4011097177304	704
HG	13893000	4011097105444	706
HG	13893450	4011097105475	706
HG	13901000	4011097537122	600
HG	13902000	4011097537139	599
HG	13903000	4011097646411	599
HG	13904000	4011097666778	599
HG	13912000	4011097413747	701
HG	13913000	4011097413754	701
HG	13914000	4011097413761	701
HG	13950000	4011097350721	599
HG	13950140	4011097957050	599
HG	13950340	4059625266151	599
HG	13950670	4059625266137	599
HG	13950700	4059625266144	599
HG	13950990	4011097957128	599
HG	13952000	4011097105932	699
HG	13954000	4011097360393	599
HG	13954820	4011097525532	599
HG	13961000	4011097105949	709
HG	13964000	4011097105970	699
HG	13970000	4011097105994	702
HG	13971000	4011097178578	702
HG	13981000	4011097177434	707
HG	13988000	4011097106557	709
HG	13989000	4011097106564	709
14			
HG	14091000	4011097177557	704
HG	14095000	4011097165103	699
HG	14096000	4011097176222	699
HG	14097000	4011097236995	699
HG	14098000	4011097237008	699
HG	14420000	4011097488424	397
HG	14495000	4011097255705	399
HG	14780000	4059625195970	641

brand	code no.	EAN	page
HG	14781000	4059625197110	643
HG	14782000	4059625198100	644
HG	14785000	4059625197998	641
HG	14786000	4059625195994	638
HG	14806000	4011097732992	658
HG	14820000	4011097718378	641
HG	14820800	4011097718361	641
HG	14821000	4011097718354	643
HG	14821800	4011097718347	643
HG	14822000	4011097718170	644
HG	14822800	4011097718330	644
HG	14823000	4011097718323	645
HG	14834000	4011097823690	642
HG	14834800	4011097823683	642
HG	14847000	4011097823676	641
HG	14847800	4011097823669	641
HG	14857000	4011097823652	640
HG	14857800	4011097823645	640
HG	14883000	4011097748559	641
HG	14883800	4011097748566	641
HG	14884000	4011097772783	638
HG	14884800	4011097772790	638
HG	14888000	4011097752631	645
HG	14890000	4011097362274	703
HG	14891000	4011097217253	703
HG	14893000	4011097260303	706
HG	14896000	4011097508009	705
HG	14920000	4011097153759	708
15			
HG	15310180	4011097815602	309
HG	15311180	4059625034057	310
HG	15312180	4059625034040	312
HG	15313180	4059625034033	313
HG	15346000	4011097727219	307
HG	15355000	4059625034019	308
HG	15355400	4011097815619	308
HG	15355600	4059625034002	308
HG	15356000	4059625033999	310
HG	15356400	4059625033982	310
HG	15356600	4059625033975	310
HG	15357000	4059625033968	311
HG	15357400	4059625033951	311
HG	15357600	4059625033944	311
HG	15358000	4059625033937	313
HG	15358400	4059625033920	313
HG	15358600	4059625033913	313
HG	15380000	4059625201350	308
HG	15380140	4059625241707	308
HG	15380340	4059625241691	308
HG	15380670	4059625241684	308
HG	15380700	4059625201336	308
HG	15380990	4059625241677	308
HG	15381000	4059625201312	309
HG	15381700	4059625201299	309
HG	15382000	4059625201275	311
HG	15382140	4059625241967	311
HG	15382340	4059625241974	311
HG	15382670	4059625241981	311
HG	15382700	4059625201251	311
HG	15382990	4059625241998	311
HG	15384000	4059625201237	312
HG	15384700	4059625201213	312
HG	15597000	4011097625027	336
HG	15597140	4059625346785	336

brand	code no.	EAN	page
HG	15597340	4059625346792	336
HG	15597670	4059625346761	336
HG	15597700	4059625346778	336
HG	15597990	4059625346808	336
HG	15705000	4011097741727	328
HG	15706000	4011097741710	327
HG	15707000	4011097741703	327
HG	15708000	4011097741697	327
HG	15712000	4059625028728	326
HG	15714000	4059625028735	326
HG	15714140	4059625230244	326
HG	15714340	4059625230251	326
HG	15714670	4059625230268	326
HG	15714700	4059625230275	326
HG	15714990	4059625230282	326
HG	15734400	4011097777528	314
HG	15735400	4011097777511	315
HG	15736400	4011097777504	315
HG	15737400	4011097777498	313
HG	15738400	4011097777481	314
HG	15741000	4011097741369	322
HG	15742000	4011097741352	323
HG	15743000	4011097741345	322
HG	15743140	4059625142424	322
HG	15743340	4059625244548	322
HG	15743670	4059625266069	322
HG	15743700	4059625266076	322
HG	15743990	4059625266083	322
HG	15744000	4011097741338	321
HG	15745000	4011097741321	323
HG	15747000	4011097746388	324
HG	15748000	4011097749631	324
HG	15755000	4011097741680	329
HG	15756000	4011097741673	329
HG	15757000	4011097741666	328
HG	15758000	4011097741659	328
HG	15758140	4059625155028	328
HG	15758340	4059625216682	328
HG	15758670	4059625266038	328
HG	15758700	4059625266045	328
HG	15758990	4059625266052	328
HG	15760000	4011097719870	319
HG	15760140	4059625355893	319
HG	15760340	4059625355879	319
HG	15760670	4059625355855	319
HG	15760700	4059625355831	319
HG	15760990	4059625355817	319
HG	15761000	4011097719863	319
HG	15762000	4011097719856	317
HG	15763000	4011097719849	317
HG	15763140	4059625230299	317
HG	15763340	4059625230909	317
HG	15763670	4059625230916	317
HG	15763700	4059625230923	317
HG	15763990	4059625230930	317
HG	15764000	4011097719832	320
HG	15764140	4059625355794	320
HG	15764340	4059625355770	320
HG	15764670	4059625355756	320
HG	15764700	4059625355732	320
HG	15764990	4059625355718	320
HG	15765000	4011097719825	318
HG	15767000	4011097746364	320
HG	15768000	4011097749624	321

Code Numbers

brand	code no.	EAN	page
HG	15773000	4059625196076	298
HG	15774000	4059625196069	299
HG	15930180	4011097345239	331
HG	15932000	4011097487984	329
HG	15956000	4011097629360	337
HG	15970180	4011097345208	329
HG	15972000	4011097487960	329
HG	15973180	4011097345215	331
HG	15974180	4011097345222	329
HG	15981180	4011097415772	331
HG	15984180	4011097727073	392
16			
AX	16391000	4011097111483	705
AX	16884000	4011097515915	167
AX	16884820	4011097515922	167
AX	16991000	4011097112367	705
AX	16993000	4011097112411	705
19			
AX	19418000	4011097664637	373
21			
HG	21140700	4059625250341	562
HG	21141000	4059625250358	562
HG	21142000	4059625250365	562
HG	21143000	4059625250372	563
HG	21144000	4059625250389	563
HG	21145000	4059625250396	563
HG	21146000	4059625250402	563
24			
HG	24001400	4011097772219	176
HG	24001600	4011097983165	176
HG	24002400	4011097771182	181
HG	24002600	4011097975764	181
HG	24003400	4011097771243	180
HG	24003600	4011097983066	180
HG	24004400	4011097771304	180
HG	24004600	4011097983080	180
HG	24005400	4011097771366	179
HG	24005600	4011097983103	179
HG	24006400	4011097771380	178
HG	24006600	4011097983127	178
HG	24007400	4011097771397	177
HG	24007600	4011097983141	177
HG	24010180	4011097771175	178
HG	24011400	4011097772226	176
HG	24012400	4011097771151	178
HG	24013400	4011097771229	180
HG	24014400	4011097771281	178
HG	24015400	4011097771342	179
HG	24016400	4011097772202	178
HG	24017400	4011097772332	177
HG	24100000	4059625315897	98
HG	24100670	4059625316016	98
HG	24100700	4059625316009	98
HG	24101000	4059625320556	98
HG	24101670	4059625320570	98
HG	24101700	4059625320563	98
HG	24110000	4059625310915	99
HG	24110670	4059625313046	99
HG	24110700	4059625313039	99
HG	24111000	4059625310922	99
HG	24111670	4059625338773	99
HG	24111700	4059625338766	99
HG	24120000	4059625316023	99
HG	24120670	4059625316047	99

brand	code no.	EAN	page
HG	24120700	4059625316030	99
HG	24121000	4059625320587	530
HG	24121670	4059625320600	530
HG	24121700	4059625320594	530
HG	24130000	4059625313718	203
HG	24130670	4059625313732	203
HG	24130700	4059625313725	203
HG	24132000	4059625316894	534
HG	24132670	4059625317013	534
HG	24132700	4059625317006	534
HG	24139000	4059625340974	215
HG	24139670	4059625340998	215
HG	24139700	4059625340981	215
HG	24140000	4059625340073	203
HG	24140670	4059625340097	203
HG	24140700	4059625340080	203
HG	24141000	4059625340707	203
HG	24141670	4059625340721	203
HG	24141700	4059625340714	203
HG	24149000	4059625341063	215
HG	24149670	4059625341087	215
HG	24149700	4059625341070	215
HG	24150000	4059625340851	202
HG	24150670	4059625340875	202
HG	24150700	4059625340868	202
HG	24151000	4059625340882	202
HG	24151670	4059625340905	202
HG	24151700	4059625340899	202
HG	24160000	4059625348048	121
HG	24160670	4059625358214	121
HG	24160700	4059625358221	121
HG	24161000	4059625348031	121
HG	24161670	4059625358238	121
HG	24161700	4059625358245	121
HG	24170000	4059625348024	121
HG	24170670	4059625358252	121
HG	24170700	4059625358269	121
HG	24171000	4059625348017	121
HG	24171670	4059625358276	121
HG	24171700	4059625358283	121
HG	24220000	4059625358375	243
HG	24221000	4059625358290	243
HG	24230000	4059625358306	244
HG	24240000	4059625358313	242
HG	24240670	4059625358320	242
HG	24240700	4059625358337	242
HG	24241000	4059625358344	242
HG	24241670	4059625358351	242
HG	24241700	4059625358368	242
HG	24250670	4059625368251	561
HG	24250700	4059625368244	561
HG	24260000	4059625368268	142
HG	24270000	4059625368275	142
HG	24291670	4059625368299	561
HG	24291700	4059625368282	561
HG	24301000	4059625347928	157
HG	24301670	4059625358382	157
HG	24301700	4059625358399	157
HG	24302000	4059625347911	156
HG	24302670	4059625358405	156
HG	24302700	4059625358412	156
HG	24303000	4059625347904	157
HG	24303670	4059625358429	157
HG	24303700	4059625358436	157

brand	code no.	EAN	page
HG	24340000	4059625358443	292
HG	24340670	4059625358450	292
HG	24340700	4059625358467	292
HG	24360000	4059625358474	292
HG	24360670	4059625358481	292
HG	24360700	4059625358498	292
HG	24400000	4059625347799	148
HG	24401000	4059625347782	148
25			
HG	25968000	4011097460079	693
26			
HG	26014000	4059625136621	97
HG	26014140	4059625346907	97
HG	26014340	4059625346914	97
HG	26014670	4059625346921	97
HG	26014700	4059625346938	97
HG	26014990	4059625346945	97
HG	26079000	4059625315125	274
HG	26085000	4059625319994	105
HG	26089000	4059625315101	272
HG	26089670	4059625338667	272
HG	26090000	4059625299142	532
HG	26093000	4059625302514	534
HG	26094000	4059625302507	535
HG	26095000	4059625302491	213
HG	26096000	4059625302484	214
HG	26097000	4059625314791	276
HG	26097670	4059625338650	276
HG	26098000	4059625314784	278
HG	26099000	4059625314777	275
HG	26099670	4059625338643	275
HG	26115000	4011097679174	188
HG	26117000	4011097679167	188
HG	26220000	4011097790992	207
HG	26220140	4059625264126	207
HG	26220340	4059625264102	207
HG	26220670	4059625264089	207
HG	26220700	4059625264096	207
HG	26220990	4059625264119	207
HG	26221000	4011097791104	207
HG	26221140	4059625203798	207
HG	26221340	4059625217030	207
HG	26221670	4059625264058	207
HG	26221700	4059625264065	207
HG	26221990	4059625264072	207
HG	26226000	4059625201084	181
HG	26226700	4059625201077	181
HG	26227000	4059625200780	181
HG	26227700	4059625200797	181
HG	26228000	4059625201565	182
HG	26228140	4059625264775	182
HG	26228340	4059625264751	182
HG	26228670	4059625264744	182
HG	26228700	4059625201558	182
HG	26228990	4059625264768	182
HG	26229000	4059625200902	182
HG	26229140	4059625264812	182
HG	26229340	4059625264799	182
HG	26229670	4059625264782	182
HG	26229700	4059625200919	182
HG	26229990	4059625264805	182
HG	26230000	4059625200926	183
HG	26230140	4059625264737	183
HG	26230340	4059625264713	183

brand	code no.	EAN	page
HG	26230670	4059625264706	183
HG	26230700	4059625201541	183
HG	26230990	4059625264720	183
HG	26231000	4059625201534	184
HG	26231140	4059625264898	184
HG	26231340	4059625264874	184
HG	26231670	4059625264867	184
HG	26231700	4059625201527	184
HG	26231990	4059625264881	184
HG	26232000	4059625201510	185
HG	26232700	4059625201503	185
HG	26233000	4059625201497	185
HG	26233700	4059625201480	185
HG	26234000	4059625201473	186
HG	26234140	4059625264850	186
HG	26234340	4059625264836	186
HG	26234670	4059625264829	186
HG	26234700	4059625201466	186
HG	26234990	4059625264843	186
HG	26238000	4011097853420	193
HG	26238140	4059625230718	193
HG	26238340	4059625230725	193
HG	26238670	4059625230732	193
HG	26238700	4059625230749	193
HG	26238990	4059625230756	193
HG	26239000	4011097975658	193
HG	26243000	4059625201435	219
HG	26243700	4059625201428	219
HG	26250000	4011097853413	194
HG	26250140	4059625191934	194
HG	26250340	4059625230763	194
HG	26250670	4059625230770	194
HG	26250700	4059625230787	194
HG	26250990	4059625230794	194
HG	26251000	4011097975665	194
HG	26252000	4011097975672	194
HG	26253000	4011097975689	195
HG	26254180	4011097975696	195
HG	26257000	4059625196106	206
HG	26258000	4059625196090	206
HG	26270000	4059625299135	104
HG	26270670	4059625339145	104
HG	26271000	4059625302170	213
HG	26271670	4059625339121	213
HG	26272000	4059625328934	275
HG	26272670	4059625330067	275
HG	26273000	4059625325575	162
HG	26274000	4059625328941	274
HG	26275000	4059625333228	138
HG	26276000	4059625314760	272
HG	26276670	4059625339084	272
HG	26277000	4059625302163	213
HG	26277670	4059625339077	213
HG	26278000	4059625325582	162
HG	26279000	4059625333235	138
HG	26281000	4059625302156	214
HG	26281670	4059625339053	214
HG	26282000	4059625315873	279
HG	26282670	4059625339039	279
HG	26283000	4059625302149	214
HG	26283670	4059625339022	214
HG	26284000	4059625328958	278
HG	26285000	4059625326602	273
HG	26286000	4059625314753	276

Code Numbers

brand	code no.	EAN	page
HG	26286670	4059625330074	276
HG	26287000	4059625326596	277
HG	26289000	4059625339015	279
HG	26289670	4059625339008	279
HG	26318000	4059625338995	535
HG	26319000	4059625338988	536
HG	26320000	4011097804330	120
HG	26322000	4011097804316	120
HG	26322400	4011097787855	120
HG	26323000	4011097804309	120
HG	26324000	4011097804293	118
HG	26326000	4011097804279	119
HG	26328400	4011097787794	529
HG	26329000	4011097787787	529
HG	26330400	4011097780689	103
HG	26331400	4011097780672	103
HG	26332400	4011097780665	103
HG	26333400	4011097780658	103
HG	26334400	4011097780641	531
HG	26336400	4011097792064	531
HG	26340000	4059625299128	104
HG	26340670	4059625338971	104
HG	26365000	4059625320419	213
HG	26371000	4059625338964	139
HG	26401000	4011097804255	152
HG	26402000	4011097804248	152
HG	26403400	4011097804231	152
HG	26404400	4011097804224	152
HG	26405000	4059625316351	217
HG	26405670	4059625326589	217
HG	26406000	4059625316344	218
HG	26406670	4059625326565	218
HG	26407000	4059625316337	214
HG	26407670	4059625326541	214
HG	26410400	4011097744872	158
HG	26411400	4011097744865	158
HG	26412400	4011097760285	158
HG	26413400	4011097760292	157
HG	26420400	4011097757025	158
HG	26421400	4011097757018	158
HG	26422670	4059625365793	138
HG	26423670	4059625365816	138
HG	26424400	4011097757049	158
HG	26425400	4011097757032	157
HG	26442000	4011097705941	189
HG	26443000	4011097705958	189
HG	26453000	4011097756868	166
HG	26453140	4059625142448	166
HG	26453340	4059625308509	166
HG	26453670	4059625308523	166
HG	26453700	4059625308516	166
HG	26453990	4059625308530	166
HG	26455000	4011097756851	167
HG	26455140	4011097837291	167
HG	26455340	4011097837284	167
HG	26455670	4059625230947	167
HG	26455700	4059625230954	167
HG	26455990	4011097837390	167
HG	26456000	4011097814803	165
HG	26456400	4011097786902	165
HG	26457000	4011097756875	167
HG	26457140	4011097891873	167
HG	26457340	4011097891866	167
HG	26457670	4059625304778	167

brand	code no.	EAN	page
HG	26457700	4059625304761	167
HG	26457990	4011097891972	167
HG	26464000	4011097689678	208
HG	26465000	4011097689685	208
HG	26466000	4011097720562	192
HG	26466400	4011097720555	192
HG	26467000	4011097720548	191
HG	26467400	4011097720531	191
HG	26469000	4011097720524	191
HG	26470000	4011097720500	192
HG	26470400	4011097720494	192
HG	26471180	4011097718637	190
HG	26472000	4011097718620	190
HG	26481000	4011097718613	190
HG	26485000	4011097767536	165
HG	26486000	4011097767543	165
HG	26487000	4011097767550	165
HG	26503000	4011097756820	149
HG	26504000	4011097756837	148
HG	26505000	4011097773810	149
HG	26506000	4011097773803	148
HG	26511000	4011097857046	693
HG	26511400	4011097857039	693
HG	26511600	4011097961286	693
HG	26515000	4059625326763	97
HG	26516000	4059625326770	530
HG	26519000	4011097693200	153
HG	26520000	4011097706047	97
HG	26520140	4059625230824	97
HG	26520340	4059625221297	97
HG	26520400	4011097706085	97
HG	26520670	4059625230817	97
HG	26520700	4059625230800	97
HG	26520990	4059625230961	97
HG	26521000	4011097706054	97
HG	26521400	4011097706092	97
HG	26522000	4011097741956	205
HG	26522400	4011097741963	205
HG	26523000	4011097741970	205
HG	26524000	4011097751993	204
HG	26524400	4011097752006	204
HG	26528000	4011097752068	204
HG	26528400	4011097752075	204
HG	26530000	4011097706764	98
HG	26530140	4059625264027	98
HG	26530340	4059625264010	98
HG	26530400	4011097726663	98
HG	26530670	4059625263990	98
HG	26530700	4059625264003	98
HG	26530990	4059625026830	98
HG	26531000	4011097719115	98
HG	26531140	4059625265925	98
HG	26531340	4059625265901	98
HG	26531400	4011097726946	98
HG	26531670	4059625265888	98
HG	26531700	4059625265895	98
HG	26531990	4059625265918	98
HG	26532400	4011097792057	133
HG	26533400	4011097792040	135
HG	26534400	4011097792033	133
HG	26535400	4011097792026	135
HG	26536400	4011097792019	132
HG	26537400	4011097792002	134
HG	26538400	4011097791999	132

brand	code no.	EAN	page
HG	26539400	4011097791982	134
HG	26550000	4011097720067	96
HG	26550400	4011097720050	96
HG	26551000	4011097720043	96
HG	26551400	4011097720036	96
HG	26553400	4011097791975	134
HG	26554400	4011097791968	533
HG	26555400	4011097791951	532
HG	26560400	4011097744858	127
HG	26561400	4011097736228	127
HG	26562400	4011097744841	128
HG	26563400	4011097736433	128
HG	26564400	4011097744834	129
HG	26565400	4011097736426	129
HG	26566400	4011097767048	129
HG	26567400	4011097791944	161
HG	26568400	4011097791937	161
HG	26569400	4011097791920	161
HG	26570400	4011097744827	126
HG	26571400	4011097736419	126
HG	26572400	4011097744810	127
HG	26573400	4011097736402	127
HG	26574400	4011097744803	128
HG	26575400	4011097736396	128
HG	26579000	4059625320433	214
HG	26580400	4011097753911	122
HG	26581400	4011097736389	122
HG	26582400	4011097753904	124
HG	26583400	4011097736372	124
HG	26584400	4011097753898	125
HG	26585400	4011097736365	125
HG	26586400	4011097767055	126
HG	26590400	4011097753881	122
HG	26591400	4011097736358	122
HG	26592400	4011097753850	123
HG	26593400	4011097736341	123
HG	26594400	4011097753843	125
HG	26595400	4011097736334	125
HG	26600000	4011097754369	197
HG	26601000	4011097754826	197
HG	26604000	4011097754383	195
HG	26605000	4011097754390	196
HG	26620000	4011097706061	113
HG	26620400	4011097706078	113
HG	26621000	4011097706306	112
HG	26621400	4011097706313	112
HG	26622000	4011097711799	113
HG	26622400	4011097712000	113
HG	26623000	4011097712017	112
HG	26623400	4011097712024	112
HG	26626000	4011097691893	113
HG	26626400	4011097692043	113
HG	26630000	4011097719108	115
HG	26630400	4011097726953	115
HG	26631000	4011097719092	115
HG	26631400	4011097726960	115
HG	26632000	4011097719085	115
HG	26633000	4011097719078	115
HG	26640540	4059625301951	106
HG	26640560	4059625301944	106
HG	26640670	4059625301937	106
HG	26640700	4059625301920	106
HG	26690400	4011097791913	161
HG	26691400	4011097791906	160

brand	code no.	EAN	page
HG	26692400	4011097791890	160
HG	26693400	4011097791883	160
HG	26694400	4011097791876	160
HG	26700000	4011097808741	155
HG	26701000	4011097808727	156
HG	26720000	4011097758107	155
HG	26720400	4011097758114	155
HG	26721000	4011097758121	156
HG	26721400	4011097758138	156
HG	26722000	4011097770987	210
HG	26723000	4011097770970	211
HG	26724000	4011097770963	211
HG	26725000	4011097770956	211
HG	26726000	4011097770949	210
HG	26727000	4011097770932	210
HG	26790000	4011097801711	245
HG	26791000	4011097801704	248
HG	26792000	4011097801698	247
HG	26793000	4011097806280	249
HG	26794000	4011097806297	245
HG	26800400	4011097744599	101
HG	26801400	4011097736273	101
HG	26802400	4011097744582	101
HG	26803400	4011097736266	101
HG	26804400	4011097744575	101
HG	26805400	4011097736327	101
HG	26806400	4011097752037	101
HG	26810400	4011097750026	100
HG	26811400	4011097736259	100
HG	26812400	4011097750033	100
HG	26813400	4011097736242	100
HG	26814140	4059625346617	100
HG	26814340	4059625346624	100
HG	26814400	4011097750040	100
HG	26814670	4059625346594	100
HG	26814700	4059625346600	100
HG	26814990	4059625346631	100
HG	26815140	4059625346662	100
HG	26815340	4059625346679	100
HG	26815400	4011097736235	100
HG	26815670	4059625346648	100
HG	26815700	4059625346655	100
HG	26815990	4059625346686	100
HG	26816400	4011097752136	100
HG	26840180	4059625241660	228
HG	26842000	4059625241653	228
HG	26842700	4059625241646	228
HG	26843000	4059625201411	164
HG	26843700	4059625201404	164
HG	26844000	4059625201398	541
HG	26844700	4059625201381	541
HG	26851000	4059625216095	154
HG	26851700	4059625216408	154
HG	26852000	4059625216415	154
HG	26852700	4059625216422	154
HG	26856000	4059625216439	154
HG	26856700	4059625216446	154
HG	26857000	4059625216453	154
HG	26857700	4059625216460	154
HG	26858000	4059625201374	165
HG	26858700	4059625201367	165
HG	26864000	4059625189696	96
HG	26864140	4059625264935	96
HG	26864340	4059625264911	96

Code Numbers

brand	code no.	EAN	page
HG	26864670	4059625264904	96
HG	26864700	4059625189702	96
HG	26864990	4059625264928	96
HG	26865000	4059625198544	96
HG	26865140	4059625264973	96
HG	26865340	4059625264959	96
HG	26865670	4059625264942	96
HG	26865700	4059625198575	96
HG	26865990	4059625264966	96
HG	26866000	4059625213407	96
HG	26866140	4059625265710	96
HG	26866340	4059625265673	96
HG	26866670	4059625264980	96
HG	26866700	4059625220054	96
HG	26866990	4059625265703	96
HG	26867000	4059625220085	96
HG	26867140	4059625265758	96
HG	26867340	4059625265734	96
HG	26867670	4059625265727	96
HG	26867700	4059625220092	96
HG	26867990	4059625265741	96
HG	26890140	4059625265970	246
HG	26890340	4059625265956	246
HG	26890670	4059625265932	246
HG	26890700	4059625265949	246
HG	26890990	4059625265963	246
HG	26891140	4059625266021	246
HG	26891340	4059625266007	246
HG	26891670	4059625265987	246
HG	26891700	4059625265994	246
HG	26891990	4059625266014	246
27			
HG	27008000	4011097691886	279
HG	27008400	4011097662251	279
HG	27013400	4011097745152	143
HG	27014400	4011097745169	143
HG	27028400	4011097771106	227
HG	27029400	4011097771120	226
HG	27032000	4011097679655	145
HG	27033000	4011097679662	144
HG	27034000	4011097679679	145
HG	27035000	4011097679686	144
HG	27036000	4011097679303	141
HG	27036400	4011097691824	141
HG	27037000	4011097679310	141
HG	27037400	4011097691831	141
HG	27038000	4011097727936	140
HG	27038400	4011097727943	140
HG	27039000	4011097727950	140
HG	27039400	4011097727967	140
HG	27081400	4011097755243	142
HG	27082400	4011097755250	142
HG	27085000	4011097537566	146
HG	27086000	4011097537573	146
HG	27106400	4011097771113	226
HG	27109400	4011097771090	227
HG	27112000	4011097679549	231
HG	27112400	4011097679556	231
HG	27113000	4011097679563	232
HG	27113400	4011097679570	232
HG	27114000	4011097679587	239
HG	27115000	4011097679594	240
HG	27116000	4011097690117	240
HG	27117000	4011097690124	241

brand	code no.	EAN	page
HG	27126000	4011097716954	230
HG	27126400	4011097716947	230
HG	27127000	4011097716930	229
HG	27127400	4011097716923	229
HG	27129000	4011097718132	237
HG	27129400	4011097718125	237
HG	27133000	4011097718118	236
HG	27133400	4011097718101	236
HG	27185000	4011097689692	260
HG	27188000	4011097690148	260
HG	27222000	4011097690155	262
HG	27223000	4011097690162	261
HG	27224000	4011097690179	263
HG	27247400	4011097770000	253
HG	27248400	4011097770024	257
HG	27253400	4011097745114	250
HG	27254400	4011097751740	250
HG	27255400	4011097751733	252
HG	27256400	4011097751726	254
HG	27257400	4011097751719	254
HG	27258400	4011097751702	256
HG	27267000	4011097775944	264
HG	27268000	4011097775937	264
HG	27269000	4011097775920	266
HG	27270000	4011097775913	267
HG	27271000	4011097775906	268
HG	27281000	4011097775890	268
HG	27283000	4011097755205	230
HG	27283400	4011097755212	230
HG	27284000	4011097775883	270
HG	27286000	4011097754246	231
HG	27286400	4011097754253	231
HG	27288000	4011097751245	233
HG	27288400	4011097751238	233
HG	27289000	4011097775876	271
HG	27294000	4011097773896	204
HG	27295000	4011097775500	205
HG	27297000	4011097775524	192
HG	27298000	4011097801681	269
HG	27320000	4011097801674	265
HG	27337000	4011097720609	190
HG	27337400	4011097720593	190
HG	27351400	4011097769011	251
HG	27352400	4011097769028	255
HG	27355000	4011097815732	151
HG	27356000	4011097815749	151
HG	27361000	4011097971735	235
HG	27362000	4011097971728	235
HG	27363000	4011097971711	234
HG	27364000	4011097971704	234
HG	27370000	4011097625126	196
HG	27371000	4011097625140	195
HG	27375000	4011097655727	196
HG	27376000	4011097691435	196
HG	27378000	4011097720586	191
HG	27378400	4011097720579	191
HG	27380000	4011097625119	196
HG	27381000	4011097625133	195
HG	27388000	4011097783253	218
HG	27389000	4011097783260	218
HG	27389140	4059625234471	218
HG	27389340	4059625234488	218
HG	27389670	4059625234495	218
HG	27389700	4059625234464	218

brand	code no.	EAN	page
HG	27389990	4059625234457	218
HG	27393000	4011097769837	217
HG	27393140	4059625234518	217
HG	27393340	4059625234525	217
HG	27393670	4059625234440	217
HG	27393700	4059625234501	217
HG	27393990	4059625234532	217
HG	27405000	4011097592466	202
HG	27405090	4011097815701	202
HG	27409000	4011097476124	216
HG	27411000	4011097112930	216
HG	27412000	4011097112947	216
HG	27413000	4011097112978	216
HG	27413140	4011097819983	216
HG	27413340	4011097819976	216
HG	27413670	4059625264034	216
HG	27413700	4059625264041	216
HG	27413990	4011097820064	216
HG	27414000	4011097614083	167
HG	27424000	4011097592459	201
HG	27424090	4011097806426	201
HG	27438000	4011097113128	216
HG	27441000	4011097537580	209
HG	27443000	4011097537597	209
HG	27446000	4011097759746	217
HG	27452000	4011097235219	166
HG	27453000	4011097514383	166
HG	27454000	4011097113258	166
HG	27454140	4011097892863	166
HG	27454340	4011097892825	166
HG	27454670	4059625266090	166
HG	27454700	4059625266106	166
HG	27454990	4011097113425	166
HG	27456000	4011097526782	166
HG	27458000	4011097113449	166
HG	27461000	4011097528205	200
HG	27463000	4011097528229	201
HG	27467000	4011097759753	218
HG	27474000	4011097413693	200
HG	27477000	4011097413709	201
HG	27478000	4011097415819	201
HG	27479000	4011097381138	217
HG	27479140	4011097838632	217
HG	27479340	4011097838625	217
HG	27479670	4059625346853	217
HG	27479700	4059625346860	217
HG	27479990	4011097838694	217
HG	27492000	4011097583556	197
HG	27493000	4011097563831	197
HG	27494000	4011097563824	197
HG	27505000	4011097678733	166
HG	27506000	4011097678726	166
HG	27521000	4011097157818	163
HG	27558000	4011097570228	161
HG	27559000	4011097570242	161
HG	27574000	4011097663968	160
HG	27575000	4011097663975	160
HG	27576000	4011097663982	162
HG	27577000	4011097663999	162
HG	27592000	4011097537436	159
HG	27593000	4011097537443	159
HG	27594000	4011097537450	159
HG	27595000	4011097537474	159
HG	27607000	4059625137161	198

brand	code no.	EAN	page
HG	27609000	4011097626871	151
HG	27610000	4011097537504	150
HG	27611000	4011097537511	150
HG	27614000	4011097570167	151
HG	27615000	4011097570174	151
HG	27617000	4011097594590	153
HG	27617820	4011097594903	153
HG	27620000	4059625137178	199
HG	27623000	4059625137185	199
HG	27623670	4059625340028	199
HG	27623700	4059625340011	199
HG	27630000	4059625196052	258
HG	27633000	4059625154892	238
HG	27633140	4059625230978	238
HG	27633340	4059625230985	238
HG	27633670	4059625230992	238
HG	27633700	4059625231005	238
HG	27633990	4059625231012	238
HG	27636000	4011097587448	147
HG	27640000	4011097857022	147
HG	27640400	4011097857015	147
HG	27645000	4011097857008	147
HG	27646000	4011097856988	116
HG	27648000	4011097856940	117
HG	27648400	4011097856933	117
HG	27649000	4011097856926	117
HG	27652000	4011097607139	137
HG	27653000	4011097607146	130
HG	27654000	4059625154908	114
HG	27660000	4059625196045	258
HG	27667000	4059625154915	114
HG	27668000	4059625157077	155
HG	27669000	4059625157084	155
HG	27671000	4059625214145	110
HG	27672000	4059625214152	110
HG	27673000	4059625214169	111
HG	27674000	4059625214176	111
HG	27687000	4059625196038	259
HG	27694000	4059625261309	215
HG	27694140	4059625266199	215
HG	27694340	4059625266175	215
HG	27694670	4059625266168	215
HG	27694700	4059625261316	215
HG	27694990	4059625266182	215
HG	27704000	4011097710495	150
HG	27717000	4011097664828	132
HG	27724000	4011097664835	131
HG	27728000	4011097664859	137
HG	27729000	4011097664866	137
HG	27762000	4011097570181	136
HG	27763000	4011097570198	136
HG	27764000	4011097610221	136
HG	27766000	4011097570204	135
HG	27767000	4011097570211	135
HG	27771000	4011097537290	130
HG	27772000	4011097537405	131
HG	27774000	4011097537412	130
HG	27776000	4011097537528	131
HG	27802000	4011097679600	114
HG	27803000	4011097679624	114
HG	27803400	4011097679631	114
HG	27804000	4059625316320	217
HG	27804670	4059625326527	217
HG	27805000	4059625316313	213

Code Numbers

brand	code no.	EAN	page
HG	27805670	4059625326503	213
HG	27809000	4059625316306	216
HG	27809670	4059625326480	216
HG	27812400	4011097803265	307
HG	27813400	4011097803272	146
HG	27833400	4059625039175	143
HG	27856000	4011097720029	112
HG	27857000	4011097720005	112
HG	27902670	4059625352892	554
HG	27902700	4059625353035	554
HG	27904670	4059625352885	555
HG	27904700	4059625353028	555
HG	27912670	4059625352861	555
HG	27912700	4059625353004	555
HG	27913670	4059625352854	556
HG	27913700	4059625352991	556
HG	27914670	4059625352847	557
HG	27914700	4059625352984	557
HG	27915670	4059625352830	557
HG	27915700	4059625352977	557
HG	27916670	4059625352823	556
HG	27916700	4059625352960	556
HG	27917670	4059625347331	558
HG	27917700	4059625347348	558
HG	27921670	4059625352816	557
HG	27921700	4059625352953	557
HG	27925670	4059625352809	556
HG	27925700	4059625352946	556
HG	27926670	4059625352793	558
HG	27926700	4059625352939	558
HG	27927670	4059625352786	558
HG	27927700	4059625352922	558
HG	27928670	4059625352779	558
HG	27928700	4059625352915	558
HG	27929670	4059625352762	557
HG	27929700	4059625352908	557
HG	27939670	4059625321546	194
HG	27951000	4059625341155	198
HG	27952000	4059625341179	193
HG	27953000	4059625341186	206
HG	27954000	4059625341193	207
HG	27957000	4059625341216	210
HG	27958000	4059625341223	211
HG	27959670	4059625347157	200
HG	27961670	4059625347164	208
HG	27966670	4059625368398	559
HG	27966700	4059625368381	559
HG	27967670	4059625368374	559
HG	27967700	4059625368367	559
HG	27968670	4059625368350	560
HG	27968700	4059625368336	560
HG	27969670	4059625368312	560
HG	27969700	4059625368305	560
HG	27999000	4011097662268	279
28			
HG	28010000	4059625203026	593
HG	28010140	4059625241639	593
HG	28010340	4059625241622	593
HG	28010670	4059625241615	593
HG	28010700	4059625241608	593
HG	28010990	4059625241592	593
HG	28016000	4059625206676	594
HG	28020000	4059625203002	594
HG	28020140	4059625358849	594

brand	code no.	EAN	page
HG	28020340	4059625358856	594
HG	28020670	4059625310731	594
HG	28020700	4059625310748	594
HG	28020990	4059625358863	594
HG	28021000	4059625206690	595
HG	28071000	4011097115498	698
HG	28072000	4011097436920	171
HG	28132000	4011097557854	170
HG	28134000	4011097557861	170
HG	28136000	4011097557847	170
HG	28167000	4011097796055	171
HG	28168000	4011097796062	171
HG	28169000	4011097796079	171
HG	28248000	4059625024799	170
HG	28249000	4059625024782	170
HG	28262000	4011097314044	171
HG	28264000	4011097314051	171
HG	28266000	4011097260860	171
HG	28272000	4011097314013	170
HG	28272140	4011097838779	170
HG	28272340	4011097838748	170
HG	28272450	4011097327099	170
HG	28272670	4059625302125	170
HG	28272700	4059625302132	170
HG	28272990	4011097838984	170
HG	28274000	4011097314020	170
HG	28276000	4011097314037	692
HG	28276030	4011097667164	692
HG	28276090	4011097327143	692
HG	28276140	4011097839677	692
HG	28276340	4011097839639	692
HG	28276430	4011097667195	692
HG	28276450	4011097327150	692
HG	28276460	4011097667201	692
HG	28276480	4011097667218	692
HG	28276610	4011097667225	692
HG	28276670	4059625231029	692
HG	28276700	4059625231036	692
HG	28276800	4011097411804	692
HG	28276810	4011097411828	692
HG	28276880	4011097327181	692
HG	28276990	4011097839950	692
HG	28307000	4011097280011	711
HG	28321000	4011097116587	163
HG	28324000	4011097594958	164
HG	28328000	4011097734514	164
HG	28331000	4011097487311	163
HG	28331140	4011097830452	163
HG	28331340	4011097830421	163
HG	28331670	4059625273708	163
HG	28331700	4059625273692	163
HG	28331800	4011097487335	163
HG	28331990	4011097830698	163
HG	28335000	4011097734293	164
HG	28346000	4011097116969	106
HG	28387000	4059625214121	163
HG	28387140	4059625231043	163
HG	28387340	4059625231050	163
HG	28387670	4059625231067	163
HG	28387700	4059625231074	163
HG	28387990	4059625231081	163
HG	28389000	4011097254418	711
HG	28412180	4011097502809	188
HG	28414180	4011097591766	187

brand	code no.	EAN	page
HG	28417000	4011097591742	187
HG	28418000	4011097591759	187
HG	28423000	4011097570136	212
HG	28424000	4011097570143	212
HG	28425000	4011097570150	212
HG	28433000	4011097660936	189
HG	28433400	4011097681542	189
HG	28462000	4011097607184	209
HG	28466000	4011097192437	219
HG	28467000	4011097235264	219
HG	28496000	4011097141909	215
HG	28535000	4011097537306	102
HG	28536000	4011097537016	102
HG	28536430	4011097681160	692
HG	28536450	4011097681153	692
HG	28536460	4011097681146	692
HG	28536610	4011097681115	692
HG	28536710	4011097681122	692
HG	28536810	4011097706634	692
HG	28536880	4011097706641	692
HG	28537000	4011097537269	102
HG	28538000	4011097537276	102
HG	28539000	4011097591469	102
HG	28548000	4011097610023	98
HG	28548090	4011097806433	98
HG	28561000	4011097570105	531
HG	28562000	4011097570112	104
HG	28563000	4011097570129	103
HG	28580000	4011097664804	102
HG	28583000	4011097664811	102
HG	28585000	4011097664842	104
HG	28587000	4011097679327	97
HG	28587400	4011097679334	97
HG	28588000	4011097679341	97
HG	28588400	4011097679358	97
HG	28631000	4011097487175	149
HG	28631140	4059625231098	149
HG	28631340	4059625229606	149
HG	28631670	4059625231104	149
HG	28631700	4059625231111	149
HG	28631820	4011097499574	149
HG	28631990	4059625231128	149
HG	28632000	4011097487199	149
HG	28632140	4059625231135	149
HG	28632340	4059625231142	149
HG	28632670	4059625231159	149
HG	28632700	4059625231166	149
HG	28632990	4059625231173	149
HG	28650000	4011097118789	692
HG	28662000	4011097723709	150
HG	28663000	4011097723716	150
HG	28672000	4011097118833	692
HG	28672450	4011097118857	692
HG	28672880	4011097151076	692
HG	28675000	4011097118901	694
HG	28678000	4011097537283	153
HG	28679000	4011097487557	153
HG	28684000	4011097205588	694
HG	28685000	4011097118970	694
HG	28694000	4011097591735	147
HG	28698000	4011097413686	693
HG	28760210	4059625361337	105
HG	28787640	4059625361351	106
HG	28788570	4059625361375	105

brand	code no.	EAN	page
31			
HG	31015000	4059625130889	520
HG	31016000	4059625130872	393
HG	31022000	4011097576602	394
HG	31023000	4011097646084	394
HG	31060000	4011097484006	393
HG	31063000	4011097719344	521
HG	31068000	4011097540566	393
HG	31074000	4011097660950	382
HG	31080000	4011097660967	382
HG	31081000	4011097660974	383
HG	31082000	4011097660981	384
HG	31084000	4011097661001	382
HG	31085000	4011097661018	385
HG	31086000	4011097661025	385
HG	31087000	4011097651231	383
HG	31088000	4011097661032	382
HG	31091000	4011097205564	704
HG	31100000	4011097519210	395
HG	31101000	4011097519227	395
HG	31102000	4011097519234	395
HG	31103000	4011097519241	395
HG	31121000	4011097691527	382
HG	31130000	4011097679396	456
HG	31132000	4011097678030	452
HG	31159000	4011097677903	393
HG	31160000	4011097497419	396
HG	31161000	4011097641850	393
HG	31162000	4011097641867	394
HG	31163000	4011097641874	394
HG	31166000	4011097661049	384
HG	31171000	4011097679112	457
HG	31172000	4011097679129	457
HG	31173000	4011097679136	457
HG	31174000	4011097679143	457
HG	31183000	4011097661056	383
HG	31184000	4011097692319	384
HG	31185000	4011097705149	383
HG	31186000	4011097710402	382
HG	31187000	4011097674056	383
HG	31190000	4011097661063	390
HG	31203000	4011097719337	519
HG	31204000	4011097719320	520
HG	31251000	4011097718590	520
HG	31261000	4011097484013	396
HG	31280000	4011097661070	386
HG	31285000	4011097661094	386
HG	31416000	4011097686486	398
HG	31417000	4011097686479	398
HG	31422000	4011097722399	389
HG	31423000	4011097722702	389
HG	31442000	4011097661100	390
HG	31443000	4011097645735	399
HG	31446000	4011097641126	398
HG	31447000	4011097712246	398
HG	31451000	4011097748450	387
HG	31454000	4011097748443	387
HG	31456000	4011097748467	391
HG	31460000	4011097484020	396
HG	31465000	4011097488547	397
HG	31466000	4011097488554	397
HG	31471000	4011097760667	386
HG	31480000	4011097656687	387
HG	31484000	4011097661117	388

Code Numbers

brand	code no.	EAN	page
HG	31487000	4011097661124	388
HG	31493000	4011097661131	388
HG	31494000	4011097661148	389
HG	31509000	4011097755847	453
HG	31513000	4011097719313	453
HG	31515000	4011097699356	498
HG	31517000	4011097679402	453
HG	31518000	4011097679419	454
HG	31519000	4011097679426	455
HG	31521000	4011097722900	462
HG	31523000	4011097722917	462
HG	31531000	4011097795201	455
HG	31532000	4011097795218	455
HG	31539000	4011097734026	452
HG	31603000	4011097719306	523
HG	31604000	4011097706160	452
HG	31607000	4011097679433	453
HG	31608000	4011097679440	454
HG	31609000	4011097679457	455
HG	31621000	4011097691510	453
HG	31652000	4011097708584	392
HG	31657000	4011097696089	454
HG	31658000	4011097696096	454
HG	31660000	4011097484037	399
HG	31665000	4011097488585	400
HG	31677000	4011097665290	330
HG	31680000	4011097656694	391
HG	31685000	4011097661155	391
HG	31686000	4011097661162	392
HG	31730000	4011097590769	452
HG	31732000	4011097602424	452
HG	31733000	4011097590783	452
HG	31741180	4011097477237	389
HG	31791000	4011097483535	704
HG	31793000	4011097506005	704
HG	31803000	4011097641881	660
HG	31804000	4011097641898	660
HG	31806000	4011097641904	660
HG	31806800	4011097654829	660
HG	31815000	4011097718187	658
HG	31815670	4059625231180	658
HG	31815800	4011097718309	658
HG	31816000	4011097646312	660
HG	31817000	4011097718194	659
HG	31817670	4059625231197	659
HG	31817800	4011097726717	659
HG	31820000	4011097679464	659
HG	31820670	4059625231203	659
HG	31820800	4011097679471	659
HG	31821000	4059625196700	659
HG	31821800	4059625197974	659
HG	31822000	4011097679488	659
HG	31823000	4011097708027	659
HG	31825000	4011097708041	660
HG	31826000	4059625196694	660
HG	31827000	4059625196786	659
HG	31833000	4059625196717	658
HG	31910000	4011097725819	453
HG	31911000	4011097725833	524
HG	31913000	4011097725864	525
HG	31914000	4011097757421	453
HG	31915000	4011097757438	524
HG	31916000	4011097725857	525
HG	31917000	4011097757445	516

brand	code no.	EAN	page
HG	31920000	4011097591506	457
HG	31922000	4011097706177	457
HG	31923000	4011097766072	455
HG	31926000	4011097646688	458
HG	31927000	4011097728544	458
HG	31928000	4011097646329	458
HG	31930000	4011097629889	461
HG	31931000	4011097629896	461
HG	31937000	4011097689739	456
HG	31938000	4011097646336	461
HG	31940000	4011097591520	459
HG	31945000	4011097602523	459
HG	31946000	4011097602547	459
HG	31947000	4011097602561	460
HG	31948000	4011097646343	459
HG	31952000	4011097719283	523
HG	31960000	4011097591544	462
HG	31961000	4059625194195	464
HG	31964000	4011097708560	463
HG	31965000	4011097602615	463
HG	31967000	4011097602653	464
HG	31968000	4011097646350	462
HG	31971000	4011097641539	363
HG	31991000	4011097386836	704
32			
HG	32020000	4011097397382	446
HG	32031000	4011097397399	446
HG	32032000	4011097399287	446
HG	32070000	4011097473574	446
HG	32092000	4011097424101	704
HG	32095000	4011097494470	704
HG	32122000	4011097722818	107
HG	32127000	4011097722801	107
HG	32128000	4011097412863	107
HG	32129000	4011097617909	107
HG	32420000	4011097397894	447
HG	32475000	4011097397962	447
HG	32477000	4011097399430	447
HG	32498000	4011097240077	389
HG	32500000	4011097812786	357
HG	32500140	4059625229286	357
HG	32500340	4059625229293	357
HG	32500670	4059625231210	357
HG	32500700	4059625231227	357
HG	32500990	4059625229309	357
HG	32501000	4011097812762	356
HG	32502000	4011097812755	357
HG	32503000	4011097812724	357
HG	32506000	4011097812687	358
HG	32507000	4011097812649	358
HG	32507140	4059625229316	358
HG	32507340	4059625229330	358
HG	32507670	4059625212455	358
HG	32507700	4059625212462	358
HG	32507990	4059625229347	358
HG	32508000	4011097812625	358
HG	32511000	4011097812588	359
HG	32511140	4059625222539	359
HG	32511340	4059625222546	359
HG	32511670	4059625231234	359
HG	32511700	4059625231241	359
HG	32511990	4059625222553	359
HG	32512000	4011097812540	359
HG	32512140	4059625229354	359

brand	code no.	EAN	page
HG	32512340	4059625229378	359
HG	32512670	4059625231500	359
HG	32512700	4059625231517	359
HG	32512990	4059625229385	359
HG	32514000	4011097810973	363
HG	32515000	4011097835297	363
HG	32515140	4059625229392	363
HG	32515340	4059625229408	363
HG	32515670	4059625231524	363
HG	32515700	4059625231531	363
HG	32515990	4059625229415	363
HG	32520000	4011097812472	365
HG	32520140	4059625229446	365
HG	32520340	4059625229453	365
HG	32520670	4059625231548	365
HG	32520700	4059625231555	365
HG	32520990	4059625229460	365
HG	32522000	4011097812441	366
HG	32525000	4011097835280	362
HG	32526000	4011097835273	362
HG	32526140	4059625229422	362
HG	32526340	4059625204672	362
HG	32526670	4059625231562	362
HG	32526700	4059625231579	362
HG	32526990	4059625229439	362
HG	32530000	4011097835266	364
HG	32531000	4011097835259	371
HG	32532000	4011097835242	367
HG	32532140	4059625229491	367
HG	32532340	4059625229507	367
HG	32532670	4059625231586	367
HG	32532700	4059625231593	367
HG	32532990	4059625229514	367
HG	32540000	4011097812410	369
HG	32540140	4059625231708	369
HG	32540340	4059625229477	369
HG	32540670	4059625231715	369
HG	32540700	4059625231722	369
HG	32540990	4059625231739	369
HG	32542000	4059625007266	372
HG	32543000	4011097835235	372
HG	32543140	4059625231746	372
HG	32543340	4059625231753	372
HG	32543670	4059625231760	372
HG	32543700	4059625231777	372
HG	32543990	4059625231784	372
HG	32545000	4011097826097	370
HG	32545140	4059625231791	370
HG	32545340	4059625229484	370
HG	32545670	4059625231807	370
HG	32545700	4059625231814	370
HG	32545990	4059625231821	370
HG	32546000	4011097826073	370
HG	32546140	4059625231838	370
HG	32546340	4059625231845	370
HG	32546670	4059625231852	370
HG	32546700	4059625231869	370
HG	32546990	4059625231876	370
HG	32548000	4011097835228	372
HG	32550000	4011097835211	373
HG	32551000	4011097835204	375
HG	32552000	4011097835198	376
HG	32553000	4011097835181	377
HG	32560000	4011097812373	378

brand	code no.	EAN	page
HG	32560140	4059625241585	378
HG	32560340	4059625241578	378
HG	32560670	4059625241561	378
HG	32560700	4059625241554	378
HG	32560990	4059625241547	378
HG	32565000	4011097826066	379
HG	32565140	4059625231883	379
HG	32565340	4059625231890	379
HG	32565670	4059625231906	379
HG	32565700	4059625231913	379
HG	32565990	4059625231920	379
HG	32570000	4011097812335	356
HG	32571000	4011097812304	356
HG	32572000	4011097812274	356
HG	32620000	4011097399423	448
HG	32675000	4011097398006	449
HG	32698000	4011097240534	392
HG	32841000	4011097521565	652
HG	32842000	4011097523071	653
HG	32845000	4059625195956	652
HG	32851000	4011097521558	653
HG	32857000	4059625195987	653
33			
HG	33091000	4011097236018	704
HG	33891000	4011097362304	704
35			
AX	35891800	4011097238678	705
AX	35893800	4011097363301	706
36			
AX	36391000	4011097233413	705
AX	36991000	4011097233338	706
40			
HG	40068000	4011097218939	544
HG	40088000	4011097120461	543
HG	40089000	4011097147208	543
HG	40418000	4011097191669	688
HG	40418800	4011097304342	688
HG	40438000	4059625131589	688
HG	40438340	4059625297469	688
HG	40438670	4059625297452	688
HG	40438800	4059625131596	688
HG	40448000	4059625131602	688
HG	40448670	4059625297445	688
HG	40448800	4059625131619	688
HG	40468000	4059625131626	688
HG	40468670	4059625297438	688
HG	40468800	4059625131633	688
HG	40511000	4011097584805	542
HG	40511820	4011097585246	542
HG	40512000	4011097584584	542
HG	40512820	4011097585284	542
HG	40513000	4011097584812	542
HG	40513820	4011097585222	542
HG	40514000	4011097584829	541
HG	40514820	4011097585314	541
HG	40515000	4011097584843	542
HG	40515820	4011097585291	542
HG	40516000	4011097584591	542
HG	40516820	4011097585239	542
HG	40517000	4011097584836	543
HG	40517820	4011097585338	543
HG	40518000	4011097584881	541
HG	40518820	4011097585307	541
HG	40522000	4011097584850	543

Code Numbers

brand	code no.	EAN	page
HG	40522820	4011097585321	543
HG	40523000	4011097584874	542
HG	40523820	4011097585253	542
HG	40526000	4011097585260	543
HG	40526820	4011097585277	543
HG	40952800	4059625027134	687
HG	40953670	4059625325148	687
HG	40953800	4059625027141	687
HG	40960000	4059625175194	689
HG	40961000	4059625175200	689
HG	40962800	4059625189276	689
HG	40963000	4059625189269	689
41			
HG	41710000	4059625123140	551
HG	41711000	4059625123089	552
HG	41712000	4059625123010	552
HG	41713000	4059625123102	551
HG	41714000	4059625123133	551
HG	41715000	4059625123058	551
HG	41716000	4059625123003	551
HG	41717000	4059625123126	553
HG	41718000	4059625123041	551
HG	41720000	4059625123027	552
HG	41722000	4059625123034	553
HG	41723000	4059625123119	552
HG	41724000	4059625123065	552
HG	41725000	4059625123096	552
HG	41726000	4059625123072	553
HG	41727000	4059625131374	554
HG	41728000	4059625131381	554
HG	41741000	4059625296868	544
HG	41741140	4059625296851	544
HG	41741340	4059625296844	544
HG	41741670	4059625296837	544
HG	41741700	4059625296820	544
HG	41741990	4059625296813	544
HG	41742000	4059625296325	544
HG	41742140	4059625296318	544
HG	41742340	4059625296301	544
HG	41742670	4059625296295	544
HG	41742700	4059625296288	544
HG	41742990	4059625296271	544
HG	41743000	4059625296264	545
HG	41743140	4059625296257	545
HG	41743340	4059625296240	545
HG	41743670	4059625296233	545
HG	41743700	4059625296226	545
HG	41743990	4059625296219	545
HG	41744000	4059625296806	546
HG	41744140	4059625296790	546
HG	41744340	4059625296783	546
HG	41744670	4059625296776	546
HG	41744700	4059625296769	546
HG	41744990	4059625296752	546
HG	41745000	4059625296561	548
HG	41745140	4059625296554	548
HG	41745340	4059625296547	548
HG	41745670	4059625296530	548
HG	41745700	4059625296523	548
HG	41745990	4059625296516	548
HG	41746000	4059625297131	548
HG	41746140	4059625297124	548
HG	41746340	4059625297117	548
HG	41746670	4059625297100	548

brand	code no.	EAN	page
HG	41746700	4059625297094	548
HG	41746990	4059625297087	548
HG	41747000	4059625296202	545
HG	41747140	4059625296196	545
HG	41747340	4059625296189	545
HG	41747670	4059625296172	545
HG	41747700	4059625296165	545
HG	41747990	4059625296158	545
HG	41748000	4059625297377	547
HG	41748140	4059625297360	547
HG	41748340	4059625297353	547
HG	41748670	4059625297346	547
HG	41748700	4059625297339	547
HG	41748990	4059625297322	547
HG	41749000	4059625297070	548
HG	41749140	4059625297063	548
HG	41749340	4059625297056	548
HG	41749670	4059625297049	548
HG	41749700	4059625297032	548
HG	41749990	4059625297025	548
HG	41751000	4059625296745	545
HG	41751140	4059625296738	545
HG	41751340	4059625296721	545
HG	41751670	4059625296714	545
HG	41751700	4059625296707	545
HG	41751990	4059625296691	545
HG	41752000	4059625296509	548
HG	41752140	4059625296493	548
HG	41752340	4059625296486	548
HG	41752670	4059625296479	548
HG	41752700	4059625296462	548
HG	41752990	4059625296455	548
HG	41753000	4059625297018	547
HG	41753140	4059625297001	547
HG	41753340	4059625296998	547
HG	41753670	4059625296981	547
HG	41753700	4059625296974	547
HG	41753990	4059625296967	547
HG	41754000	4059625296141	546
HG	41754140	4059625296134	546
HG	41754340	4059625296127	546
HG	41754670	4059625296110	546
HG	41754700	4059625296103	546
HG	41754990	4059625295892	546
HG	41755000	4059625297315	544
HG	41755140	4059625297308	544
HG	41755340	4059625297292	544
HG	41755670	4059625297285	544
HG	41755700	4059625297278	544
HG	41755990	4059625297261	544
HG	41756000	4059625296950	547
HG	41756140	4059625296943	547
HG	41756340	4059625296936	547
HG	41756670	4059625296929	547
HG	41756700	4059625296912	547
HG	41756990	4059625296905	547
HG	41759000	4059625297254	546
HG	41759140	4059625297247	546
HG	41759340	4059625297230	546
HG	41759670	4059625297223	546
HG	41759700	4059625297216	546
HG	41759990	4059625297209	546
HG	41770000	4059625297193	545
HG	41770140	4059625297186	545

brand	code no.	EAN	page
HG	41770340	4059625297179	545
HG	41770670	4059625297162	545
HG	41770700	4059625297155	545
HG	41770990	4059625297148	545
HG	41771000	4059625296448	546
HG	41771140	4059625296431	546
HG	41771340	4059625296424	546
HG	41771670	4059625296417	546
HG	41771700	4059625296400	546
HG	41771990	4059625296394	546
HG	41772000	4059625296684	547
HG	41772140	4059625296677	547
HG	41772340	4059625296660	547
HG	41772670	4059625296653	547
HG	41772700	4059625296646	547
HG	41772990	4059625296639	547
HG	41773000	4059625296387	549
HG	41773140	4059625296370	549
HG	41773340	4059625296363	549
HG	41773670	4059625296356	549
HG	41773700	4059625296349	549
HG	41773990	4059625296332	549
HG	41774000	4059625296622	549
HG	41774140	4059625296615	549
HG	41774340	4059625296608	549
HG	41774670	4059625296592	549
HG	41774700	4059625296585	549
HG	41774990	4059625296578	549
HG	41775000	4059625296899	549
HG	41775670	4059625296882	549
HG	41775700	4059625296875	549
HG	41790000	4059625321683	550
HG	41790140	4059625321911	550
HG	41790340	4059625321690	550
HG	41790670	4059625321935	550
HG	41790700	4059625321928	550
HG	41790990	4059625321904	550
HG	41791000	4059625321942	550
HG	41791140	4059625321973	550
HG	41791340	4059625321959	550
HG	41791670	4059625321997	550
HG	41791700	4059625321980	550
HG	41791990	4059625321966	550
43			
HG	43201000	4059625006887	673
HG	43201800	4059625025413	673
HG	43202000	4059625007006	676
HG	43202800	4059625025505	676
HG	43203000	4059625007020	678
HG	43203800	4059625025499	678
HG	43205000	4059625006894	674
HG	43205800	4059625025482	674
HG	43206000	4059625007013	677
HG	43206800	4059625025475	677
HG	43217000	4059625100509	679
HG	43218000	4059625100493	682
HG	43219000	4059625100486	680
HG	43220000	4059625100479	683
HG	43221000	4059625100462	684
HG	43228000	4059625173589	681
HG	43230000	4059625177839	675
HG	43230800	4059625177846	675
HG	43301800	4059625007082	606
HG	43302800	4059625007129	609

brand	code no.	EAN	page
HG	43303800	4059625007167	611
HG	43305800	4059625007099	606
HG	43306800	4059625007105	607
HG	43307800	4059625007112	607
HG	43308800	4059625007136	609
HG	43309800	4059625007143	610
HG	43310800	4059625007150	610
HG	43311800	4059625007174	611
HG	43312170	4059625104781	618
HG	43312290	4059625104774	618
HG	43312380	4059625104767	618
HG	43313170	4059625104750	619
HG	43313290	4059625104743	619
HG	43313380	4059625104736	619
HG	43314170	4059625104729	618
HG	43314290	4059625104712	618
HG	43314380	4059625104705	618
HG	43315170	4059625104699	620
HG	43315290	4059625104682	620
HG	43315380	4059625104941	620
HG	43316170	4059625104934	620
HG	43316290	4059625104927	620
HG	43316380	4059625104910	620
HG	43330170	4059625173572	619
HG	43330290	4059625173565	619
HG	43330380	4059625173558	619
HG	43331800	4059625177792	608
HG	43332800	4059625177808	608
HG	43333000	4059625024003	687
HG	43334800	4059625217511	617
HG	43335800	4059625217504	617
HG	43336800	4059625217498	617
HG	43337800	4059625217481	615
HG	43338800	4059625217474	616
HG	43339800	4059625217467	616
HG	43340800	4059625217450	615
HG	43341800	4059625217443	615
HG	43342800	4059625217436	616
HG	43425800	4059625007181	612
HG	43426800	4059625007198	612
HG	43427800	4059625007204	613
HG	43428800	4059625007211	613
HG	43429800	4059625007228	614
HG	43430800	4059625007235	614
HG	43431170	4059625104903	621
HG	43431290	4059625104897	621
HG	43431380	4059625104880	621
HG	43432170	4059625104873	621
HG	43432290	4059625104866	621
HG	43432380	4059625104859	621
HG	43433170	4059625104842	622
HG	43433290	4059625104835	622
HG	43433380	4059625104828	622
HG	43434170	4059625104811	622
HG	43434290	4059625104804	622
HG	43434380	4059625104798	622
HG	43921800	4059625248737	685
HG	43922800	4059625248720	685
HG	43927000	4059625105009	686
HG	43928000	4059625104996	686
HG	43931800	4059625248713	685
HG	43932800	4059625248706	685
HG	43937000	4059625104989	686
HG	43938000	4059625104972	686

Code Numbers

brand	code no.	EAN	page
50			
HG	50001000	4011097146867	598
HG	50100000	4011097369495	597
HG	50100140	4011097820125	597
HG	50100340	4011097820101	597
HG	50100670	4059625266113	597
HG	50100700	4059625266120	597
HG	50100990	4011097820286	597
HG	50105000	4011097716282	598
HG	50107000	4011097664323	595
52			
HG	52010000	4011097123349	600
HG	52053000	4011097123431	600
HG	52100000	4011097346199	598
HG	52105000	4011097440804	598
HG	52105140	4059625001400	598
HG	52105340	4059625001370	598
HG	52105670	4059625240182	598
HG	52105700	4059625240199	598
HG	52105990	4059625001707	598
HG	52120000	4011097369563	598
53			
HG	53002000	4011097123912	600
HG	53010000	4011097123936	600
HG	53428000	4011097124070	601
HG	53428670	4059625346747	601
HG	53428700	4059625346754	601
HG	53493000	4011097124193	601
HG	53493670	4059625315149	601
HG	53493700	4059625315132	601
HG	53555000	4011097124308	601
HG	53646000	4011097124384	601
HG	53971000	4011097124872	710
HG	53985000	4011097124988	710
HG	53990000	4011097125008	602
55			
HG	55213000	4011097125121	600
HG	55237000	4011097125138	601
56			
HG	56010180	4059625355589	570
HG	56011180	4059625355572	570
HG	56012180	4059625355565	570
HG	56013180	4059625355558	570
HG	56014180	4059625355541	570
HG	56015180	4059625355534	570
HG	56016180	4059625355527	569
HG	56017180	4059625355510	569
HG	56018180	4059625355503	569
HG	56019180	4059625355497	569
HG	56020180	4059625355480	569
HG	56021180	4059625355473	569
HG	56022180	4059625355466	568
HG	56023180	4059625355459	568
HG	56024180	4059625355442	568
HG	56025180	4059625355435	568
HG	56026180	4059625355428	568
HG	56027180	4059625355411	568
HG	56029000	4059625350621	585
HG	56030000	4059625350614	585
HG	56031000	4059625350607	586
HG	56032000	4059625350591	586
HG	56033000	4059625350584	587
HG	56034000	4059625350577	587
HG	56036000	4059625350553	579

brand	code no.	EAN	page
HG	56036450	4059625360989	579
HG	56036610	4059625360972	579
HG	56036670	4059625350515	579
HG	56036700	4059625350508	579
HG	56036800	4059625355398	579
HG	56037000	4059625350492	580
HG	56037450	4059625360965	580
HG	56037610	4059625360958	580
HG	56037670	4059625350454	580
HG	56037700	4059625350447	580
HG	56037800	4059625355381	580
HG	56038000	4059625350430	581
HG	56038450	4059625360941	581
HG	56038610	4059625360934	581
HG	56038670	4059625350393	581
HG	56038700	4059625350386	581
HG	56038800	4059625355374	581
HG	56040000	4059625350362	582
HG	56040450	4059625360927	582
HG	56040610	4059625360910	582
HG	56040670	4059625350324	582
HG	56040700	4059625350317	582
HG	56040800	4059625355367	582
HG	56041000	4059625350300	583
HG	56041450	4059625360903	583
HG	56041610	4059625360897	583
HG	56041670	4059625350263	583
HG	56041700	4059625350256	583
HG	56041800	4059625355350	583
HG	56042000	4059625350249	584
HG	56042450	4059625360880	584
HG	56042610	4059625360873	584
HG	56042670	4059625350201	584
HG	56042700	4059625350195	584
HG	56042800	4059625355343	584
HG	56043000	4059625350188	571
HG	56043140	4059625350171	571
HG	56043340	4059625350164	571
HG	56043670	4059625350157	571
HG	56043700	4059625350140	571
HG	56043800	4059625350133	571
HG	56043990	4059625350126	571
HG	56044000	4059625350119	571
HG	56044140	4059625350102	571
HG	56044340	4059625350096	571
HG	56044670	4059625350089	571
HG	56044700	4059625350072	571
HG	56044800	4059625350065	571
HG	56044990	4059625350058	571
HG	56045000	4059625350041	572
HG	56045140	4059625350034	572
HG	56045340	4059625350027	572
HG	56045670	4059625350010	572
HG	56045700	4059625350003	572
HG	56045800	4059625349991	572
HG	56045990	4059625349984	572
HG	56046000	4059625349977	572
HG	56046140	4059625349960	572
HG	56046340	4059625349953	572
HG	56046670	4059625349946	572
HG	56046700	4059625349939	572
HG	56046800	4059625349922	572
HG	56046990	4059625349915	572
HG	56047000	4059625349908	573

brand	code no.	EAN	page
HG	56047140	4059625349892	573
HG	56047340	4059625349885	573
HG	56047670	4059625349878	573
HG	56047700	4059625349861	573
HG	56047800	4059625349854	573
HG	56047990	4059625349847	573
HG	56050000	4059625349816	574
HG	56050140	4059625349809	574
HG	56050340	4059625349793	574
HG	56050670	4059625349786	574
HG	56050700	4059625349779	574
HG	56050800	4059625349762	574
HG	56050990	4059625349755	574
HG	56051000	4059625349748	575
HG	56051140	4059625349731	575
HG	56051340	4059625349724	575
HG	56051670	4059625349717	575
HG	56051700	4059625349700	575
HG	56051800	4059625349694	575
HG	56051990	4059625349687	575
HG	56052000	4059625349670	576
HG	56052140	4059625349663	576
HG	56052340	4059625349656	576
HG	56052670	4059625349649	576
HG	56052700	4059625349632	576
HG	56052800	4059625349625	576
HG	56052990	4059625349618	576
HG	56053000	4059625349601	577
HG	56053140	4059625349595	577
HG	56053340	4059625349588	577
HG	56053670	4059625349571	577
HG	56053700	4059625349564	577
HG	56053800	4059625349557	577
HG	56053990	4059625349540	577
HG	56054000	4059625349533	578
HG	56054140	4059625349526	578
HG	56054340	4059625349519	578
HG	56054670	4059625349502	578
HG	56054700	4059625349496	578
HG	56054800	4059625349489	578
HG	56054990	4059625349472	578
HG	56055800	4059625349465	588
HG	56056000	4059625349441	589
HG	56057670	4059625351598	538
HG	56057700	4059625351581	538
HG	56057800	4059625351574	538
HG	56061670	4059625351567	538
HG	56061700	4059625351550	538
HG	56061800	4059625351543	538
HG	56064670	4059625351536	538
HG	56064700	4059625351529	538
HG	56064800	4059625351512	538
HG	56067670	4059625351505	538
HG	56067700	4059625351499	538
HG	56067800	4059625351482	538
HG	56070670	4059625351475	538
HG	56070700	4059625351468	538
HG	56070800	4059625351451	538
HG	56073670	4059625351444	538
HG	56073700	4059625351437	538
HG	56073800	4059625351420	538
HG	56076670	4059625351413	538
HG	56076700	4059625351406	538
HG	56076800	4059625351390	538

brand	code no.	EAN	page
HG	56079670	4059625351383	538
HG	56079700	4059625351376	538
HG	56079800	4059625351369	538
HG	56082670	4059625351352	539
HG	56082700	4059625351345	539
HG	56082800	4059625351338	539
HG	56085670	4059625351321	539
HG	56085700	4059625351314	539
HG	56085800	4059625351307	539
HG	56088670	4059625351291	539
HG	56088700	4059625351284	539
HG	56088800	4059625351277	539
HG	56091670	4059625351260	539
HG	56091700	4059625351253	539
HG	56091800	4059625351246	539
HG	56094140	4059625349069	539
HG	56094340	4059625349052	539
HG	56094670	4059625349045	539
HG	56094700	4059625349038	539
HG	56094800	4059625349021	539
HG	56094990	4059625349014	539
HG	56095140	4059625349007	540
HG	56095340	4059625348994	540
HG	56095670	4059625348987	540
HG	56095700	4059625348970	540
HG	56095800	4059625348963	540
HG	56095990	4059625348956	540
HG	56096140	4059625348949	540
HG	56096340	4059625348932	540
HG	56096670	4059625348925	540
HG	56096700	4059625348918	540
HG	56096800	4059625348901	540
HG	56096990	4059625348895	540
HG	56097140	4059625348888	539
HG	56097340	4059625348871	539
HG	56097670	4059625348864	539
HG	56097700	4059625348857	539
HG	56097800	4059625348840	539
HG	56097990	4059625348833	539
HG	56098140	4059625348826	540
HG	56098340	4059625348819	540
HG	56098670	4059625348802	540
HG	56098700	4059625348796	540
HG	56098800	4059625348789	540
HG	56098990	4059625348772	540
HG	56099140	4059625348765	540
HG	56099340	4059625348758	540
HG	56099670	4059625348741	540
HG	56099700	4059625348734	540
HG	56099800	4059625348727	540
HG	56099990	4059625348710	540
HG	56100800	4059625351239	541
HG	56112800	4059625348697	588
HG	56373000	4011097125282	597
58			
HG	58112000	4011097651804	590
HG	58113000	4011097423913	593
HG	58115180	4011097433103	592
HG	58116180	4011097433110	592
HG	58117000	4011097417479	590
HG	58117140	4059625003732	590
HG	58117340	4059625002599	590
HG	58117670	4059625235683	590
HG	58117700	4059625235676	590

Code Numbers

brand	code no.	EAN	page
HG	58117820	4011097516615	590
HG	58117990	4059625004050	590
HG	58123000	4011097363363	591
HG	58125180	4011097140223	591
HG	58126180	4011097140230	591
HG	58127000	4011097140247	590
HG	58128000	4011097140353	590
HG	58140180	4011097233543	596
HG	58141180	4011097233574	596
HG	58142000	4011097233598	596
HG	58143000	4011097232874	597
HG	58150000	4011097492650	597
HG	58185000	4011097233581	595
HG	58185140	4059625243985	595
HG	58185340	4059625243992	595
HG	58185670	4059625244203	595
HG	58185700	4059625244210	595
HG	58185990	4059625178706	595
HG	58186000	4011097440347	595
HG	58192000	4011097412955	593
60			
HG	60056000	4011097609751	589
HG	60067000	4011097557694	589
71			
HG	71070000	4011097738710	490
HG	71071000	4011097738703	490
HG	71072000	4011097738697	490
HG	71073000	4011097738680	490
HG	71074000	4011097738673	491
HG	71075000	4011097738666	491
HG	71076000	4011097738659	491
HG	71077000	4011097738642	490
HG	71078000	4011097753812	523
HG	71090000	4011097738628	493
HG	71091000	4011097738611	493
HG	71095000	4011097738604	493
HG	71100000	4011097738581	491
HG	71101000	4011097738574	491
HG	71102000	4011097738567	492
HG	71103000	4011097738550	492
HG	71104000	4011097753829	524
HG	71105000	4011097738543	492
HG	71107000	4011097738529	491
HG	71120000	4011097738499	495
HG	71130000	4011097738482	494
HG	71131000	4011097738475	494
HG	71133000	4011097738468	496
HG	71170000	4011097783475	490
HG	71171000	4011097783482	491
HG	71200000	4011097738444	497
HG	71201000	4059625395318	497
HG	71203000	4059625076873	497
HG	71204000	4011097753836	497
HG	71210000	4059625321461	472
HG	71210670	4059625326466	472
HG	71211000	4059625325346	483
HG	71211670	4059625326459	483
HG	71214000	4059625325544	473
HG	71215000	4059625329955	469
HG	71216000	4059625329962	481
HG	71220000	4011097738420	495
HG	71221000	4011097738413	495
HG	71222000	4011097738406	495
HG	71225000	4011097769981	494

brand	code no.	EAN	page
HG	71243000	4011097768243	499
HG	71251000	4059625356210	492
HG	71252000	4059625356180	492
HG	71253000	4059625356173	492
HG	71254000	4059625356135	493
HG	71255000	4059625356128	493
HG	71256000	4059625356111	496
HG	71257000	4059625356067	494
HG	71258000	4059625356036	494
HG	71263000	4011097768250	504
HG	71280000	4011097741451	668
HG	71283000	4059625215531	670
HG	71284000	4059625215555	670
HG	71285000	4011097738369	670
HG	71286000	4011097754024	670
HG	71287000	4011097754017	670
HG	71290000	4011097738352	498
HG	71310000	4011097738338	501
HG	71311000	4011097738321	501
HG	71312000	4011097738314	501
HG	71313000	4011097738307	502
HG	71314000	4011097738291	503
HG	71315000	4011097738284	501
HG	71400000	4011097738260	498
HG	71401000	4011097738253	498
HG	71402000	4011097789507	499
HG	71405000	4011097738246	499
HG	71406000	4011097738239	500
HG	71407000	4011097769967	499
HG	71409000	4059625062463	500
HG	71410000	4011097738222	429
HG	71420000	4059625316290	475
HG	71420670	4059625326442	475
HG	71430000	4011097738215	498
HG	71440000	4059625316283	473
HG	71440670	4059625326428	473
HG	71442000	4059625325353	475
HG	71442670	4059625326381	475
HG	71443000	4059625325391	476
HG	71444000	4059625325506	476
HG	71446000	4059625325513	476
HG	71447000	4059625325612	473
HG	71449000	4059625325438	474
HG	71449670	4059625326374	474
HG	71450000	4059625316269	483
HG	71450670	4059625326350	483
HG	71452000	4059625325377	486
HG	71452670	4059625326312	486
HG	71453000	4059625316245	483
HG	71454000	4059625316238	473
HG	71456000	4059625328583	475
HG	71456670	4059625330036	475
HG	71457000	4059625325650	484
HG	71458000	4059625325322	485
HG	71458670	4059625326305	485
HG	71459000	4059625328590	485
HG	71459670	4059625338872	485
HG	71460000	4059625316221	485
HG	71460670	4059625326282	485
HG	71461000	4059625325360	476
HG	71461670	4059625330043	476
HG	71462000	4059625325384	486
HG	71462670	4059625330050	486
HG	71463000	4059625325520	487

brand	code no.	EAN	page
HG	71464000	4059625325537	487
HG	71466000	4059625363713	474
HG	71466670	4059625363706	474
HG	71467000	4059625363690	474
HG	71467670	4059625363683	474
HG	71468000	4059625363676	484
HG	71468670	4059625363669	484
HG	71469000	4059625363652	484
HG	71469670	4059625363645	484
HG	71474000	4011097778563	428
HG	71474140	4059625231982	428
HG	71474340	4059625229583	428
HG	71474670	4059625231999	428
HG	71474700	4059625232002	428
HG	71474990	4059625232019	428
HG	71501000	4059625353370	471
HG	71502000	4059625353363	471
HG	71503000	4059625353356	472
HG	71504000	4059625353349	472
HG	71550000	4059625316214	466
HG	71550670	4059625326268	466
HG	71551000	4059625316207	466
HG	71551670	4059625326244	466
HG	71552000	4059625316191	467
HG	71552670	4059625326220	467
HG	71553000	4059625325407	469
HG	71553670	4059625326190	469
HG	71554000	4059625325414	469
HG	71557000	4059625316184	466
HG	71558000	4059625316177	466
HG	71558670	4059625326169	466
HG	71559000	4059625316160	466
HG	71560000	4059625321454	479
HG	71560670	4059625326152	479
HG	71561000	4059625321447	480
HG	71561670	4059625326138	480
HG	71562000	4059625321430	481
HG	71562670	4059625326114	481
HG	71563000	4059625325476	482
HG	71563670	4059625326084	482
HG	71564000	4059625325483	482
HG	71566000	4059625321423	479
HG	71567000	4059625325445	479
HG	71567670	4059625326046	479
HG	71568000	4059625321416	480
HG	71569000	4059625325452	480
HG	71569670	4059625326015	480
HG	71570000	4059625324974	467
HG	71571000	4059625324981	468
HG	71572000	4059625324998	468
HG	71576000	4059625325421	470
HG	71576670	4059625325933	470
HG	71578000	4059625325315	482
HG	71578670	4059625325919	482
HG	71580000	4059625316153	466
HG	71580670	4059625325896	466
HG	71581000	4059625316146	467
HG	71582000	4059625316139	467
HG	71582670	4059625325889	467
HG	71583000	4059625325551	468
HG	71583670	4059625325872	468
HG	71584000	4059625316122	516
HG	71584670	4059625325865	516
HG	71585000	4059625316115	517

brand	code no.	EAN	page
HG	71585670	4059625325858	517
HG	71587000	4059625325599	466
HG	71588000	4059625325605	467
HG	71590000	4059625321409	481
HG	71591000	4059625325469	481
HG	71591670	4059625325834	481
HG	71592000	4059625325568	481
HG	71592670	4059625325810	481
HG	71593000	4059625321393	517
HG	71593670	4059625325803	517
HG	71594000	4059625321386	518
HG	71594670	4059625325797	518
HG	71596000	4059625325636	479
HG	71597000	4059625325643	480
HG	71600000	4011097737799	503
HG	71601000	4011097737782	503
HG	71604000	4059625194157	505
HG	71605000	4011097737775	504
HG	71606000	4011097737768	505
HG	71607000	4011097754581	504
HG	71629000	4011097787749	498
HG	71630000	4011097737751	503
HG	71640000	4059625316108	477
HG	71640670	4059625325780	477
HG	71646000	4059625310762	477
HG	71647000	4059625325629	477
HG	71649000	4059625321379	478
HG	71649670	4059625338865	478
HG	71650000	4059625315798	487
HG	71650670	4059625325759	487
HG	71656000	4059625405406	487
HG	71657000	4059625325667	487
HG	71658000	4059625325339	488
HG	71658670	4059625338858	488
HG	71666000	4011097769936	505
HG	71667000	4059625363638	477
HG	71667670	4059625363621	477
HG	71668000	4059625363614	488
HG	71668670	4059625363607	488
HG	71700000	4011097770703	423
HG	71701000	4011097770697	423
HG	71702000	4011097770680	423
HG	71703000	4011097770673	423
HG	71704000	4011097770666	423
HG	71705000	4011097770659	522
HG	71706000	4011097770642	425
HG	71707000	4011097770772	423
HG	71710000	4011097770765	424
HG	71710140	4059625232026	424
HG	71710340	4059625229521	424
HG	71710670	4059625232033	424
HG	71710700	4059625232040	424
HG	71710990	4059625232057	424
HG	71711000	4011097770758	424
HG	71712000	4011097770741	424
HG	71712140	4059625265789	424
HG	71712340	4059625147054	424
HG	71712670	4059625265765	424
HG	71712700	4059625265772	424
HG	71712990	4059625035573	424
HG	71713000	4011097770734	424
HG	71713140	4059625232064	424
HG	71713340	4059625232071	424
HG	71713670	4059625232088	424

Code Numbers

brand	code no.	EAN	page
HG	71713700	4059625232095	424
HG	71713990	4059625232101	424
HG	71714000	4011097770727	424
HG	71714140	4059625265833	424
HG	71714340	4059625265819	424
HG	71714670	4059625265796	424
HG	71714700	4059625265802	424
HG	71714990	4059625265826	424
HG	71715000	4011097778495	521
HG	71716000	4011097770710	425
HG	71716140	4059625232118	425
HG	71716340	4059625229538	425
HG	71716670	4059625232125	425
HG	71716700	4059625232132	425
HG	71716990	4059625232149	425
HG	71717000	4011097770826	425
HG	71717140	4059625265871	425
HG	71717340	4059625198001	425
HG	71717670	4059625265840	425
HG	71717700	4059625265857	425
HG	71717990	4059625265864	425
HG	71718000	4059625338841	422
HG	71719000	4059625338827	422
HG	71720000	4011097770819	427
HG	71720140	4059625250457	427
HG	71720340	4059625250440	427
HG	71720670	4059625250433	427
HG	71720700	4059625250426	427
HG	71720990	4059625250419	427
HG	71721000	4011097770802	427
HG	71729000	4011097770796	427
HG	71730000	4011097782409	429
HG	71731000	4011097782393	430
HG	71732000	4011097770789	426
HG	71733000	4011097770871	426
HG	71733140	4059625232156	426
HG	71733340	4059625229545	426
HG	71733670	4059625232163	426
HG	71733700	4059625232170	426
HG	71733990	4059625170472	426
HG	71734000	4011097778457	426
HG	71734140	4059625232187	426
HG	71734340	4059625232194	426
HG	71734670	4059625232200	426
HG	71734700	4059625232217	426
HG	71734990	4059625232224	426
HG	71740000	4011097770864	427
HG	71740140	4059625232231	427
HG	71740340	4059625221754	427
HG	71740670	4059625232248	427
HG	71740700	4059625232255	427
HG	71740990	4059625232262	427
HG	71745000	4011097770840	428
HG	71745140	4059625232279	428
HG	71745340	4059625232286	428
HG	71745670	4059625232293	428
HG	71745700	4059625232309	428
HG	71745990	4059625232316	428
HG	71746000	4011097770833	428
HG	71747000	4011097791395	429
HG	71748000	4011097788807	431
HG	71748140	4059625232323	431
HG	71748340	4059625232330	431
HG	71748670	4059625232347	431

brand	code no.	EAN	page
HG	71748700	4059625232354	431
HG	71748990	4059625232361	431
HG	71750000	4011097782379	422
HG	71751000	4011097775791	422
HG	71752000	4011097782416	423
HG	71753000	4011097775784	423
HG	71754000	4011097782355	425
HG	71754140	4059625246429	425
HG	71754340	4059625246412	425
HG	71754670	4059625246443	425
HG	71754700	4059625246450	425
HG	71754990	4059625246436	425
HG	71755000	4011097782348	425
HG	71760000	4011097770918	431
HG	71760140	4059625232378	431
HG	71760340	4059625232385	431
HG	71760670	4059625232392	431
HG	71760700	4059625232408	431
HG	71760990	4059625232415	431
HG	71761000	4011097770901	431
HG	71764000	4059625194119	432
HG	71764670	4059625410523	432
HG	71765000	4011097778327	432
HG	71765140	4059625232422	432
HG	71765340	4059625147061	432
HG	71765670	4059625232439	432
HG	71765700	4059625232446	432
HG	71765990	4059625232453	432
HG	71766000	4011097770895	432
HG	71768000	4011097778310	432
HG	71800000	4059625085127	661
HG	71800800	4059625085110	661
HG	71801000	4059625085103	662
HG	71801800	4059625085097	662
HG	71802000	4059625085080	662
HG	71802800	4059625085073	662
HG	71803000	4059625085066	663
HG	71804000	4059625085059	663
HG	71805000	4059625085042	663
HG	71806000	4059625085035	663
HG	71806800	4059625085028	663
HG	71807000	4059625085011	663
HG	71808000	4059625085004	665
HG	71808800	4059625084991	665
HG	71809000	4059625084984	665
HG	71813000	4059625084939	664
HG	71814000	4059625098356	664
HG	71814800	4059625098363	664
HG	71820000	4059625098370	661
HG	71820800	4059625098387	661
HG	71821000	4059625098394	662
HG	71821800	4059625098400	662
HG	71829000	4059625098417	664
HG	71829800	4059625098424	664
HG	71830000	4011097761268	669
HG	71831000	4011097766461	669
HG	71832000	4011097766454	668
HG	71833000	4011097775487	668
HG	71834000	4011097766447	669
HG	71835000	4011097766430	668
HG	71836000	4011097766423	669
HG	71837000	4011097766416	669
HG	71839000	4011097775753	668
HG	71860000	4059625197103	668

brand	code no.	EAN	page
HG	71861000	4059625196755	668
HG	71862000	4059625198490	662
HG	71864000	4059625198513	663
HG	71865000	4059625198520	664
HG	71866000	4059625198537	665
HG	71870000	4059625321362	670
HG	71870670	4059625325698	670
HG	71871000	4059625321355	671
HG	71871670	4059625325674	671
HG	71970000	4011097737737	330
72			
HG	72010000	4011097770048	434
HG	72011000	4011097770116	434
HG	72012000	4011097770109	434
HG	72013000	4011097770093	434
HG	72014000	4011097770086	434
HG	72015000	4011097770079	522
HG	72017000	4011097770055	437
HG	72018000	4011097775715	434
HG	72020000	4011097770161	435
HG	72021000	4011097770154	435
HG	72022000	4011097770147	435
HG	72023000	4011097770130	435
HG	72024000	4011097770123	522
HG	72025000	4011097775708	435
HG	72031000	4011097770246	436
HG	72032000	4011097770239	436
HG	72040000	4011097770222	433
HG	72041000	4011097770215	433
HG	72042000	4011097770208	433
HG	72043000	4011097770192	433
HG	72044000	4011097770185	433
HG	72045000	4011097770178	433
HG	72105000	4011097770307	436
HG	72110000	4011097770291	437
HG	72111000	4011097770284	437
HG	72113000	4011097782546	435
HG	72115000	4011097782522	436
HG	72116000	4011097782515	436
HG	72200000	4011097770260	438
HG	72202000	4011097775494	438
HG	72290000	4011097770253	438
HG	72291000	4011097781808	438
HG	72400000	4011097770383	439
HG	72401000	4011097770376	439
HG	72405000	4011097770352	440
HG	72406000	4011097770345	440
HG	72407000	4011097770338	440
HG	72410000	4011097770420	441
HG	72412000	4011097782508	439
HG	72416000	4011097770314	441
HG	72417000	4011097770413	442
HG	72418000	4011097770406	442
HG	72419000	4011097770390	443
HG	72600000	4011097770475	444
HG	72601000	4011097770468	444
HG	72605000	4011097770444	444
HG	72606000	4011097770437	444
HG	72800000	4059625255452	653
HG	72800670	4059625255445	653
HG	72800800	4059625255438	653
HG	72801000	4059625255421	654
HG	72801670	4059625255414	654
HG	72801800	4059625255407	654

brand	code no.	EAN	page
HG	72802000	4059625255391	654
HG	72802670	4059625255384	654
HG	72802800	4059625255377	654
HG	72803000	4059625255360	655
HG	72803670	4059625255353	655
HG	72803800	4059625255346	655
HG	72804000	4059625255339	655
HG	72804670	4059625255322	655
HG	72804800	4059625255315	655
HG	72805000	4059625277768	655
HG	72805670	4059625277775	655
HG	72805800	4059625277782	655
HG	72806000	4059625255308	656
HG	72806670	4059625255292	656
HG	72806800	4059625255285	656
HG	72807000	4059625277850	656
HG	72807670	4059625277867	656
HG	72807800	4059625277874	656
HG	72808000	4059625255278	656
HG	72808670	4059625255261	656
HG	72808800	4059625255254	656
HG	72809000	4059625255247	657
HG	72809670	4059625255230	657
HG	72809800	4059625255223	657
HG	72810000	4011097772455	651
HG	72810800	4011097772462	651
HG	72811000	4011097823638	652
HG	72812000	4011097772479	651
HG	72813000	4011097772493	650
HG	72813800	4011097772707	650
HG	72814000	4011097823621	650
HG	72814800	4011097823614	650
HG	72815000	4011097823607	651
HG	72815800	4011097823591	651
HG	72816000	4059625198155	651
HG	72817000	4059625197981	650
HG	72820000	4011097772721	649
HG	72820800	4011097772738	649
HG	72821000	4011097772752	646
HG	72821800	4011097772769	646
HG	72822000	4011097823584	648
HG	72822800	4011097823577	648
HG	72823000	4059625255667	645
HG	72823800	4059625255650	645
HG	72824000	4059625255643	647
HG	72824800	4059625255636	647
HG	72825000	4059625198186	649
HG	72826000	4059625198209	646
HG	72827000	4059625277928	657
HG	72827670	4059625277935	657
HG	72827800	4059625277942	657
HG	72840000	4059625255216	657
HG	72840670	4059625255209	657
HG	72840800	4059625255193	657
HG	72841000	4059625293218	689
HG	72841670	4059625293225	689
HG	72841800	4059625293232	689
HG	72842000	4059625269909	653
HG	72842670	4059625269695	653
HG	72843000	4059625269688	655
HG	72843670	4059625269671	655
HG	72844000	4059625269664	656
HG	72844670	4059625269657	656
HG	72845000	4059625269640	656

Code Numbers

brand	code no.	EAN	page
HG	72845670	4059625269633	656
73			
HG	73561000	4059625131503	553
HG	73800000	4059625017630	643
HG	73800800	4059625017623	643
HG	73801000	4059625017616	642
HG	73801800	4059625017609	642
HG	73802000	4059625017593	640
HG	73802800	4059625017586	640
HG	73803000	4059625017579	638
HG	73803800	4059625017562	638
HG	73804000	4059625017555	636
HG	73804800	4059625017548	636
HG	73807000	4059625198292	638
HG	73812000	4059625017494	644
HG	73812800	4059625017487	644
HG	73816000	4059625176221	637
HG	73816800	4059625176207	637
HG	73817000	4059625176184	639
HG	73817800	4059625176177	639
HG	73818000	4059625176160	636
HG	73818340	4059625229590	636
HG	73818670	4059625232514	636
HG	73818800	4059625176153	636
HG	73819000	4059625255629	635
HG	73819800	4059625255612	635
HG	73820000	4059625255605	637
HG	73820800	4059625255599	637
HG	73822000	4059625255582	639
HG	73822800	4059625255575	639
HG	73823000	4059625198254	643
HG	73824000	4059625198230	642
HG	73825000	4059625198223	636
HG	73828000	4059625198278	644
HG	73830000	4059625255568	635
HG	73830670	4059625255186	635
HG	73830800	4059625255551	635
HG	73831000	4059625255179	634
HG	73831670	4059625255162	634
HG	73831800	4059625255155	634
HG	73836000	4059625269442	635
HG	73836670	4059625278093	635
HG	73836800	4059625269435	635
HG	73837000	4059625269428	634
HG	73837670	4059625278123	634
HG	73837800	4059625269411	634
HG	73850000	4059625017456	651
HG	73850800	4059625017449	651
HG	73851000	4059625017432	650
HG	73851800	4059625017425	650
HG	73852000	4059625017418	649
HG	73852800	4059625017401	649
HG	73853000	4059625017395	647
HG	73853800	4059625017388	647
HG	73860000	4059625017364	652
HG	73860800	4059625017357	652
HG	73867000	4059625176085	646
HG	73867800	4059625176078	646
HG	73868000	4059625176061	648
HG	73868800	4059625176054	648
HG	73876000	4059625198339	650
HG	73880000	4059625017210	658
HG	73880800	4059625017203	658

brand	code no.	EAN	page
HG	73895000	4059625198438	658
74			
HG	74500000	4011097813226	360
HG	74502000	4011097813202	360
HG	74506000	4011097813141	360
HG	74507000	4011097813103	360
HG	74511000	4011097813066	361
HG	74512000	4011097813028	361
HG	74514000	4011097835129	364
HG	74515000	4011097835112	364
HG	74520000	4011097812960	366
HG	74522000	4011097812939	367
HG	74525000	4011097835105	362
HG	74526000	4011097835099	362
HG	74530000	4011097835082	365
HG	74532000	4011097835075	368
HG	74540000	4011097812915	369
HG	74545000	4011097826028	371
HG	74546000	4011097826004	371
HG	74548000	4011097835068	373
HG	74550000	4011097835051	374
HG	74551000	4011097835044	375
HG	74552000	4011097835037	376
HG	74553000	4011097835020	377
HG	74560000	4011097812878	378
HG	74565000	4011097825793	379
HG	74800000	4059625339749	665
HG	74800670	4059625339763	665
HG	74800800	4059625339756	665
HG	74801000	4059625339770	665
HG	74801670	4059625339794	665
HG	74801800	4059625339787	665
HG	74802000	4059625340103	666
HG	74802670	4059625340127	666
HG	74802800	4059625340110	666
HG	74803000	4059625340134	666
HG	74803670	4059625340158	666
HG	74803800	4059625340141	666
HG	74804000	4059625340165	667
HG	74804670	4059625340189	667
HG	74804800	4059625340172	667
HG	74805000	4059625340196	667
HG	74806000	4059625340202	666
HG	74807000	4059625340219	667
HG	74808000	4059625340226	667
HG	74810000	4059625340233	665
HG	74811000	4059625340240	666
HG	74813000	4059625340264	666
75			
HG	75010000	4059625335246	412
HG	75010670	4059625335208	412
HG	75010700	4059625335161	412
HG	75012000	4059625335109	412
HG	75012670	4059625335086	412
HG	75012700	4059625335062	412
HG	75013000	4059625335048	414
HG	75013670	4059625335031	414
HG	75013700	4059625335024	414
HG	75020000	4059625334980	412
HG	75020670	4059625334942	412
HG	75020700	4059625334904	412
HG	75022000	4059625334843	412
HG	75022670	4059625334829	412
HG	75022700	4059625334805	412

brand	code no.	EAN	page
HG	75023000	4059625399835	413
HG	75023670	4059625399828	413
HG	75023700	4059625399811	413
HG	75024000	4059625399804	413
HG	75024670	4059625399699	413
HG	75024700	4059625399682	413
HG	75030000	4059625334751	413
HG	75030670	4059625335727	413
HG	75030700	4059625335697	413
HG	75032000	4059625335659	413
HG	75032670	4059625335642	413
HG	75032700	4059625335635	413
HG	75033000	4059625322710	414
HG	75033670	4059625337387	414
HG	75033700	4059625337356	414
HG	75040000	4059625335598	413
HG	75040670	4059625335567	413
HG	75040700	4059625335536	413
HG	75042000	4059625335499	413
HG	75042670	4059625335468	413
HG	75042700	4059625335437	413
HG	75050000	4059625337318	414
HG	75050670	4059625337295	414
HG	75050700	4059625337271	414
HG	75200000	4059625335369	415
HG	75200670	4059625335345	415
HG	75200700	4059625335321	415
HG	75210000	4059625395240	412
HG	75410000	4059625322727	417
HG	75410670	4059625337219	417
HG	75410700	4059625337196	417
HG	75415000	4059625358504	417
HG	75415670	4059625358511	417
HG	75415700	4059625358528	417
HG	75416000	4059625358535	417
HG	75416670	4059625358542	417
HG	75416700	4059625358559	417
HG	75420000	4059625335291	416
HG	75420670	4059625335260	416
HG	75420700	4059625336199	416
HG	75444000	4059625322703	418
HG	75444670	4059625337080	418
HG	75444700	4059625337073	418
HG	75445000	4059625322697	416
HG	75445670	4059625337035	416
HG	75445700	4059625336991	416
HG	75615000	4059625358566	419
HG	75615670	4059625358573	419
HG	75615700	4059625358580	419
HG	75620000	4059625336151	418
HG	75620670	4059625336137	418
HG	75620700	4059625336113	418
76			
HG	76010000	4059625336083	402
HG	76010670	4059625334430	402
HG	76010700	4059625334447	402
HG	76013000	4059625335932	404
HG	76013670	4059625335925	404
HG	76013700	4059625335918	404
HG	76020000	4059625335871	402
HG	76020670	4059625334423	402
HG	76020700	4059625334416	402
HG	76023000	4059625335758	402
HG	76023670	4059625334409	402

brand	code no.	EAN	page
HG	76023700	4059625334393	402
HG	76024000	4059625334461	513
HG	76024670	4059625334386	513
HG	76024700	4059625334379	513
HG	76033000	4059625338124	404
HG	76033670	4059625338094	404
HG	76033700	4059625338063	404
HG	76034000	4059625338025	405
HG	76034670	4059625337998	405
HG	76034700	4059625337967	405
HG	76050000	4059625337929	405
HG	76050670	4059625337899	405
HG	76050700	4059625337868	405
HG	76051000	4059625337820	405
HG	76051670	4059625337813	405
HG	76051700	4059625337806	405
HG	76060000	4059625336564	403
HG	76060670	4059625336557	403
HG	76060700	4059625336540	403
HG	76063000	4059625336533	403
HG	76063670	4059625336496	403
HG	76063700	4059625336441	403
HG	76070000	4059625334454	403
HG	76070670	4059625334362	403
HG	76070700	4059625334355	403
HG	76200000	4059625336823	406
HG	76200670	4059625336816	406
HG	76200700	4059625336809	406
HG	76210000	4059625395233	402
HG	76210670	4059625395226	402
HG	76220000	4059625395219	404
HG	76220670	4059625395202	404
HG	76410000	4059625337738	408
HG	76410670	4059625337714	408
HG	76410700	4059625337691	408
HG	76415000	4059625357637	407
HG	76415670	4059625357644	407
HG	76415700	4059625357651	407
HG	76416000	4059625357668	407
HG	76416670	4059625357675	407
HG	76416700	4059625357682	407
HG	76420000	4059625336793	407
HG	76420670	4059625336762	407
HG	76420700	4059625336731	407
HG	76444000	4059625337592	408
HG	76444670	4059625337585	408
HG	76444700	4059625337578	408
HG	76445000	4059625322734	406
HG	76445670	4059625337530	406
HG	76445700	4059625337493	406
HG	76615000	4059625357606	409
HG	76615670	4059625357613	409
HG	76615700	4059625357620	409
HG	76620000	4059625336694	409
HG	76620670	4059625336670	409
HG	76620700	4059625336656	409
HG	76800000	4059625391082	630
HG	76800670	4059625391105	630
HG	76800800	4059625391099	630
HG	76801000	4059625391112	630
HG	76801670	4059625391136	630
HG	76801800	4059625391129	630
HG	76802000	4059625391143	631
HG	76802670	4059625391167	631

Code Numbers

brand	code no.	EAN	page
HG	76802800	4059625391150	631
HG	76803000	4059625391174	632
HG	76803670	4059625391198	632
HG	76803800	4059625391181	632
HG	76804000	4059625391235	632
HG	76804670	4059625391259	632
HG	76804800	4059625391242	632
HG	76814000	4059625377734	632
HG	76815000	4059625377727	633
HG	76818000	4059625391419	631
HG	76826000	4059625391204	631
HG	76826670	4059625391228	631
HG	76826800	4059625391211	631
HG	76827000	4059625377710	633
HG	76828000	4059625377703	633
HG	76829000	4059625377390	633
HG	76830000	4059625377383	634
92			
HG	92017000	4011097143477	696
HG	92018000	4011097166285	696
HG	92019000	4011097153872	697
HG	92027000	4011097138312	696
HG	92107000	4011097132921	695
HG	92109000	4011097166940	695
HG	92109450	4011097166971	695
HG	92504000	4011097766089	408
HG	92571450	4011097780931	316
HG	92571610	4011097781136	316
HG	92572450	4011097780948	316
HG	92572610	4011097781143	316
HG	92573450	4011097780955	316
HG	92573610	4011097781204	316
HG	92574450	4011097780979	316
HG	92574610	4011097781167	316
HG	92575450	4011097780986	316
HG	92575610	4011097781174	316
HG	92576450	4011097780993	316
HG	92576610	4011097781181	316
HG	92577450	4011097781105	316
HG	92577610	4011097781198	316
HG	92578450	4011097780962	316
HG	92578610	4011097781150	316
HG	92579450	4011097780924	315
HG	92579610	4011097781112	315
HG	92601000	4011097133249	703
HG	92605000	4011097133287	703
HG	92620000	4011097189451	709
HG	92620450	4011097133447	709
HG	92631000	4011097133546	703
HG	92730000	4011097222776	699
93			
HG	93286000	4059625136188	548
HG	93500000	4059625222478	336
HG	93571670	4059625270134	324
HG	93571700	4059625270127	324
HG	93571880	4059625141892	324
HG	93572670	4059625270110	325
HG	93572700	4059625270103	325
HG	93572880	4059625142608	325
HG	93573670	4059625270097	324
HG	93573700	4059625270080	324
HG	93573880	4059625142615	324
HG	93574670	4059625270073	325
HG	93574700	4059625270066	325

brand	code no.	EAN	page
HG	93574880	4059625142622	325
HG	93575670	4059625270059	325
HG	93575700	4059625270042	325
HG	93575880	4059625142639	325
HG	93576670	4059625270035	325
HG	93576700	4059625270028	325
HG	93576880	4059625142646	325
HG	93577670	4059625270011	325
HG	93577700	4059625270004	325
HG	93577880	4059625142653	325
HG	93578670	4059625269992	325
HG	93578700	4059625269985	325
HG	93578880	4059625142660	325
HG	93579670	4059625269978	324
HG	93579700	4059625269961	324
HG	93579880	4059625142677	324
HG	93913000	4059625365069	422
94			
AX	94004000	4011097200224	699
AX	94005000	4011097228907	701
HG	94008000	4011097326849	703
HG	94009000	4011097326894	702
HG	94033000	4011097399256	700
HG	94051000	4011097210315	696
HG	94053000	4011097204314	695
HG	94055000	4011097259536	696
HG	94063000	4011097256412	708
HG	94074000	4011097242606	708
HG	94076000	4011097262291	708
HG	94077000	4011097345024	702
HG	94078000	4011097399218	708
HG	94129000	4011097177106	710
HG	94130000	4011097232423	707
HG	94135000	4011097213071	707
HG	94139000	4011097178752	597
HG	94139140	4011097949062	597
HG	94139340	4011097949048	597
HG	94139670	4059625308943	597
HG	94139700	4059625304327	597
HG	94139990	4011097949208	597
HG	94140000	4011097203799	709
HG	94142000	4011097183800	702
HG	94148000	4011097177120	710
HG	94149000	4011097178745	703
HG	94156000	4011097184111	700
AX	94183000	4011097241098	702
AX	94184000	4011097233246	708
HG	94246000	4011097134888	698
HG	94268000	4059625358948	555
AX	94272000	4011097135168	706
HG	94282000	4011097239040	703
HG	94850000	4011097232638	700
95			
HG	95014000	4011097404332	702
HG	95039000	4011097326832	708
HG	95048000	4011097263748	710
AX	95052000	4011097238715	700
AX	95053000	4011097362571	700
HG	95064000	4011097363813	695
HG	95065520	4011097296050	693
HG	95065530	4011097296067	693
HG	95065840	4011097296036	693
HG	95065880	4011097296043	693
HG	95239000	4011097611686	237

brand	code no.	EAN	page
HG	95960000	4011097696621	231
96			
HG	96006000	4011097256955	710
HG	96016000	4011097400204	709
HG	96026000	4011097136011	711
HG	96026450	4011097136042	711
HG	96026880	4011097136073	711
HG	96027000	4011097684505	711
HG	96027800	4011097234953	711
HG	96083000	4011097136264	706
HG	96100000	4011097136547	709
HG	96153000	4011097136745	711
HG	96170000	4011097136844	693
HG	96177880	4011097158242	695
HG	96179000	4011097176468	697
HG	96184000	4011097150512	153
HG	96186000	4011097161754	696
HG	96188000	4011097176475	695
HG	96189000	4011097176482	695
HG	96190000	4011097176499	693
HG	96190450	4011097178172	693
HG	96190480	4011097178165	693
HG	96190840	4011097178202	693
HG	96190880	4011097363707	693
HG	96191000	4011097176505	696
HG	96192000	4011097249759	694
HG	96193000	4011097461069	695
HG	96194000	4011097326207	695
HG	96195000	4011097284743	693
HG	96195840	4011097284750	693
HG	96200000	4011097137100	710
HG	96272000	4011097414799	695
HG	96324000	4011097399966	709
HG	96339000	4011097363295	699
HG	96370000	4011097345000	331
HG	96387000	4011097361093	707
HG	96392000	4011097405704	711
HG	96396000	4011097367583	707
AX	96441000	4011097432717	365
AX	96467000	4011097409405	707
HG	96507000	4011097603285	708
HG	96529000	4011097391427	700
HG	96615000	4011097391502	337
HG	96618000	4011097441245	706
HG	96657000	4011097460284	709
HG	96657800	4011097497372	709
HG	96708000	4011097436104	697
HG	96919000	4011097492360	706
HG	96920000	4011097477930	706
97			
HG	97116000	4011097475714	696
HG	97231000	4011097481876	706
HG	97336000	4011097478609	693
HG	97450000	4011097487304	151
AX	97462000	4011097491059	701
HG	97592000	4011097505954	703
98			
HG	98003000	4011097137568	710
HG	98058000	4011097137711	697
HG	98066000	4011097397344	710
HG	98069000	4011097137766	710
HG	98556000	4011097481883	697
AX	98610000	4011097528601	701
HG	98681000	4011097545714	696

brand	code no.	EAN	page
HG	98804000	4011097568744	699
HG	98806000	4011097570822	711
HG	98993000	4011097589657	148

Hand showers



Rainfinity

page 96



Raindance Select E

page 96



Raindance Select S

page 97



Pulsify Select S

page 98



Pulsify S

page 99



Croma Select E

page 100



Croma Select S

page 101



Croma 100

page 102



Crometta

page 103



Crometta 85

page 103



Vernis Blend

page 104



Jocolino

page 105



DogShower

page 106



hansgrohe hand showers

Product ranges at a glance

Rainfinity



Hand shower
130 3jet

Baton hand shower
100 1jet

Raindance Select E



Hand shower
150 3jet

Hand shower
120 3jet

Raindance Select S



Hand shower
150 3jet

Hand shower
120 3jet

Finish	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990	-000, -400	-000, -140, -340, -400, -670, -700, -990	-000, -400	-000, -140, -340, -400, -670, -700, -990
Standard	14 l/min	13,8 l/min	16,4 l/min	14,4 l/min	16,4 l/min	15 l/min
EcoSmart 8-9 l/min	■	■	■	■	■	■
Green 6-7 l/min						
Select	■		■	■	■	■
QuickClean	■	■	■	■	■	■
XXL Performance	■		■	■	■	■
AirPower			■	■	■	■
PowderRain	■	■				

page 96

page 96

page 97

Croma Select S



Hand shower
Multi

Hand shower
Vario

Croma 100



Hand shower
1jet

Hand shower
Multi

Hand shower
Vario

Hand shower
1jet








Finish	-400	-400	-400	-000	-000	-000
Standard	16 l/min	14,7 l/min	16 l/min	19 l/min	18 l/min	16 l/min
EcoSmart 8-9 l/min	■	■	■	■	■	■
Green 6-7 l/min						
Select	■	■				
QuickClean	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■
AirPower						
PowderRain						

page 101

page 102

Pulsify S

Croma Select E

						
Hand shower 120 3jet PowderRain	Hand shower 105 3jet Relaxation	Hand shower 105 3jet Activation	Hand shower 105 1jet	Hand shower Multi	Hand shower Vario	Hand shower 1jet
-000, -140, -340, -400, -670, -700, -990	-000, -670, -700	-000, -670, -700	-000, -670, -700	-400	-400	-400
11 l/min	11,4 l/min	11,5 l/min	13,5 l/min	16 l/min	14,7 l/min	16 l/min
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■

page 97

page 98






page 100

Crometta

Vernis Blend

Jocolino

Dog-Shower

				
Hand shower Vario	Hand shower 1jet	Hand shower Vario	Children hand shower 2jet	Dog shower 150 3jet Select
-400	-400	-000, -670	-210, -570, -640	-540, -560, -670, -700
13,8 l/min	14 l/min	15,2 l/min	11 l/min	7,6 l/min
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■

page 103


page 104

page 105

page 106

Hand showers

Rainfinity



Rainfinity Hand shower 130 3jet

- shower head size: 132 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1,1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

finish **code no.**

Chrome	26864000
Brushed Bronze	26864140
Brushed Black	26864340
Chrome	
Matt Black	26864670
Matt White	26864700
Polished Gold Optic	26864990




Water saving EcoSmart version:



- Rainfinity Hand shower 130 3jet EcoSmart

Chrome	26865000
Brushed Bronze	26865140
Brushed Black	26865340
Chrome	
Matt Black	26865670
Matt White	26865700
Polished Gold Optic	26865990



Rainfinity Baton hand shower 100 1jet

- shower head size: 100 x 38 mm
- spray type: PowderRain
- spray disc surface: graphite
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

Chrome	26866000
Brushed Bronze	26866140
Brushed Black	26866340
Chrome	
Matt Black	26866670
Matt White	26866700
Polished Gold Optic	26866990




Water saving EcoSmart version:



- Rainfinity Baton hand shower 100 1jet EcoSmart

Chrome	26867000
Brushed Bronze	26867140
Brushed Black	26867340
Chrome	
Matt Black	26867670
Matt White	26867700
Polished Gold Optic	26867990

Raindance Select E



Raindance Select E Hand shower 150 3jet

- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 16,4 l/min
- minimum flow pressure: 1,5 bar
- hand shower with 2-shell construction
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters
- hand shower can be used with sliders that are infinitely adjustable in the incline. The hand shower should not be used for sliders with two predefined positions.

Chrome	26550000
White/Chrome	26550400




Water saving EcoSmart version:



- Raindance Select E Hand shower 150 3jet EcoSmart 9 l/min

Chrome	26551000
White/Chrome	26551400

finish code no.



Raindance Select E Hand shower 120 3jet

- shower head size: 120 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 14,4 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

Chrome	26520000
Brushed Bronze	26520140
Brushed Black	26520340
Chrome	
White/Chrome	26520400
Matt Black	26520670
Matt White	26520700
Polished Gold Optic	26520990




Water saving EcoSmart version:

- **Raindance Select E Hand shower 120 3jet EcoSmart 9 l/min**

Chrome	26521000
White/Chrome	26521400

Raindance Select S



Raindance Select S Hand shower 150 3jet

- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 16,4 l/min
- minimum flow pressure: 1,5 bar
- hand shower with 2-shell construction
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters
- hand shower can be used with sliders that are infinitely adjustable in the incline. The hand shower should not be used for sliders with two predefined positions.


Chrome	28587000
White/Chrome	28587400



Water saving EcoSmart version:

- **Raindance Select S Hand shower 150 3jet EcoSmart 9 l/min**

Chrome	28588000
White/Chrome	28588400



Raindance Select S Hand shower 120 3jet PowderRain

- shower head size: 125 mm
- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 11 l/min
- minimum flow pressure: 1,2 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

Chrome	26014000
Brushed Bronze	26014140
Brushed Black	26014340
Chrome	
Matt Black	26014670
Matt White	26014700
Polished Gold Optic	26014990




Water saving EcoSmart version:

- **Raindance Select S Hand shower 120 3jet PowderRain EcoSmart**
- **Raindance Select S Hand shower 120 3jet PowderRain Green**

Chrome	26515000
Chrome	26516000





Raindance Select S Hand shower 120 3jet

- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 15 l/ min
- minimum flow pressure: 1,4 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

finish **code no.**

Chrome	26530000
Brushed Bronze	26530140
Brushed Black	26530340
Chrome	
White/Chrome	26530400
Matt Black	26530670
Matt White	26530700
Polished Gold Optic	26530990




Water saving EcoSmart version:



- **Raindance Select S** Hand shower 120 3jet EcoSmart 9 l/ min

Chrome	26531000
Brushed Bronze	26531140
Brushed Black	26531340
Chrome	
White/Chrome	26531400
Matt Black	26531670
Matt White	26531700
Polished Gold Optic	26531990

Raindance Classic




Raindance Classic Hand shower 100 3jet

- shower head size: 119 mm
- spray type: RainAir, Whirl, BalanceAir
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 17 l/ min
- minimum flow pressure: 1 bar
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

Chrome 28548000
Chrome/Gold Optic 28548090



Pulsify Select S



Pulsify Select S Hand shower 105 3jet Activation

- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, MonoRain
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 11,5 l/ min
- minimum flow pressure: 0,08 MPa (hydrodynamic pressure)
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2
- connection dimension: DN15

Chrome 24100000
Matt Black 24100670
Matt White 24100700



Water saving EcoSmart version:



- **Pulsify Select S** Hand shower 105 3jet Activation EcoSmart

Chrome	24101000
Matt Black	24101670
Matt White	24101700

Alternative products:

- NEW** · **Pulsify Select S** Hand shower 105 3jet Relaxation

Chrome	24110000
Matt Black	24110670
Matt White	24110700

- NEW** · **Pulsify S** Hand shower 105 1jet


Chrome	24120000
Matt Black	24120670
Matt White	24120700

finish

code no.



NEW



Pulsify Select S Hand shower 105 3jet Relaxation

- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 11,4 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2
- connection dimension: DN15

Chrome	24110000
Matt Black	24110670
Matt White	24110700



Water saving EcoSmart version:

- **Pulsify Select S Hand shower 105 3jet Relaxation EcoSmart**

Chrome	24111000
Matt Black	24111670
Matt White	24111700

Alternative products:

- NEW** · **Pulsify Select S Hand shower 105 3jet Activation**

Chrome	24100000
Matt Black	24100670
Matt White	24100700


- NEW** · **Pulsify S Hand shower 105 1jet**

Chrome	24120000
Matt Black	24120670
Matt White	24120700

Pulsify S



NEW



Pulsify S Hand shower 105 1jet

- shower head size: 105 mm
- spray type: PowderRain
- spray disc surface: graphite
- maximum flow rate at 3 bar: 13,5 l/min
- minimum flow pressure: 0,6 bar
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2
- connection dimension: DN15

Chrome	24120000
Matt Black	24120670
Matt White	24120700



Water saving EcoSmart version:

- **Pulsify S Hand shower 105 1jet Green**

Chrome	24121000
Matt Black	24121670
Matt White	24121700

Alternative products:

- NEW** · **Pulsify Select S Hand shower 105 3jet Activation**


Chrome	24100000
Matt Black	24100670
Matt White	24100700

- NEW** · **Pulsify Select S Hand shower 105 3jet Relaxation**

Chrome	24110000
Matt Black	24110670
Matt White	24110700

Hand showers

Croma Select E



Croma Select E Hand shower Multi

- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

finish

code no.

White/Chrome

26810400




Water saving EcoSmart version:

- **Croma Select E** Hand shower Multi EcoSmart 9 l/min

White/Chrome

26811400



Croma Select E Hand shower Vario

- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

White/Chrome

26812400




Water saving EcoSmart version:

- **Croma Select E** Hand shower Vario EcoSmart 9 l/min

White/Chrome

26813400

Croma E



Croma E Hand shower 1jet

- shower head size: 110 mm
- spray type: Rain
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

Brushed Bronze

26814140

Brushed Black

26814340

Chrome

White/Chrome

26814400

Matt Black

26814670

Matt White

26814700

Polished Gold Optic

26814990



Water saving EcoSmart version:

- **Croma E** Hand shower 1jet EcoSmart 9 l/min

Brushed Bronze

26815140

Brushed Black

26815340

Chrome

White/Chrome

26815400

Matt Black

26815670

Matt White

26815700

Polished Gold Optic

26815990



- **Croma E** Hand shower 1jet EcoSmart 7 l/min

White/Chrome


26816400

Measurements within scale drawings are in mm.

Croma Select S

finish

code no.



Croma Select S Hand shower Multi

White/Chrome

26800400



- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters


Water saving EcoSmart version:



- **Croma Select S Hand shower Multi EcoSmart** 9 l/min

White/Chrome

26801400



Croma Select S Hand shower Vario

White/Chrome

26802400



- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

Water saving EcoSmart version:




- **Croma Select S Hand shower Vario EcoSmart** 9 l/min

White/Chrome

26803400

Croma S



Croma S Hand shower 1jet

White/Chrome

26804400



- shower head size: 110 mm
- spray type: Rain
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 0,08 MPa (hydrodynamic pressure)
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

Water saving EcoSmart version:



- **Croma S Hand shower 1jet EcoSmart** 9 l/min

White/Chrome

26805400



- **Croma S Hand shower 1jet EcoSmart** 7 l/min

White/Chrome

26806400

Hand showers

Croma 100

finish

code no.



Croma 100 Hand shower Multi

Chrome

28536000

- shower head size: 100 mm
- spray type: Rain, MonoRain, Massage spray
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 19 l/min
- minimum flow pressure: 1,2 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters



Water saving EcoSmart version:



- **Croma 100 Hand shower Multi EcoSmart** Chrome
- 9 l/min

Chrome

28538000



Croma 100 Hand shower Vario

Chrome

28535000

- shower head size: 100 mm
- spray type: Rain, normal spray, Shampoo spray, Massage spray
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters



Water saving EcoSmart version:



- **Croma 100 Hand shower Vario EcoSmart** Chrome
- 9 l/min

Chrome

28537000



Croma 100 Hand shower 1jet

Chrome

28580000

- shower head size: 100 mm
- spray type: Rain
- grey spray disc
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters



Water saving EcoSmart version:



- **Croma 100 Hand shower Mono EcoSmart** Chrome
- 9 l/min

Chrome

28583000

Croma 100 Classic



Croma 100 Classic Hand shower Multi

Chrome


28539000

- shower head size: 114 mm
- spray type: Rain, MonoRain, Massage spray
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 19 l/min
- minimum flow pressure: 1,2 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters



Measurements within scale drawings are in mm.

Crometta



Crometta Hand shower Vario


finish White/Chrome **code no.** 26330400

- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters



Water saving EcoSmart version:

- **Crometta Hand shower Vario EcoSmart** White/Chrome 26332400
9 l/min
- **Crometta Hand shower Vario Green** White/Chrome 26336400
6 l/min



Crometta Hand shower 1jet

finish White/Chrome **code no.** 26331400


- shower head size: 100 mm
- spray type: Rain
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters



Water saving EcoSmart version:

- **Crometta Hand shower 1jet EcoSmart** White/Chrome 26333400
9 l/min
- **Crometta Hand shower 1jet Green** White/Chrome 26334400
6 l/min

Crometta 85



Crometta 85 Hand shower Multi

finish Chrome **code no.** 28563000


- shower head size: 85 mm
- spray type: normal spray, Massage spray, MonoRain
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters



Hand showers



	finish	code no.
 	Chrome	28562000
<p>Crometta 85 Hand shower Vario</p> <ul style="list-style-type: none"> · shower head size: 85 mm · spray type: normal spray, Vario spray · spray type adjustment by turning spray disc · grey spray disc · maximum flow rate at 3 bar: 17 l/min · minimum flow pressure: 1 bar · rinseable screen seal · connection thread G 1/2 · connection dimension: DN15 · suitable for continuous flow water heaters 		

 	Chrome	28585000
<p>Crometta 85 Hand shower Mono</p> <ul style="list-style-type: none"> · shower head size: 85 mm · spray type: normal spray · grey spray disc · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · with internal water conduction · rinseable screen seal · connection thread G 1/2 · connection dimension: DN15 · suitable for continuous flow water heaters 		

 <p>Water saving EcoSmart version:</p> <ul style="list-style-type: none"> · Crometta 85 Hand shower Mono Green 	Chrome	28561000
--	--------	----------

Vernis Blend

 	Chrome Matt Black	26270000 26270670
<p>Vernis Blend Hand shower Vario</p> <ul style="list-style-type: none"> · shower head size: 100 mm · spray type: Rain, IntenseRain · spray type adjustment by turning spray disc · easy cleanable plastic spray disc · maximum flow rate at 3 bar: 15,2 l/min · minimum flow pressure: 1 bar · with internal water conduction · rinseable screen seal · connection thread G 1/2 · connection dimension: DN15 · suitable for continuous flow water heaters 		 


 <p>Water saving EcoSmart version:</p> <ul style="list-style-type: none"> · Vernis Blend Hand shower Vario EcoSmart 	Chrome	26340000
 <p>NEW</p> <ul style="list-style-type: none"> · Vernis Blend Hand shower Vario Green 	Matt Black	26340670
	Chrome	26090000

finish

code no.

NEW

12x



Vernis Blend Hand shower Vario project pack (12 pcs.)

Chrome

26085000



- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 15,2 l/ min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters
- packaging unit: 12 pieces


Consisting of:

- Vernis Blend Hand shower Vario (# 26270000)

NEW

Jocolino

NEW



Jocolino Children hand shower crocodile 2jet

28788570



- spray type: Rain, MonoRain
- switch spray type by turning the shower head
- maximum flow rate at 3 bar: 11 l/ min
- flow rate Mono spray (at 3 bar): 9,1 l/ min
- flow rate Rain spray (at 3 bar): 11 l/ min
- ergonomic handle perfect for smaller hands
- googly eyes that interact with the kid
- limescale residues on the jets are removed by the rotation when changing spray modes
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2


Optional parts:

- Quick-coupling set

Black

28346000

NEW



Jocolino Children hand shower lion 2jet

28760210




- spray type: Rain, MonoRain
- switch spray type by turning the shower head
- maximum flow rate at 3 bar: 11 l/ min
- flow rate Mono spray (at 3 bar): 9,1 l/ min
- flow rate Rain spray (at 3 bar): 11 l/ min
- ergonomic handle perfect for smaller hands
- googly eyes that interact with the kid
- limescale residues on the jets are removed by the rotation when changing spray modes
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2

Optional parts:

- Quick-coupling set

Black

28346000



Jocolino Children hand shower zebra 2jet

28787640




- spray type: Rain, MonoRain
- switch spray type by turning the shower head
- maximum flow rate at 3 bar: 11 l/min
- flow rate Mono spray (at 3 bar): 9,1 l/min
- flow rate Rain spray (at 3 bar): 11 l/min
- ergonomic handle perfect for smaller hands
- googly eyes that interact with the kid
- limescale residues on the jets are removed by the rotation when changing spray modes
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2

Optional parts:

- Quick-coupling set Black 28346000

DogShower



DogShower Dogs hand shower 150 3jet Select

- Sky Blue 26640540
- Pink 26640560
- Matt Black 26640670
- Matt White 26640700

- shower head size: 150 x 63 mm
- spray type: fur spray, leg spray, paw spray
- spray type alternation: convenient diversion via Select button
- maximum flow rate at 3 bar: 7,6 l/min
- minimum function point for proper function in l/min: 5,7 l/min
- operating pressure: min. 0.2 MPa/max. 0.6 MPa
- minimum flow pressure: 1 bar
- elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect
- ergonomic design
- Water Boost: boost function to increase waterflow when needed
- connection dimension: DN15
- rinseable screen seal



Optional parts:

- Quick-coupling set Black 28346000




Quick-coupling set

Black 28346000

- enables quick and easy changing of hand showers
- material: plastic
- connection dimension DN15

Bidette



Bidette hand shower 1jet with shower holder and pressure shower hose 125 cm

finish

Chrome

code no.

32129000



- consists of: bidette hand shower, shower holder, chrome-colored shower hose
- maximum flow rate at 3 bar: 6 l/min
- minimum flow pressure: 1 bar
- with non-return valve
- we recommend using this product with a shut-off valve in the line
- Shower holder of plastic

Consisting of:


- Shower holder Porter S (# 28331000)

**Alternative sizes:**

- Bidette hand shower 1jet with shower holder and pressure shower hose 160 cm

Chrome

32128000



Bidette hand shower 1jet with shower holder and pressure resistant shower hose 125 cm

finish

White/Chrome

code no.

32127000



- consists of: bidette hand shower, shower holder, chrome-colored shower hose
- maximum flow rate at 3 bar: 6 l/min
- with non-return valve
- we recommend using this product with a shut-off valve in the line
- additional comment: surface shower hose chrome

Consisting of:

- Shower holder (# 28321000)

**Alternative sizes:**

- Bidette hand shower 1jet with shower holder and pressure resistant shower hose 160 cm

White/Chrome

32122000

Shower sets / Shower bars / Shower holder



Shower sets

page 110



Shower sets with
thermostatic mixer
for exposed installation

page 140



Wall bars

page 147



Shower holder sets

page 154



Shower holder

page 163



Fixfit wall outlets

page 164



Rainfinity shower sets

finish

code no.



Rainfinity Shower set 130 3jet Chrome
with shower bar 90 cm and shelf

27671000



- consists of: hand shower, shower bar, shelf, shower hose, slider
- shower head size: 130 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient diversion via Select button
- shelf made of safety glass
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm width of shower bar
- profile stand pipe: square
- finish: chrome

Consisting of:

- **Rainfinity** Hand shower 130 3jet (# 26864000)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Casetta** Soap dish/ shelf E (# 26511000)

Alternative sizes:


- **Rainfinity** Shower set 130 3jet Chrome with shower bar 150 cm and shelves

27673000

Water saving EcoSmart version:

- **Rainfinity** Shower set 130 3jet EcoSmart Chrome with shower bar 90 cm and soap dish

27672000



red dot award 2019
best of the best



finish

code no.



Rainfinity Shower set 130 3jet with shower bar 150 cm and shelves

Chrome

27673000



- consists of: hand shower, shower bar, shower hose, slider, shelves
- shower head size: 130 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient diversion via Select button
- shelf made of safety glass
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm width of shower bar
- profile stand pipe: square
- finish: chrome

Consisting of:


- **Rainfinity** Hand shower 130 3jet (# 26864000)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Casetta** Soap dish/ shelf E (# 26511000)

Alternative sizes:

- **Rainfinity** Shower set 130 3jet with shower bar 90 cm and shelf Chrome 27671000

Water saving EcoSmart version:


- **Rainfinity** Shower set 130 3jet EcoSmart with shower bar 150 cm and soap dishes Chrome 27674000



Raindance Select E shower sets

finish

code no.



Raindance Select E Shower set 150 3jet with shower bar 90 cm and soap dish

Chrome

27857000



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16,4 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:


- **Raindance Select E** Hand shower 150 3jet (# 26550000)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish E (# 26519000)

Alternative sizes:

- **Raindance Select E** Shower set 150 3jet with shower bar 65 cm and soap dish Chrome 27856000

Optional parts:

- Wall bar spacer Chrome 97450000



Raindance Select E Shower set 120 3jet with shower bar 90 cm and soap dish

Chrome

26621000

White/Chrome

26621400



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 120 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 14,4 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish E (# 26519000)

Alternative sizes:

- **Raindance Select E** Shower set 120 3jet with shower bar 65 cm and soap dish Chrome 26620000
- White/Chrome 26620400

Water saving EcoSmart version:




- **Raindance Select E** Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish Chrome 26623000
- White/Chrome 26623400

Optional parts:

- Wall bar spacer Chrome 97450000

Measurements within scale drawings are in mm.



Raindance Select E Shower set 120 3jet with shower bar 65 cm and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 120 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 14,4 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

finish	code no.
Chrome	26620000
White/Chrome	26620400



Consisting of:

- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- **Unica** Shower bar S Puro 65 cm with Isiflex shower hose 160 cm (# 28632000)
- **Casetta** Soap dish E (# 26519000)

Alternative sizes:

- **Raindance Select E** Shower set 120 3jet with shower bar 90 cm and soap dish
- | finish | code no. |
|--------------|----------|
| Chrome | 26621000 |
| White/Chrome | 26621400 |

Water saving EcoSmart version:




- **Raindance Select E** Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm and soap dish
- | finish | code no. |
|--------------|----------|
| Chrome | 26622000 |
| White/Chrome | 26622400 |

Optional parts:

- Wall bar spacer
- | finish | code no. |
|--------|----------|
| Chrome | 97450000 |

Raindance Select S shower sets



Raindance Select S Shower set 150 3jet with shower bar 90 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16,4 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- 23 mm width of shower bar
- profile stand pipe: square

finish	code no.
Chrome	26626000
White/Chrome	26626400




Consisting of:

- **Raindance Select S** Hand shower 150 3jet (# 28587XXX)
- **Unica** Shower bar Raindance 90 cm with Isiflex shower hose 160 cm (# 27636000)

Optional parts:

- **Raindance** Corner fitting set
 - **Raindance** Wall bar spacer
- | finish | code no. |
|--------|----------|
| Chrome | 28694000 |
| Chrome | 98993000 |



Raindance Select S Shower set 150 3jet with shower bar 90 cm and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Raindance Select S** Hand shower 150 3jet (# 28587XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish S Puro (# 28679000)

Alternative sizes:

- **Raindance Select S** Shower set 150 3jet with shower bar 65 cm and soap dish

Optional parts:

- Wall bar spacer

finish


code no.

Chrome 27803000
White/Chrome 27803400



Chrome 27802000

Chrome 97450000



Raindance Select S Shower set 120 3jet PowderRain with shower bar 90 cm

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 125 mm
- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 11 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Raindance Select S** Hand shower 120 3jet PowderRain (# 26014000)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish S Puro (# 28679000)

Alternative sizes:

- **Raindance Select S** Shower set 120 3jet PowderRain with shower bar 65 cm

Optional parts:

- Wall bar spacer

Chrome


27667000



Chrome 27654000

Chrome 97450000

finish code no.



Raindance Select S Shower set 120 3jet with shower bar 90 cm and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Chrome 26631000
White/Chrome 26631400



Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish S Puro (# 28679000)

Alternative sizes:


- **Raindance Select S** Shower set 120 3jet with shower bar 65 cm and soap dish Chrome 26630000
White/Chrome 26630400

Water saving EcoSmart version:

- **Raindance Select S** Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish Chrome 26633000

Optional parts:

- Wall bar spacer Chrome 97450000



Raindance Select S Shower set 120 3jet with shower bar 65 cm and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Chrome 26630000
White/Chrome 26630400



Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- **Unica** Shower bar S Puro 65 cm with Isiflex shower hose 160 cm (# 28632000)
- **Casetta** Soap dish S Puro (# 28679000)

Alternative sizes:

- **Raindance Select S** Shower set 120 3jet with shower bar 90 cm and soap dish Chrome 26631000
White/Chrome 26631400

Water saving EcoSmart version:

- **Raindance Select S** Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm and soap dish Chrome 26632000

Optional parts:

- Wall bar spacer Chrome 97450000

Raindance E shower sets

finish

code no.



Raindance Select S Shower set 120 3jet with shower bar 150 cm and soap dishes

Chrome

27646000




- consists of: hand shower, shower bar, shower hose, slider, soap dishes
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- shelf made of safety glass
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm width of shower bar
- profile stand pipe: square

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Unica** Shower bar E 150 cm with Isiflex shower hose 160 cm and shelves (# 27645000)
- **Casetta** Soap dish/ shelf E (# 26511000)

Alternative sizes:

- **Raindance Select S** Shower set 120 Chrome 27648000
- 3jet with shower bar 90 cm and soap dish White/Chrome 27648400



finish

code no.



Raindance Select S Shower set 120 3jet with shower bar 90 cm and soap dish

Chrome 27648000
White/Chrome 27648400



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- shelf made of safety glass
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm width of shower bar
- profile stand pipe: square
- finish: chrome or white

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- **Unica** Shower bar E 90 cm with Isiflex shower hose 160 cm (# 27640XXX)
- **Casetta** Soap dish/ shelf E (# 26511XXX)

Alternative sizes:


- **Raindance Select S** Shower set 120 3jet with shower bar 150 cm and soap dishes

Chrome 27646000

Water saving EcoSmart version:

- **Raindance Select S** Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish

Chrome 27649000



Unica Comfort shower sets



Raindance Select S Shower set 120 3jet with shower bar 110 cm left

finish

code no.

Chrome

26324000



- consists of: hand shower, shower bar, storage basket, shower hose, slider
- shower head size: 125 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- shelf made of plastic, finish white
- shelf can be removed for cleaning
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal
- wallbar could be also used as grab bar - load capacity of 200 kg
- stand pipe length: 1100 mm
- shower bar diameter: 25 mm
- profile stand pipe: round
- shower holder can be removed
- metal hand shower holder

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Unica** Shower bar Comfort 110 cm left (# 26403400)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Raindance Select S** Shower set 120 3jet with shower bar 110 cm right

Chrome


26326000

Optional parts:

- **Unica** Foot support Comfort

Chrome

26329000



finish

code no.

Raindance Select S Shower set 120 3jet with shower bar 110 cm right

Chrome

26326000



- consists of: hand shower, shower bar, storage basket, shower hose, slider
- shower head size: 125 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- shelf made of plastic, finish white
- shelf can be removed for cleaning
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal
- wallbar could be also used as grab bar - load capacity of 200 kg
- stand pipe length: 1100 mm
- shower bar diameter: 25 mm
- profile stand pipe: round
- shower holder can be removed
- metal hand shower holder

Consisting of:

- **Unica** Shower bar Comfort 110 cm right (# 26404400)
- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Raindance Select S** Shower set 120 3jet with shower bar 110 cm left

Chrome


26324000

Optional parts:

- **Unica** Foot support Comfort

Chrome

26329000



finish

code no.



Raindance Select S Shower set 120 3jet with shower bar 65 cm

Chrome

26320000



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal
- wallbar could be also used as grab bar - load capacity of 200 kg
- stand pipe length: 700 mm
- shower bar diameter: 25 mm
- profile stand pipe: round
- metal hand shower holder

Consisting of:


- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Unica** Shower bar Comfort 65 cm (# 26401000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Raindance Select S** Shower set 120 3jet with shower bar 90 cm Chrome 26322000
- White/Chrome 26322400
- **Raindance Select S** Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm Chrome 26323000

Optional parts:


- **Unica** Grab handle Comfort with shelf and shower holder White/Chrome 26328400
- **Unica** Foot support Comfort Chrome 26329000



Pulsify Select S shower sets

finish **code no.**

NEW



Pulsify Select S Shower set
105 3jet Relaxation with shower bar 65 cm

Chrome	24160000
Matt Black	24160670
Matt White	24160700



- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- maximum flow rate at 3 bar: 11,4 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 669 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm
- height-adjustable slider with locking push-button slider

Consisting of:

- NEW** · Pulsify Select S Hand shower 105 3jet Relaxation (# 24110XXX)
- NEW** · Unica Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm (# 24400000)


Alternative sizes:

NEW · Pulsify Select S Shower set 105 3jet Relaxation with shower bar 90 cm	Chrome	24170000
	Matt Black	24170670
	Matt White	24170700

Water saving EcoSmart version:

NEW · Pulsify Select S Shower set 105 3jet Relaxation EcoSmart with shower bar 65 cm	Chrome	24161000
	Matt Black	24161670
	Matt White	24161700

NEW



Pulsify Select S Shower set
105 3jet Relaxation with shower bar 90 cm

Chrome	24170000
Matt Black	24170670
Matt White	24170700



- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- maximum flow rate at 3 bar: 11,4 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 959 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 915 mm
- height-adjustable slider with locking push-button slider

Consisting of:

- NEW** · Pulsify Select S Hand shower 105 3jet Relaxation (# 24110XXX)
- NEW** · Unica Shower bar Pulsify S 90 cm with push slider and Isiflex shower hose 160 cm (# 24401000)

Alternative sizes:

NEW · Pulsify Select S Shower set 105 3jet Relaxation with shower bar 65 cm	Chrome	24160000
	Matt Black	24160670
	Matt White	24160700


Water saving EcoSmart version:

NEW · Pulsify Select S Shower set 105 3jet Relaxation EcoSmart with shower bar 90 cm	Chrome	24171000
	Matt Black	24171670
	Matt White	24171700

Croma Select E shower sets

finish

code no.



Croma Select E Shower set Multi with shower bar 90 cm

White/Chrome

26590400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Multi (# 26810400)
- **Unica** Shower bar Croma 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Croma Select E** Shower set Multi with shower bar 65 cm White/Chrome 26580400




Water saving EcoSmart version:

- **Croma Select E** Shower set Multi EcoSmart 9 l/min with shower bar 90 cm White/Chrome 26591400

Optional parts:

- Wall bar spacer Chrome 97450000



Croma Select E Shower set Multi with shower bar 65 cm

White/Chrome

26580400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Multi (# 26810400)
- **Unica** Shower bar Croma 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Croma Select E** Shower set Multi with shower bar 90 cm White/Chrome 26590400



Water saving EcoSmart version:


- **Croma Select E** Shower set Multi EcoSmart 9 l/min with shower bar 65 cm White/Chrome 26581400

Optional parts:

- Wall bar spacer Chrome 97450000

finish

code no.



Croma Select E Shower set Vario with shower bar 90 cm

White/Chrome

26592400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: TurboRain, IntenseRain, Rain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Vario (# 26812400)
- **Unica** Shower bar Cromo 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Croma Select E** Shower set Vario with shower bar 65 cm White/Chrome 26582400


Water saving EcoSmart version:



- **Croma Select E** Shower set Vario EcoSmart 9 l/min with shower bar 90 cm White/Chrome 26593400

Optional parts:

- Wall bar spacer Chrome 97450000



finish

code no.

Croma Select E Shower set Vario with shower bar 65 cm

White/Chrome

26582400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: TurboRain, IntenseRain, Rain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Vario (# 26812400)
- **Unica** Shower bar Cromo 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Croma Select E** Shower set Vario with shower bar 90 cm White/Chrome 26592400

Water saving EcoSmart version:



- **Croma Select E** Shower set Vario EcoSmart 9 l/min with shower bar 65 cm White/Chrome 26583400

Alternative products:


- **Croma Select E** Shower set Vario with shower bar 65 cm and soap dish White/Chrome 26586400

Optional parts:

- Wall bar spacer Chrome 97450000

finish

code no.



Croma Select E Shower set 1jet White/Chrome 26594400
with shower bar 90 cm



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: Rain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma E** Hand shower 1jet (# 26814400)
- **Unica** Shower bar Croma 90 cm with Isiflex shower hose 160 cm (# 26504000)

Alternative sizes:


- **Croma Select E** Shower set 1jet with shower bar 65 cm White/Chrome 26584400

Water saving EcoSmart version:

- **Croma Select E** Shower set 1jet EcoSmart 9 l/min with shower bar 90 cm White/Chrome 26595400

Optional parts:

- Wall bar spacer Chrome 97450000



Croma Select E Shower set 1jet White/Chrome 26584400
with shower bar 65 cm



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: Rain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma E** Hand shower 1jet (# 26814400)
- **Unica** Shower bar Croma 65 cm with Isiflex shower hose 160 cm (# 26503000)

Alternative sizes:

- **Croma Select E** Shower set 1jet with shower bar 90 cm White/Chrome 26594400

Water saving EcoSmart version:


- **Croma Select E** Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm White/Chrome 26585400

Optional parts:

- Wall bar spacer Chrome 97450000

finish

code no.



Croma Select E Shower set Vario with shower bar 65 cm and soap dish

White/Chrome

26586400



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 110 mm
- spray type: TurboRain, IntenseRain, Rain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Vario (# 26812400)
- **Unica** Shower bar Croma 65 cm with Isiflex shower hose 160 cm (# 26503000)
- **Casetta** Soap dish E (# 26519000)


Alternative products:

- **Croma Select E** Shower set Vario with shower bar 65 cm White/Chrome 26582400

Optional parts:

- Wall bar spacer Chrome 97450000

Croma Select S shower sets



Croma Select S Shower set Multi with shower bar 90 cm

White/Chrome

26570400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select S** Hand shower Multi (# 26800400)
- **Unica** Shower bar Croma 90 cm with Isiflex shower hose 160 cm (# 26504000)

Alternative sizes:

- **Croma Select S** Shower set Multi with shower bar 65 cm White/Chrome 26560400

Water saving EcoSmart version:




- **Croma Select S** Shower set Multi EcoSmart 9 l/min with shower bar 90 cm White/Chrome 26571400

Optional parts:

- Wall bar spacer Chrome 97450000

finish code no.



Croma Select S Shower set Multi with shower bar 65 cm

White/Chrome 26560400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select S** Hand shower Multi (# 26800400)
- **Unica** Shower bar Croma 65 cm with Isiflex shower hose 160 cm (# 26503000)

Alternative sizes:

- **Croma Select S** Shower set Multi with shower bar 90 cm White/Chrome 26570400


Water saving EcoSmart version:



- **Croma Select S** Shower set Multi EcoSmart 9 l/min with shower bar 65 cm White/Chrome 26561400

Optional parts:

- Wall bar spacer Chrome 97450000



Croma Select S Shower set Vario with shower bar 90 cm

White/Chrome 26572400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: Rain, TurboRain, IntenseRain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select S** Hand shower Vario (# 26802400)
- **Unica** Shower bar Croma 90 cm with Isiflex shower hose 160 cm (# 26504000)

Alternative sizes:

- **Croma Select S** Shower set Vario with shower bar 65 cm White/Chrome 26562400

Water saving EcoSmart version:




- **Croma Select S** Shower set Vario EcoSmart 9 l/min with shower bar 90 cm White/Chrome 26573400

Optional parts:

- Wall bar spacer Chrome 97450000

finish

code no.



Croma Select S Shower set Vario with shower bar 65 cm

White/Chrome

26562400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select S** Hand shower Vario (# 26802400)
- **Unica** Shower bar Cromo 65 cm with Isiflex shower hose 160 cm (# 26503000)

Alternative sizes:

- **Croma Select S** Shower set Vario with shower bar 90 cm White/Chrome 26572400

Water saving EcoSmart version:




- **Croma Select S** Shower set Vario EcoSmart 9 l/min with shower bar 65 cm White/Chrome 26563400

Alternative products:

- **Croma Select S** Shower set Vario with shower bar 65 cm and soap dish White/Chrome 26566400

Optional parts:

- Wall bar spacer Chrome 97450000



Croma Select S Shower set 1jet with shower bar 90 cm

White/Chrome

26574400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: Rain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma S** Hand shower 1jet (# 26804400)
- **Unica** Shower bar Cromo 90 cm with Isiflex shower hose 160 cm (# 26504000)

Alternative sizes:

- **Croma Select S** Shower set 1jet with shower bar 65 cm White/Chrome 26564400


Water saving EcoSmart version:



- **Croma Select S** Shower set 1jet EcoSmart 9 l/min with shower bar 90 cm White/Chrome 26575400

Optional parts:

- Wall bar spacer Chrome 97450000



Croma Select S Shower set
1 jet with shower bar 65 cm

finish code no.
White/Chrome 26564400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: Rain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma S** Hand shower 1 jet (# 26804400)
- **Unica** Shower bar Cromo 65 cm with Isiflex shower hose 160 cm (# 26503000)

Alternative sizes:

- **Croma Select S** Shower set 1 jet with shower bar 90 cm White/Chrome 26574400


Water saving EcoSmart version:



- **Croma Select S** Shower set 1 jet EcoSmart 9 l/min with shower bar 65 cm White/Chrome 26565400

Optional parts:

- Wall bar spacer Chrome 97450000



Croma Select S Shower set
Vario with shower bar 65 cm and soap dish

White/Chrome 26566400



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 110 mm
- spray type: Rain, TurboRain, IntenseRain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select S** Hand shower Vario (# 26802400)
- **Unica** Shower bar Cromo 65 cm with Isiflex shower hose 160 cm (# 26503000)
- **Casetta** Soap dish C (# 28678000)

Alternative products:

- **Croma Select S** Shower set Vario with shower bar 65 cm White/Chrome 26562400


Optional parts:

- Wall bar spacer Chrome 97450000

Croma 100 shower sets

finish

code no.



Croma 100 Shower set Multi with shower bar 90 cm and soap dish

Chrome

27774000



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain, MonoRain, Massage spray
- spray type adjustment by turning spray disc
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 19 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:


- **Croma 100** Hand shower Multi (# 28536000)
- **Unica** Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000)
- **Casetta** Soap dish C (# 28678000)

Optional parts:

- Wall bar spacer

Chrome

97450000



Croma 100 Shower set Vario with shower bar 90 cm and soap dish

Chrome

27771000



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain, Shampoo spray, normal spray, Massage spray
- spray type adjustment by turning spray disc
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma 100** Hand shower Vario (# 28535000)
- **Unica** Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower set Vario with shower bar 65 cm and soap dish

Chrome

27772000

Water saving EcoSmart version:



- **Croma 100** Shower set Vario EcoSmart 9 l/min with shower bar 90 cm and soap dish

Chrome


27653000

Optional parts:

- Wall bar spacer

Chrome

97450000



Croma 100 Shower set Vario with shower bar 65 cm and soap dish

finish code no.
Chrome 27772000



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain, Shampoo spray, normal spray, Massage spray
- spray type adjustment by turning spray disc
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma 100** Hand shower Vario (# 28535000)
- **Unica** Shower bar C 65 cm with Isiflex shower hose 160 cm (# 27611000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower set Vario with shower bar 90 cm and soap dish Chrome 27771000

Water saving EcoSmart version:



- **Croma 100** Shower set Vario EcoSmart 9 l/min with shower bar 65 cm and soap dish Chrome 27776000

Optional parts:

- Wall bar spacer Chrome 97450000



Croma 100 Shower set Mono with shower bar 90 cm and soap dish

Chrome 27724000



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:


- **Croma 100** Hand shower 1jet (# 28580000)
- **Unica** Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower set Mono with shower bar 65 cm and soap dish Chrome 27717000

Optional parts:

- Wall bar spacer Chrome 97450000



Croma 100 Shower set
Mono with shower bar 65 cm
and soap dish

finish Chrome **code no.** 27717000



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma 100** Hand shower 1jet (# 28580000)
- **Unica** Shower bar C 65 cm with Isiflex shower hose 160 cm (# 27611000)
- **Casetta** Soap dish C (# 28678000)


Alternative sizes:

- **Croma 100** Shower set Mono with shower bar 90 cm and soap dish Chrome 27724000

Optional parts:

- Wall bar spacer Chrome 97450000

Crometta shower sets



Crometta Shower set Vario
with shower bar 90 cm

White/Chrome 26536400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 915 mm

Consisting of:

- **Crometta** Hand shower Vario (# 26330400)
- **Unica** Shower bar Crometa 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Crometta** Shower set Vario with shower bar 65 cm White/Chrome 26532400


Water saving EcoSmart version:



- **Crometta** Shower set Vario EcoSmart 9 l/min with shower bar 90 cm White/Chrome 26538400

Optional parts:

- Wall bar spacer Chrome 97450000



finish **code no.**

Crometta Shower set Vario with shower bar 65 cm

White/Chrome 26532400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm

Consisting of:

- **Crometta** Hand shower Vario (# 26330400)
- **Unica** Shower bar Croma 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Crometta** Shower set Vario with shower bar 90 cm White/Chrome 26536400

Water saving EcoSmart version:



- **Crometta** Shower set Vario EcoSmart 9 l/min with shower bar 65 cm White/Chrome 26534400




- **Crometta** Shower set Vario Green 6 l/min with shower bar 65 cm White/Chrome 26555400

Alternative products:

- **Crometta** Shower set Vario with shower bar 65 cm and soap dish White/Chrome 26553400

Optional parts:

- Wall bar spacer Chrome 97450000



Crometta Shower set Vario with shower bar 65 cm and soap dish

finish White/Chrome **code no.** 26553400



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:


- **Crometta** Hand shower Vario (# 26330400)
- **Unica** Shower bar Croma 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Casetta** Soap dish C (# 28678000)

Alternative products:

- **Crometta** Shower set Vario with shower bar 65 cm White/Chrome 26532400

Optional parts:

- Wall bar spacer Chrome 97450000



Crometta Shower set 1jet with shower bar 90 cm

finish White/Chrome **code no.** 26537400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta** Hand shower 1jet (# 26331400)
- **Unica** Shower bar Croma 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Crometta** Shower set 1jet with shower bar 65 cm White/Chrome 26533400


Water saving EcoSmart version:



- **Crometta** Shower set 1jet EcoSmart 9 l/min with shower bar 90 cm White/Chrome 26539400

Optional parts:

- Wall bar spacer Chrome 97450000



Crometta Shower set 1jet with shower bar 65 cm

finish White/Chrome
code no. 26533400



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta** Hand shower 1jet (# 26331400)
- **Unica** Shower bar Croma 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Crometta** Shower set 1jet with shower bar 90 cm White/Chrome 26537400


Water saving EcoSmart version:

- **Crometta** Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm White/Chrome 26535400
- **Crometta** Shower set 1jet Green 6 l/min with shower bar 65 cm White/Chrome 26554400

Optional parts:

- Wall bar spacer Chrome 97450000

Crometta 85 shower sets



Crometta 85 Shower set Multi with shower bar 90 cm

finish Chrome
code no. 27766000



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 85 mm
- spray type: Massage spray, MonoRain, normal spray
- spray type adjustment by turning spray disc
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta 85** Hand shower Multi (# 28563000)
- **Unica** Shower bar Crometta 90 cm with Metaflex shower hose 160 cm (# 27614000)

Alternative sizes:


- **Crometta 85** Shower set Multi with shower bar 65 cm Chrome 27767000

Optional parts:

- **Casetta** Soap dish C Chrome 28678000
- Wall bar spacer Chrome 97450000

finish

code no.



Crometta 85 Shower set Vario
with shower bar 90 cm

Chrome

27762000



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 85 mm
- spray type: normal spray, Vario spray
- spray type adjustment by turning spray disc
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 17 l/min
- minimum flow pressure: 1 bar
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta 85** Hand shower Vario (# 28562000)
- **Unica** Shower bar Crometta 90 cm with Metaflex shower hose 160 cm (# 27614000)

Alternative sizes:

- **Crometta 85** Shower set Vario with shower bar 65 cm

Chrome

27763000

Optional parts:


- **Casetta** Soap dish C
- Wall bar spacer

Chrome

28678000

Chrome

97450000



Crometta 85 Shower set Vario
with shower bar 65 cm
and soap dish

Chrome

27764000



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 85 mm
- spray type: normal spray, Vario spray
- spray type adjustment by turning spray disc
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 17 l/min
- minimum flow pressure: 1 bar
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta 85** Hand shower Vario (# 28562000)
- **Unica** Shower bar Crometta 65 cm with Metaflex shower hose 160 cm (# 27615000)
- **Casetta** Soap dish S (# 28684000)

Optional parts:

- Wall bar spacer

Chrome

97450000



Crometta 85 Shower set Mono
with shower bar 90 cm

finish Chrome
code no. 27729000



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 85 mm
- spray type: normal spray
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta 85** Hand shower Mono (# 28585000)
- **Unica** Shower bar Crometta 90 cm with Metaflex shower hose 160 cm (# 27614000)

Alternative sizes:

· **Crometta 85** Shower set Mono with shower bar 65 cm Chrome 27728000

Optional parts:

- Wall bar spacer Chrome 97450000
- **Casetta** Soap dish C Chrome 28678000



Crometta 85 Shower set Mono
Green 6 l/min
with shower bar 65 cm

finish Chrome
code no. 27652000



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 85 mm
- spray type: normal spray
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 6 l/min
- minimum flow pressure: 1 bar
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta 85** Hand shower Mono Green 6 l/min (# 28561000)
- **Unica** Shower bar Crometta 65 cm with Metaflex shower hose 160 cm (# 27615000)

Optional parts:


- **Casetta** Soap dish C Chrome 28678000
- Wall bar spacer Chrome 97450000

Vernis Blend shower sets

finish

code no.

NEW



Vernis Blend Shower set Vario with shower bar Crometta 65 cm

Chrome

26275000



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 15,2 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 669 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm

Consisting of:

- **Unica** Shower bar Crometta 65 cm with Metaflex shower hose 160 cm (# 27615000)
- **Vernis Blend** Hand shower Vario (# 26270000)

NEW

Water saving EcoSmart version:

- **Vernis Blend** Shower set Vario EcoSmart with shower bar Crometta 65 cm

Chrome

26279000



NEW

Alternative products:


- **Vernis Blend** Shower set Vario with shower bar 65 cm

Matt Black

26422670

NEW

NEW



Vernis Blend Shower set Vario with shower bar 65 cm

Matt Black

26422670



- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 15,2 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 718 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm

Consisting of:

- **Unica** Shower bar S Puro 65 cm with Isiflex shower hose 160 cm (# 28632670)
- **Vernis Blend** Hand shower Vario (# 26270670)

NEW

Water saving EcoSmart version:

- **Vernis Blend** Shower set Vario EcoSmart with shower bar S Puro 65 cm

Matt Black

26423670



NEW

Alternative products:

- **Vernis Blend** Shower set Vario with shower bar Crometta 65 cm

Chrome

26275000

NEW

finish

code no.

NEW


Vernis Blend Shower set Vario
with shower bar 65 cm project
pack (6 pieces)

Chrome

26371000



6x



NEW

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 15,2 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 669 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm
- packaging unit: 6 pieces

Consisting of:

- Vernis Blend Shower set Vario with shower bar Crometta 65 cm (# 26275000)

Raindance Select E shower sets with thermostatic mixer for exposed installation

finish

code no.



Raindance Select E Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 90 cm

Chrome
White/Chrome

27039000
27039400



- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 120 mm
- convenient diversion via Select button
- spray type hand shower: Rain, RainAir, Whirl
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer

Consisting of:

- **Ecostat Select** Shower thermostat for exposed installation (# 13161XXX)
- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish E (# 26519000)

Alternative sizes:

- **Raindance Select E** Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm

Chrome
White/Chrome


27038000
27038400

Optional parts:

- S-connections adaptor G 3/4 for renovation

Chrome

02026000



Raindance Select S shower sets with thermostatic mixer for exposed installation

finish

code no.



Raindance Select S Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 90 cm

Chrome
White/Chrome

27037000
27037400



- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 150 mm
- convenient diversion via Select button
- spray type hand shower: RainAir, CaresseAir, Mix
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer

Consisting of:


- **Ecostat Select** Shower thermostat for exposed installation (# 13161XXX)
- **Raindance Select S** Hand shower 150 3jet (# 28587XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish S Puro (# 28679000)

Alternative sizes:

- **Raindance Select S** Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 65 cm Chrome 27036000 White/Chrome 27036400

Optional parts:

- S-connections adapter G 3/4 for renovation Chrome 02026000



Pulsify Select S shower sets with thermostatic mixer for exposed installation

finish

code no.

NEW



Pulsify Select S Shower system
105 3jet Relaxation with hand shower, thermostat, shower bar 65 cm, slider and shower hose

Chrome

24260000



- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 105 mm
- convenient diversion via Select button
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- maximum flow rate at 3 bar: 11,4 l/min
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer

available from April 2022

Consisting of:


- NEW** · Pulsify Select S Hand shower 105 3jet Relaxation (# 24110000)
- NEW** · ShowerTablet Select Shower thermostat 400 for exposed installation (# 24360000)
- NEW** · Unica Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm (# 24400000)

Alternative sizes:


- NEW** · Pulsify Select S Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 90 cm, slider and shower hose

Chrome

24270000



Croma Select E shower sets with thermostatic mixer for exposed installation



Croma Select E Shower system
for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm

White/Chrome

27082400



- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 110 mm
- convenient diversion via Select button
- spray type hand shower: Rain, TurboRain, IntenseRain
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- hand shower holder inclination angle can be adjusted by 45°

Consisting of:

- Ecostat Shower thermostat Comfort for exposed installation (# 13116000)
- Croma Select E Hand shower Vario (# 26812400)
- Unica Shower bar Croma 90 cm (# 26506000)
- Isiflex Shower hose 160 cm (# 28276000)

Alternative sizes:

- Croma Select E Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm


White/Chrome

27081400

Croma Select S shower sets with thermostatic mixer for exposed installation

finish

code no.



Croma Select S Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm

White/Chrome

27014400



- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 110 mm
- convenient diversion via Select button
- spray type hand shower: Rain, IntenseRain, TurboRain
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- hand shower holder inclination angle can be adjusted by 45°

Consisting of:

- **Croma Select S** Hand shower Vario (# 26802400)
- **Unica** Shower bar Croma 90 cm with Isiflex shower hose 160 cm (# 26504000)
- **Ecostat** Shower thermostat Comfort for exposed installation (# 13116000)

Alternative sizes:

- **Croma Select S** Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm

White/Chrome

27013400



Croma Select S Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 72 cm

White/Chrome


27833400



- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 110 mm
- convenient diversion via Select button
- spray type hand shower: Rain, IntenseRain, TurboRain
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1,2 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- variable drilling hole distance: 400 - 660 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- wall supports of plastic

Consisting of:

- **Croma Select S** Hand shower Vario (# 26802400)
- **Ecostat** Shower thermostat 1001 CL for exposed installation (# 13211000)
- **Unica** Shower bar Varia 72 cm (# 27355000)
- **Isiflex** Shower hose 160 cm (# 28276000)



Croma 100 shower sets with thermostatic mixer for exposed installation

finish

code no.



Croma 100 Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm

Chrome

27035000



- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 100 mm
- spray type adjustment by turning spray disc
- spray type hand shower: normal spray, Rain, Massage spray, Shampoo spray
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down

Consisting of:

- **Croma 100** Hand shower Vario (# 28535000)
- **Unica** Shower bar C 90 cm with Isiflex shower hose 160 cm (#)
- **Ecostat** Shower thermostat Comfort for exposed installation (# 13116000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm

Chrome

27034000

Water saving EcoSmart version:

- **Croma 100** Shower system for exposed installation Vario EcoSmart 9 l/min with Ecostat Comfort thermostat and shower bar 90 cm

Chrome


27033000

Optional parts:

- Wall bar spacer

Chrome

97450000



finish

code no.

Croma 100 Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm

Chrome

27034000



- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 100 mm
- spray type adjustment by turning spray disc
- spray type hand shower: normal spray, Rain, Massage spray, Shampoo spray
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down

Consisting of:

- **Ecostat** Shower thermostat Comfort for exposed installation (# 13116000)
- **Croma 100** Hand shower Vario (# 28535000)
- **Unica** Shower bar C 65 cm with Isiflex shower hose 160 cm (# 27611000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm

Chrome


27035000

Water saving EcoSmart version:

- **Croma 100** Shower system for exposed installation Vario EcoSmart 9 l/min with Ecostat Comfort thermostat and shower bar 65 cm

Chrome

27032000



finish

code no.



Croma 100 Shower system for exposed installation Multi with Ecostat Comfort thermostat and shower bar 90 cm

Chrome

27085000



- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- spray type overhead shower: Rain, MonoRain, Massage spray
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 17 l/ min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down

Consisting of:

- **Ecostat** Shower thermostat Comfort for exposed installation (# 13116000)
- **Croma 100** Hand shower Multi (# 28536000)
- **Unica** Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower system for exposed installation Multi with Ecostat Comfort thermostat and shower bar 65 cm

Chrome


27086000

Optional parts:

- Wall bar spacer

Chrome

97450000



Crometta shower sets with thermostatic mixer for exposed installation

Crometta Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 90 cm

White/Chrome

27813400



- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- spray type overhead shower: Rain, IntenseRain
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 14 l/ min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down

Consisting of:


- **Crometta** Hand shower Vario (# 26330400)
- **Ecostat** Shower thermostat 1001 CL for exposed installation (# 13211000)
- **Unica** Shower bar Croma 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:


- **Crometta** Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm

White/Chrome

27812400



Unica'E wall bars



Unica Shower bar E 150 cm with Isiflex shower hose 160 cm and shelves

finish Chrome
code no. 27645000

- consists of: shower bar, shower hose, slider, shelves
- pivot connector prevent hose from tangling
- hose nut: for shower hoses with conical nut on both sides
- 90° position adjustable hand shower holder, pivots left and right, up and down
- shelf made of safety glass
- wall bar type: flat aluminium profile with safety glass finish
- profile stand pipe: flat
- bar width: 41 mm
- metal hand shower holder
- self-locking hand shower holder
- slider steplessly adjustable
- wall supports of plastic
- surface shower bar: chrome, white or black

Consisting of:

- **Isiflex** Shower hose 160 cm (# 28276000)
- **Casetta** Soap dish/ shelf E (# 26511000)

Alternative sizes:

- **Unica** Shower bar E 90 cm with Isiflex shower hose 160 cm

Chrome 27640000
White/Chrome 27640400

Optional parts:

- **Casetta** Soap dish/ shelf E

Chrome 26511000

Modern style wall bars



Unica Shower bar Raindance 90 cm with Isiflex shower hose 160 cm

finish Chrome
code no. 27636000

- consists of: shower bar, shower hose, slider
- wall bar type: flat and slim aluminium profile
- profile stand pipe: square
- bar width: 45 mm
- metal hand shower holder
- self-locking hand shower holder
- slider steplessly adjustable

Consisting of:

- **Isiflex** Shower hose 160 cm (# 28276000)

Optional parts:


- **Raindance** Corner fitting set
- **Casetta** Soap dishes Raindance
- **Raindance** Wall bar spacer

Chrome 28694000
Chrome 28698000
Chrome 98993000

Raindance Corner fitting set


28694000

- material: plastic



finish

code no.




Raindance Wall bar spacer

Chrome

98993000

- also usable as an extension
- material: plastic

NEW



Unica Shower bar Pulsify S
65 cm with push slider
and Isiflex shower hose 160 cm

Chrome

24400000



- consists of: shower bar, slider, shower hose
- hand shower holder inclination angle can be adjusted by 45°
- profile stand pipe: round
- shower bar diameter: 22 mm
- height-adjustable slider with locking push-button slider
- hand shower holder with locking mechanism
- slider steplessly adjustable
- wall supports of plastic

Consisting of:

- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Unica** Shower bar Pulsify S 90 cm with push slider and Isiflex shower hose 160 cm


Chrome

24401000

NEW



100.001 winner 2021



Unica Shower bar Croma
90 cm with Isiflex shower hose
160 cm

Chrome

26504000

- consists of: shower bar, shower hose, slider
- hand shower holder inclination angle can be adjusted by 45°
- profile stand pipe: round
- shower bar diameter: 22 mm
- hand shower holder with locking mechanism
- hand shower holder inclination angle adjustable in 2 steps
- wall supports of plastic

Consisting of:

- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Unica** Shower bar Croma 65 cm with Isiflex shower hose 160 cm

Chrome

26503000

Alternative products:

- **Unica** Shower bar Croma 90 cm

Chrome


26506000

Optional parts:

- Wall bar spacer

Chrome

97450000



Unica Shower bar Croma
65 cm with Isiflex shower hose
160 cm

finish	code no.
Chrome	26503000

- consists of: shower bar, shower hose, slider
- hand shower holder inclination angle can be adjusted by 45°
- profile stand pipe: round
- shower bar diameter: 22 mm
- hand shower holder with locking mechanism
- hand shower holder inclination angle adjustable in 2 steps
- wall supports of plastic

Consisting of:

- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:


· Unica Shower bar Croma 90 cm with Isiflex shower hose 160 cm	Chrome	26504000
---	--------	----------

Alternative products:

· Unica Shower bar Croma 65 cm	Chrome	26505000
---------------------------------------	--------	----------

Optional parts:

· Wall bar spacer	Chrome	97450000
-------------------	--------	----------



Unica Shower bar S Puro 90 cm
with Isiflex shower hose 160 cm

Chrome	28631000
Brushed Bronze	28631140
Brushed Black	28631340
Chrome	
Matt Black	28631670
Matt White	28631700
Brushed Nickel	28631820
Polished Gold Optic	28631990

- consists of: shower bar, shower hose, slider
- profile stand pipe: round
- shower bar diameter: 22 mm
- metal hand shower holder
- hand shower holder with locking mechanism
- slider steplessly adjustable
- inclination angle adjustable via raster

Consisting of:

- **Isiflex** Shower hose 160 cm (# 28276XXX)







Alternative sizes:


· Unica Shower bar S Puro 65 cm with Isiflex shower hose 160 cm	Chrome	28632000
	Brushed Bronze	28632140
	Brushed Black	28632340
	Chrome	
	Matt Black	28632670
	Matt White	28632700
	Polished Gold Optic	28632990

Optional parts:


· Casetta Soap dish S Puro	Chrome	28679000
· Casetta Soap dishes Unica 88	Transparent	28675000
· Wall bar spacer	Chrome	97450000




		finish	code no.
		<p>Unica Shower bar S Puro Reno 72 cm</p> <ul style="list-style-type: none"> · consists of: shower bar, slider · profile stand pipe: round · shower bar diameter: 22 mm · variable drilling hole distance: 400 - 670 mm · hand shower holder with locking mechanism · slider steplessly adjustable · inclination angle adjustable via raster · wall supports of plastic · variable wall support <p>Alternative sizes:</p> <ul style="list-style-type: none"> · Unica Shower bar S Puro Reno 105 cm 	<p>Chrome</p> <p>28662000</p> <p>Chrome</p> <p>28663000</p>
		<p>Unica Shower bar Reno 72 cm</p> <ul style="list-style-type: none"> · consists of: shower bar, slider · profile stand pipe: round · shower bar diameter: 22 mm · variable drilling hole distance: 400 - 670 mm · hand shower holder with locking mechanism · hand shower holder inclination angle adjustable in 2 steps · wall supports of plastic · variable wall support 	<p>Chrome</p> <p>27704000</p>
		<p>Unica Shower bar C 90 cm with Isiflex shower hose 160 cm</p> <ul style="list-style-type: none"> · consists of: shower bar, shower hose, slider · profile stand pipe: round · shower bar diameter: 22 mm · translucent plastic shower slide · hand shower holder with locking mechanism · slider steplessly adjustable · inclination angle adjustable via raster <p>Consisting of:</p> <ul style="list-style-type: none"> · Isiflex Shower hose 160 cm (# 28276000) <p>Alternative sizes:</p> <ul style="list-style-type: none"> · Unica Shower bar C 65 cm with Isiflex shower hose 160 cm <p>Optional parts:</p> <ul style="list-style-type: none"> · Casetta Soap dish C · Wall bar spacer 	<p>Chrome</p> <p>27610000</p> <p>Chrome</p> <p>27611000</p> <p>Chrome</p> <p>28678000</p> <p>Chrome</p> <p>97450000</p>

	finish	code no.
	Chrome	27614000
<p>Unica Shower bar Crometta 90 cm with Metaflex shower hose 160 cm</p> <ul style="list-style-type: none"> · consists of: shower bar, shower hose, slider · profile stand pipe: round · shower bar diameter: 22 mm · hand shower holder with locking mechanism · hand shower holder inclination angle adjustable in 2 steps 		
<p>Consisting of:</p> <ul style="list-style-type: none"> · Metaflex Shower hose 160 cm (# 28266000) 		
<p>Alternative sizes:</p> <ul style="list-style-type: none"> · Unica Shower bar Crometta 65 cm with Metaflex shower hose 160 cm 		
<p>Alternative products:</p> <ul style="list-style-type: none"> · Unica Shower bar Crometta 90 cm 		
<p>Optional parts:</p> <ul style="list-style-type: none"> · Casetta Soap dish C · Wall bar spacer 		

	Chrome	27356000
<p>Unica Shower bar Varia 105 cm</p> <ul style="list-style-type: none"> · consists of: shower bar, slider · profile stand pipe: round · shower bar diameter: 22 mm · variable drilling hole distance: 400 mm - 970 mm · hand shower holder inclination angle adjustable in 2 steps · wall supports of plastic · variable wall support 		
<p>Alternative sizes:</p> <ul style="list-style-type: none"> · Unica Shower bar Varia 72 cm 		

	Chrome	97450000
<p>Wall bar spacer</p> <ul style="list-style-type: none"> · material: plastic 		

Unica Comfort wall bars



Unica Shower bar Comfort
110 cm left

finish White/Chrome
code no. 26403400


- consists of: shower bar, storage basket, slider
- infinitely height-adjustable
- shower holder can be removed
- 90° position adjustable hand shower holder, pivots left and right, up and down
- shelf made of plastic, finish white, shelf can be removed for cleaning
- profile stand pipe: round
- shower bar diameter: 25 mm
- metal hand shower holder
- wall supports of metal

Alternative products:

· **Unica Shower bar Comfort 110 cm right** White/Chrome 26404400

Optional parts:

· **Unica Foot support Comfort** Chrome 26329000



Unica Shower bar Comfort
110 cm right

White/Chrome 26404400


- consists of: shower bar, storage basket, slider
- infinitely height-adjustable
- shower holder can be removed
- 90° position adjustable hand shower holder, pivots left and right, up and down
- shelf can be removed for cleaning
- profile stand pipe: round
- shower bar diameter: 25 mm
- metal hand shower holder
- hand shower holder with locking mechanism
- wall supports of metal

Alternative products:

· **Unica Shower bar Comfort 110 cm left** White/Chrome 26403400

Optional parts:

· **Unica Foot support Comfort** Chrome 26329000



Unica Shower bar Comfort
90 cm

Chrome 26402000

- consists of: shower bar, slider
- infinitely height-adjustable
- 90° position adjustable hand shower holder, pivots left and right, up and down
- profile stand pipe: round
- shower bar diameter: 25 mm
- metal hand shower holder
- wall supports of metal

Alternative sizes:

· **Unica Shower bar Comfort 65 cm** Chrome 26401000


Optional parts:

· **Unica Grab handle Comfort with shelf and shower holder** White/Chrome 26328400

· **Unica Foot support Comfort** Chrome 26329000

Classic style wall bars

finish code no.



Unica Shower bar Classic
65 cm with Sensoflex shower
hose 160 cm

Chrome 27617000
Brushed Nickel 27617820

- consists of: shower bar, shower hose, slider
- profile stand pipe: round
- shower bar diameter: 22 mm
- metal hand shower holder
- hand shower holder with locking mechanism
- slider steplessly adjustable
- inclination angle adjustable via raster

Consisting of:

- Sensoflex Metal shower hose 160 cm (# 28136000)

Optional parts:


- Casetta Soap dish C Chrome 28678000



Wall bar spacer for Unica wall bar S

Chrome 96184000


- material: plastic



Casetta Soap dish C

Chrome 28678000


- with mounting material
- for shower bars with Ø 22 mm



Casetta Soap dish E

Chrome 26519000

- with mounting material
- for shower bars with Ø 18 / 22 / 25 mm




Casetta Soap dish S Puro

Chrome 28679000

- for shower bars with Ø 22 mm

Rainfinity shower holder sets



finish

code no.

Rainfinity Shower holder set

130 3jet with shower hose
125 cm

Chrome
Matt White

26852000
26852700



- consists of: hand shower, shower holder, shower hose
- shower head size: 130 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient diversion via Select button
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal

Consisting of:


- **Rainfinity** Hand shower 130 3jet (# 26864XXX)
- **Isiflex** Shower hose 125 cm (# 28272XXX)
- Shower holder Porter E (# 28387XXX)

Alternative sizes:

- **Rainfinity** Shower holder set 130 3jet with shower hose 160 cm

Chrome
Matt White

26851000
26851700



Rainfinity Shower holder set

100 1jet with shower hose
125 cm

Chrome
Matt White

26857000
26857700



- consists of: baton hand shower, shower holder, shower hose
- shower head size: 100 x 38 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal

Consisting of:

- **Rainfinity** Baton hand shower 100 1jet (# 26866XXX)
- **Isiflex** Shower hose 125 cm (# 28272XXX)
- Shower holder Porter E (# 28387XXX)


Alternative sizes:

- **Rainfinity** Shower holder set 100 1jet with shower hose 160 cm

Chrome
Matt White

26856000
26856700

Raindance Select E shower holder sets



Raindance Select E Shower holder set 120 3jet with shower hose 160 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 120 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- maximum flow rate at 3 bar: 14,4 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Raindance Select E** Shower holder set 120 3jet with shower hose 125 cm

finish


code no.

Chrome
White/Chrome

26720000
26720400



Raindance Select S shower holder sets



Raindance Select S Shower holder set 120 3jet PowderRain with shower hose 125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 125 mm
- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- maximum flow rate at 3 bar: 11 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Raindance Select S** Hand shower 120 3jet PowderRain (# 26014000)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)


Alternative sizes:

- **Raindance Select S** Shower holder set 120 3jet PowderRain with shower hose 160 cm

Chrome

27669000





Raindance Select S Shower holder set 120 3jet with shower hose 160 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 125 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Raindance Select S** Shower holder set 120 3jet with shower hose 125 cm


finish

code no.

Chrome 26721000
White/Chrome 26721400



Pulsify Select S shower holder sets



Pulsify Select S Shower holder set 105 3jet Relaxation with shower hose 125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- maximum flow rate at 3 bar: 11,4 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic

Consisting of:

- **Pulsify Select S** Hand shower 105 3jet Relaxation (# 24110XXX)
- Shower holder Porter S (# 28331XXX)
- **Isiflex** Shower hose 125 cm (# 28272XXX)

Alternative products:

- **Pulsify S** Shower holder set 105 1jet with shower hose 125 cm

- **Pulsify Select S** Shower holder set 105 3jet Relaxation with shower hose 160 cm

Chrome
Matt Black
Matt White

24302000
24302670
24302700



NEW

NEW

NEW


Chrome 24301000
Matt Black 24301670
Matt White 24301700
Chrome 24303000
Matt Black 24303670
Matt White 24303700



red dot award 2021



NEW



NEW

NEW

NEW

Pulsify S Shower holder set
105 ljet with shower hose
125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 105 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 13,5 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic

Consisting of:

- **Pulsify S** Hand shower 105 ljet (# 24120XXX)
- Shower holder Porter S (# 28331XXX)
- **Isiflex** Shower hose 125 cm (# 28272XXX)


Alternative products:

- **Pulsify Select S** Shower holder set 105 3jet Relaxation with shower hose 125 cm
- **Pulsify Select S** Shower holder set 105 3jet Relaxation with shower hose 160 cm

finish	code no.
Chrome	24301000
Matt Black	24301670
Matt White	24301700



Croma Select E shower holder sets



Croma Select E Shower holder set Vario with shower hose
125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Croma Select E** Hand shower Vario (# 26812400)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:


- **Croma Select E** Shower holder set Vario with shower hose 160 cm

White/Chrome	26425400
--------------	----------



finish

code no.



Croma Select E Shower holder set 1jet with shower hose
125 cm

White/Chrome

26424400



- consists of: hand shower, shower holder, shower hose
- shower head size: 110 mm
- spray type: Rain
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Croma E** Hand shower 1jet (# 26814400)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)


Alternative sizes:

- **Croma Select E** Shower holder set 1jet with shower hose 160 cm

White/Chrome

26412400

Croma Select S shower holder sets



Croma Select S Shower holder set Vario with shower hose
125 cm

White/Chrome

26421400



- consists of: hand shower, shower holder, shower hose
- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:


- **Croma Select S** Hand shower Vario (# 26802400)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:

- **Croma Select S** Shower holder set Vario with shower hose 160 cm

White/Chrome

26411400



Croma Select S Shower holder set 1jet with shower hose
125 cm

White/Chrome

26420400



- consists of: hand shower, shower holder, shower hose
- shower head size: 110 mm
- spray type: Rain
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Croma S** Hand shower 1jet (# 26804400)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)


Alternative sizes:

- **Croma Select S** Shower holder set 1jet with shower hose 160 cm

White/Chrome

26410400

Croma 100 shower holder sets



Croma 100 Shower holder set Multi with shower hose 125 cm

finish Chrome **code no.** 27593000

- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- spray type: MonoRain, Massage spray, Rain
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 19 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic




Consisting of:

- **Croma 100** Hand shower Multi (# 28536000)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:

- **Croma 100** Shower holder set Multi with shower hose 160 cm

Chrome 27595000



Croma 100 Shower holder set Vario with shower hose 125 cm

finish Chrome **code no.** 27592000

- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- spray type: Rain, normal spray, Shampoo spray, Massage spray
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic



Consisting of:

- **Croma 100** Hand shower Vario (# 28535000)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:

- **Croma 100** Shower holder set Vario with shower hose 160 cm

Chrome 27594000

finish

code no.



Croma 100 Shower holder set Mono with shower hose 125 cm

Chrome

27574000



- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- spray type: Rain
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Croma 100** Hand shower 1jet (# 28580000)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)


Alternative sizes:

- **Croma 100** Shower holder set Mono with shower hose 160 cm

Chrome

27575000

Crometta shower holder sets



Crometta Shower holder set Vario with shower hose 125 cm

White/Chrome

26691400



- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Crometta** Hand shower Vario (# 26330400)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:

- **Crometta** Shower holder set Vario with shower hose 160 cm

White/Chrome

26692400

Water saving EcoSmart version:



- **Crometta** Shower holder set Vario EcoSmart 9 l/min with shower hose 125 cm

White/Chrome


26693400



- **Crometta** Shower holder set Vario EcoSmart 9 l/min with shower hose 160 cm

White/Chrome

26694400



Crometta Shower holder set
1 jet with shower hose 125 cm

finish White/Chrome
code no. 26690400



- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- spray type: Rain
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:

- **Crometta** Hand shower 1jet (# 26331400)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:

- **Crometta** Shower holder set 1jet with shower hose 160 cm White/Chrome 26567400
- **Crometta** Shower holder set 1jet EcoSmart 9 l/min with shower hose 160 cm White/Chrome 26569400
- **Crometta** Shower holder set 1jet EcoSmart 9 l/min with shower hose 125 cm White/Chrome 26568400
- **Crometta** Shower holder set 1jet EcoSmart 9 l/min with shower hose 160 cm White/Chrome 26569400

Crometta 85 shower holder sets



Crometta 85 Shower holder set
Vario with shower hose 125 cm

finish Chrome
code no. 27558000



- consists of: hand shower, shower holder, shower hose
- shower head size: 85 mm
- spray type: Vario spray, normal spray
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 17 l/min
- minimum flow pressure: 1 bar
- Shower holder of plastic

Consisting of:

- **Crometta 85** Hand shower Vario (# 28562000)
- Shower holder Porter C (# 27521000)
- **Metaflex** Shower hose 125 cm (# 28262000)

Alternative sizes:

- **Crometta 85** Shower holder set Vario with shower hose 160 cm Chrome 27559000

finish

code no.



Crometta 85 Shower holder set Mono with shower hose 125 cm

Chrome

27576000

- consists of: hand shower, shower holder, shower hose
- shower head size: 85 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- Shower holder of plastic



Consisting of:

- **Crometta 85** Hand shower Mono (# 28585000)
- Shower holder Porter C (# 27521000)
- **Metaflex** Shower hose 125 cm (# 28262000)


Alternative sizes:

- **Crometta 85** Shower holder set Mono with shower hose 160 cm

Chrome

27577000

Vernis Blend shower holder sets



Vernis Blend Shower holder set Vario with shower hose 160 cm

Chrome

26273000

- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 15,2 l/min



Consisting of:

- **Vernis Blend** Hand shower Vario (# 26270000)
- Shower holder Porter C (# 27521000)
- **Metaflex** Shower hose 160 cm (# 28266000)

Water saving EcoSmart version:


- **Vernis Blend** Shower holder set Vario EcoSmart with shower hose 160 cm

Chrome

26278000



Bidette



Bidette hand shower 1jet with shower holder and pressure shower hose 125 cm

Chrome

32129000

- consists of: bidette hand shower, shower holder, chrome-colored shower hose
- maximum flow rate at 3 bar: 6 l/min
- minimum flow pressure: 1 bar
- with non-return valve
- we recommend using this product with a shut-off valve in the line
- Shower holder of plastic



Consisting of:

- Shower holder Porter S (# 28331000)





Alternative sizes:

- Bidette hand shower 1jet with shower holder and pressure shower hose 160 cm

Chrome

32128000



		finish	code no.
 	<p>Bidette hand shower 1jet with shower holder and pressure resistant shower hose 125 cm</p> <ul style="list-style-type: none"> · consists of: bidette hand shower, shower holder, chrome-colored shower hose · maximum flow rate at 3 bar: 6 l/min · with non-return valve · we recommend using this product with a shut-off valve in the line · additional comment: surface shower hose chrome <p>Consisting of:</p> <ul style="list-style-type: none"> · Shower holder (# 28321000) <p>Alternative sizes:</p> <ul style="list-style-type: none"> · Bidette hand shower 1jet with shower holder and pressure resistant shower hose 160 cm 	White/Chrome	32127000
			 
		White/Chrome	32122000

Modern style shower holder

 	<p>Shower holder Porter E</p> <ul style="list-style-type: none"> · fixed holding position · for hoses with conical nut · metal 	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Polished Gold Optic	28387000 28387140 28387340 28387670 28387700 28387990
---	--	--	--

 	<p>Shower holder Porter C</p> <ul style="list-style-type: none"> · fixed holding position · for hoses with conical nut · plastic 	Chrome	27521000
--	--	--------	----------









 	<p>Shower holder Porter S</p> <ul style="list-style-type: none"> · fixed holding position · for hoses with conical nut · plastic 	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Stainless Steel Optic Polished Gold Optic	28331000 28331140 28331340 28331670 28331700 28331800 28331990
--	--	---	--

 	<p>Shower holder</p> <ul style="list-style-type: none"> · fixed holding position · for hoses with conical nut · plastic 	Chrome	28321000
--	---	--------	----------











Measurements within scale drawings are in mm.

Technical specifications and units of measure are subject to change.


Shower sets / Shower bars / Shower holder

		finish	code no.
 	Shower holder Porter Reno <ul style="list-style-type: none"> · fixed holding position · for hoses with conical nut · metal 	Chrome	28335000
 	Shower holder Porter Vario <ul style="list-style-type: none"> · shower holder inclination angle can be adjusted continuously · for hoses with conical nut · metal 	Chrome	28328000
Classic style shower holder  	Shower holder porter classic <ul style="list-style-type: none"> · fixed holding position · for hoses with conical nut · plastic 	Chrome	28324000
Modern style Fixfit Porter wall outlets  	Rainfinity Wall outlet Porter 500 with shower holder and shower shelf left <ul style="list-style-type: none"> · metal connection angle · 500 mm storage shelf · integrated support function · non-return valve · connection type: DN15 · hose nut: for shower hoses with conical nut on both sides · shelf made of safety glass · surface of the shelf at colour variant <ul style="list-style-type: none"> -000 = mirror glass, at colour variant -700 = graphite colour, satined 	Chrome Matt White	26843000 26843700
	Alternative products: <ul style="list-style-type: none"> · Rainfinity Wall outlet Porter 500 with shower holder and shower shelf right 	Chrome Matt White	26858000 26858700

Measurements within scale drawings are in mm.

		finish	code no.
 	<p>Rainfinity Wall outlet Porter 500 with shower holder and shower shelf right</p> <ul style="list-style-type: none"> · metal connection angle · 500 mm storage shelf · integrated support function · plastic connection angle with metal ball joint · non-return valve · connection type: DN15 · hose nut: for shower hoses with conical nut on both sides · shelf made of safety glass · surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined 	<p>Chrome Matt White</p>	<p>26858000 26858700</p>
 	<p>FixFit Wall outlet E with shower holder</p> <ul style="list-style-type: none"> · consists of: wall connector, escutcheon · fixed holding position · for hoses with conical nut · with non-return valve · metal housing with internal water supply made of plastic 	<p>Chrome</p>	<p>26485000</p>
 	<p>FixFit Wall outlet S with shower holder</p> <ul style="list-style-type: none"> · consists of: wall connector, escutcheon · fixed holding position · for hoses with conical nut · with non-return valve · metal housing with internal water supply made of plastic 	<p>Chrome</p>	<p>26487000</p>
 	<p>FixFit Wall outlet square with shower holder</p> <ul style="list-style-type: none"> · consists of: wall connector, escutcheon · fixed holding position · for hoses with conical nut · with non-return valve · metal housing with internal water supply made of plastic 	<p>Chrome</p>	<p>26486000</p>
 	<p>FixFit Wall outlet Porter 300 with shower holder and shower shelf</p> <ul style="list-style-type: none"> · metal connection angle · 300 mm storage shelf · integrated support function on both sides · non-return valve · connection type: G 1/2 · flexible positioning, adjustment to left or right by 77.5 mm · hose nut: for shower hoses with conical nut on both sides · safety glass in white and chrom 	<p>Chrome White/Chrome</p>	<p>26456000 26456400</p>


Modern style Fixfit wall outlets



FixFit Wall outlet E
with non-return valve
and pivot joint

- shower hose connection with ball joint
- plastic connection angle with metal ball joint
- non-return valve

finish Chrome
code no. 27505000




FixFit Wall outlet E
without non-return valve

- metal connection angle
- connection type: G 1/2
- hose nut: for shower hoses with conical nut on both sides
- material cover: plastic

finish Chrome
Brushed Bronze 27454000
Brushed Black 27454140
Chrome 27454340
Matt Black 27454670
Matt White 27454700
Polished Gold Optic 27454990

Alternative products:


- **FixFit** Wall outlet E with non-return valve Chrome 27458000



FixFit Wall outlet E stop
with non-return valve and shut-off
valve

- with integrated shut-off valve in metal
- with ceramic valve
- non-return valve
- 90° shut-off unit -> 1/4 turn
- free flow 30 l/min at 3 bar
- Adapter from G 1/2 to G 3/4 connection


finish Chrome
code no. 27452000



FixFit Wall outlet S
with non-return valve
and pivot joint

- shower hose connection with ball joint
- plastic connection angle with metal ball joint
- non-return valve

finish Chrome
code no. 27506000





FixFit Wall outlet S
without non-return valve



- metal connection angle



Alternative products:

- **FixFit** Wall outlet S with non-return valve Chrome 27456000
- **FixFit** Wall outlet S with non-return valve and synthetic connection angle Chrome 26453000
- Brushed Bronze 26453140
- Brushed Black 26453340
- Chrome 26453670
- Matt Black 26453700
- Matt White 26453700
- Polished Gold Optic 26453990

		finish	code no.
		FixFit Wall outlet Square with non-return valve	
		<ul style="list-style-type: none"> · plastic connection angle · non-return valve 	<ul style="list-style-type: none"> Chrome 26455000 Brushed Bronze 26455140 Brushed Black 26455340 Chrome 26455670 Matt Black 26455700 Matt White 26455700 Polished Gold Optic 26455990





		FixFit Wall outlet with non-return valve and pivot joint	
		<ul style="list-style-type: none"> · shower hose connection with ball joint · plastic connection angle with metal ball joint · non-return valve · connection type: G 1/2 · hose nut: for shower hoses with conical nut on both sides 	<ul style="list-style-type: none"> Chrome 27414000

		FixFit Wall outlet with non-return valve	
		<ul style="list-style-type: none"> · plastic connection angle · non-return valve 	<ul style="list-style-type: none"> Chrome 26457000 Brushed Bronze 26457140 Brushed Black 26457340 Chrome 26457670 Matt Black 26457700 Matt White 26457700 Polished Gold Optic 26457990



Classic style Fixfit wall outlet

		AXOR Montreux Wall outlet with non-return valve	
		<ul style="list-style-type: none"> · metal connection angle · non-return valve 	<ul style="list-style-type: none"> Chrome 16884000 Brushed Nickel 16884820

		Thread connection	
		<ul style="list-style-type: none"> · reduction from DN20 to DN15 	<ul style="list-style-type: none"> Chrome 02024000

Shower hoses and accessories



Sensoflex
metal shower hoses

page 170



Isiflex
shower hoses

page 170



Comfortflex
shower hoses

page 171




Metaflex
shower hoses

page 171



Shower hoses and accessories

Sensoflex metal shower hoses



Sensoflex Metal shower hose 125 cm

- metal shower hose
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevent hose from tangling
- kink-protected


Alternative sizes:

- **Sensoflex** Metal shower hose 160 cm
- **Sensoflex** Metal shower hose 200 cm

finish	code no.
Chrome	28132000

Chrome	28136000
Chrome	28134000

Isiflex shower hoses



Isiflex Shower hose 125 cm


- high-quality shower hose
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevent hose from tangling
- kink-protected

Alternative sizes:

- **Isiflex** Shower hose 160 cm

Chrome	28272000
Brushed Bronze	28272140
Brushed Black	28272340
Chrome	
White	28272450
Matt Black	28272670
Matt White	28272700
Polished Gold Optic	28272990

Chrome	28276000
Brushed Bronze	28276140
Brushed Black	28276340
Chrome	
White	28276450
Matt Black	28276670
Matt White	28276700
Polished Gold Optic	28276990
Chrome	28274000



Isiflex Shower hose 125 cm with volume control

- high-quality shower hose with metal effect and volume control
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevent hose from tangling
- kink-protected
- adjustable flow rate between 6 l/min and 16 l/min


Alternative sizes:

- **Isiflex** Shower hose 160 cm with volume control

Chrome	28249000
--------	----------

Chrome	28248000
--------	----------

Comfortflex shower hoses



Comfortflex Shower hose
125 cm

- high-quality shower hose with metal effect
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevent hose from tangling
- kink-protected


Alternative sizes:

- **Comfortflex** Shower hose 160 cm Chrome 28168000
- **Comfortflex** Shower hose 200 cm Chrome 28169000

finish

code no.

Metaflex shower hoses




Metaflex Shower hose 125 cm

- plastic shower hose with coil winding
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- without pivot joints
- kink-protected

Alternative sizes:

- **Metaflex** Shower hose 160 cm Chrome 28266000
- **Metaflex** Shower hose 200 cm Chrome 28264000

Accessories




Hose duct

- material: transparent plastic

Transparent

28072000



Thread connection

- reduction from DN20 to DN15

Chrome

02024000

Overhead showers



Rainmaker Select

page 176



Rainfinity

page 181



Raindance Rainmaker

page 187



Raindance Select S

page 190



Raindance E

page 193



Raindance S

page 197



Pulsify S

page 202



Croma Select E

page 204



Croma Select S

page 205



Croma E

page 206



Croma

page 207



Crometta E

page 210



Crometta S

page 211



Vernis Blend

page 213



Vernis Shape

page 214



hansgrohe overhead showers

Product ranges at a glance

Rainmaker Select

Rainfinity



	Overhead showers 460 3jet	Overhead showers 460 2jet	Overhead showers 460 1jet	Overhead showers 580 3jet	Overhead showers 360 3jet	Overhead showers 360 1jet	Overhead showers 250 3jet
Finish	-400, -600	-400, -600	-400, -600	-400, -600	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990
Wall connection	■	■	■	■	■	■	■
Ceiling connector	■	■	■		■	■	■
Standard	18 l/min	18 l/min	19 l/min	20 l/min	28,1 l/min	21 l/min	20 l/min
EcoSmart 8-9 l/min	■	■	■	■			■
Green							
LowPressure							
Select							
QuickClean	■	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■	■
AirPower							
PowderRain					■	■	■

page 176

page 181

Raindance S

Pulsify S

Croma Select E

Croma Select S

Croma E



	Overhead showers 240 1jet PowderRain	Overhead showers 260 2jet	Overhead showers 260 1jet	Overhead showers 105 1jet	Overhead showers 180 2jet	Overhead showers 180 2jet	Overhead showers 280 1jet
Finish	-000, -670, -700	-000, -670, -700	-000, -670, -700	-000, -670, -700	-000, -400	-000, -400	-000
Wall connection	■	■	■	■	■	■	■
Ceiling connector	■				■	■	■
Standard	18 l/min	11,3 l/min	12,3 l/min	11,7 l/min	17 l/min	17 l/min	18,3 l/min
EcoSmart 8-9 l/min		■	■		■	■	■
Green				■			
LowPressure							
Select					■	■	
QuickClean	■	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■	■
AirPower							■
PowderRain	■	■	■	■			









page 197









page 202

page 204


page 205

page 206

	Raindance Rainmaker	Raindance Rainfall	Raindance Select S		Raindance E		Raindance S	
								
	Overhead showers 250 ljet	Overhead showers 600 3jet	Overhead showers 180 2jet	Overhead showers 300 2jet	Overhead showers 240 2jet	Overhead showers 300 1jet	Overhead showers 360 1jet	Overhead showers 300 1jet
	-000, -140, -340 -670, -700, -990	-000	-000, -400	-000, -400	-000, -400	-000, -140, -340 -670, -700, -990	-000	-000
	■		■	■	■	■	■	■
	■	■		■	■	■	■	■
	19 l/min	25 l/min	24 l/min	17 l/min	17 l/min	17 l/min	16,5 l/min	18 l/min
	■			■	■	■		
				■	■			
	■	■	■	■	■	■	■	■
	■	■	■	■	■	■	■	■
	■	■	■	■	■	■	■	■
	■			■	■			
	page 181	page 187	page 189	page 190		page 193	page 197	

	Croma		Croma 100	Crometta E	Crometta S	Crometta 85	Vernis Blend	Vernis Shape
								
	Overhead showers 280 1jet	Overhead showers 220 1jet	Overhead showers Multi	Overhead showers 240 1jet	Overhead showers 240 1jet	Overhead showers Multi	Overhead showers 200 1jet	Overhead showers 230 1jet
	-000, -140, -340 -670, -700, -990	-000	-000	-000	-000	-000	-000, -670	-000, -670
	■	■	■	■	■	■	■	■
	■	■		■	■		■	■
	15,6 l/min	19 l/min	20 l/min	18 l/min	18 l/min	15 l/min	12,4 l/min	12,4 l/min
	■	■		■	■		■	■
				■	■		■	■
				■	■		■	■
	■	■	■	■	■	■	■	■
	■	■	■	■	■	■	■	■
	■	■						
	page 207	page 209	page 210	page 211	page 212	page 213	page 214	

Rainmaker Select



Rainmaker Select Overhead shower 580 3jet

finish

code no.

White/Chrome
Black/Chrome

24001400
24001600



- consists of: overhead shower, wall connector
- shower head size: 586 x 258 mm
- spray type: Rain, RainFlow, MonoRain
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- maximum flow rate at 3 bar: 20 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate RainFlow spray (at 3 bar): 17 l/min
- flow rate Mono spray (at 3 bar): 20 l/min
- minimum flow pressure: 1,7 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- spray disc removable for cleaning
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15/DN20
- not included: basic set

Water saving EcoSmart version:



- **Rainmaker Select** Overhead shower 580 3jet EcoSmart 9 l/min

White/Chrome

24011400

Required parts:

- Basic set iBox universal

01800180

Optional parts:


- **ShowerSelect Glass** Valve for concealed installation for 3 functions
- **ShowerSelect Glass** Thermostat HighFlow for concealed installation for 1 function and additional outlet

White/Chrome

15736400

White/Chrome

15735400



Basic set iBox universal

01800180

- suitable for all shower, bath tub and thermostat finish sets for concealed installation
- connection thread Rp 3/4
- rotationally-symmetric installation
- sound-decoupled installation
- connection dimension: DN20

Alternative products:

- Basic set iBox universal with shut-off unit

01850180

Optional parts:

- Extension iBox universal basic set 2.5 cm
- Fastening rail set for iBox universal
- Assembly aid for iBox universal


13595000

96615000

93500000

finish

code no.



Rainmaker Select Overhead shower 460 3jet with shower arm

White/Chrome
Black/Chrome

24007400
24007600



arm

- consists of: overhead shower, shower arm, escutcheon
- shower head size: 466 x 300 mm
- spray type: Rain, RainStream, MonoRain
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- shower arm length 461 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate Rain spray (at 3 bar): 18 l/min
- flow rate RainStream spray (at 3 bar): 15 l/min
- flow rate Mono spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,5 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- spray disc removable for cleaning
- overhead shower removable for cleaning
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15
- not included: basic set



Water saving EcoSmart version:

- **Rainmaker Select** Overhead shower 460 3jet EcoSmart 9 l/min with shower arm

White/Chrome

24017400

Required parts:

- Basic set iBox universal

01800180

Optional parts:


- **ShowerSelect Glass** Valve for concealed installation for 3 functions
- **ShowerSelect Glass** Thermostat HighFlow for concealed installation for 1 function and additional outlet

White/Chrome

15736400

White/Chrome

15735400



Rainmaker Select Overhead shower 460 3jet with ceiling connector

finish	code no.
White/Chrome	24006400
Black/Chrome	24006600



- consists of: overhead shower, ceiling connector, escutcheon
- shower head size: 466 x 300 mm
- spray type: Rain, RainStream, MonoRain
- ball-joint: overhead shower angle adjustable
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 23 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate RainStream spray (at 3 bar): 22 l/min
- flow rate Mono spray (at 3 bar): 23 l/min
- minimum flow pressure: 1,5 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- spray disc removable for cleaning
- overhead shower removable for cleaning
- installation: ceiling
- connection dimension: DN15
- not included: basic set

Water saving EcoSmart version:



- **Rainmaker Select** Overhead shower 460 3jet EcoSmart 9 l/min with ceiling connector

White/Chrome	24016400
--------------	----------

Required parts:


- **Rainmaker Select** Basic set for overhead shower with ceiling connector

24010180

Optional parts:

- **ShowerSelect Glass** Valve for concealed installation for 3 functions
- **ShowerSelect Glass** Thermostat HighFlow for concealed installation for 1 function and additional outlet

White/Chrome	15736400
White/Chrome	15735400



Rainmaker Select Basic set for overhead shower with ceiling connector

24010180

- includes polystyrene sheathing as a placeholder during installation

Optional parts:



- **Rainmaker Select** Overhead shower 460 1jet EcoSmart 9 l/min with ceiling connector

White/Chrome	24012400
--------------	----------

- **Rainmaker Select** Overhead shower 460 1jet with ceiling connector

White/Chrome	24002400
Black/Chrome	24002600



- **Rainmaker Select** Overhead shower 460 2jet EcoSmart 9 l/min with ceiling connector

White/Chrome	24014400
--------------	----------

- **Rainmaker Select** Overhead shower 460 2jet with ceiling connector

White/Chrome	24004400
Black/Chrome	24004600

- **Rainmaker Select** Overhead shower 460 3jet with ceiling connector

White/Chrome	24006400
Black/Chrome	24006600



- **Rainmaker Select** Overhead shower 460 3jet EcoSmart 9 l/min with ceiling connector

White/Chrome	24016400
--------------	----------

finish

code no.

Rainmaker Select Overhead shower 460 2jet with shower arm

White/Chrome
Black/Chrome

24005400
24005600



- consists of: overhead shower, shower arm, escutcheon
- shower head size: 466 x 300 mm
- spray type: Rain, RainStream
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- shower arm length 461 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate Rain spray (at 3 bar): 18 l/min
- flow rate RainStream spray (at 3 bar): 15 l/min
- minimum flow pressure: 1,5 bar
- the 2 spray zones must be controlled via 2 valves or a diverter valve with 2 outlets
- spray disc removable for cleaning
- overhead shower removable for cleaning
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15
- not included: basic set

Water saving EcoSmart version:



- **Rainmaker Select** Overhead shower 460 2jet EcoSmart 9 l/min with shower arm

White/Chrome

24015400

Required parts:

- Basic set iBox universal

01800180

Optional parts:


- **ShowerSelect Glass** Valve for concealed installation for 3 functions
- **ShowerSelect Glass** Thermostat HighFlow for concealed installation


White/Chrome

15736400

White/Chrome

15734400





Rainmaker Select Overhead shower 460 2jet with ceiling connector

finish
White/Chrome
Black/Chrome

code no.
24004400
24004600



- consists of: overhead shower, ceiling connector, escutcheon
- shower head size: 466 x 300 mm
- spray type: Rain, RainStream
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 21 l/min
- flow rate Rain spray (at 3 bar): 21 l/min
- flow rate RainStream spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,5 bar
- the 2 spray zones must be controlled via 2 valves or a diverter valve with 2 outlets
- spray disc removable for cleaning
- overhead shower removable for cleaning
- installation: ceiling
- connection dimension: DN15
- not included: basic set



Water saving EcoSmart version:

- **Rainmaker Select** Overhead shower 460 2jet EcoSmart 9 l/min with ceiling connector

White/Chrome 24014400

Required parts:

- **Rainmaker Select** Basic set for overhead shower with ceiling connector


24010180

Optional parts:

- **ShowerSelect Glass** Valve for concealed installation for 3 functions
- **ShowerSelect Glass** Thermostat HighFlow for concealed installation

White/Chrome 15736400

White/Chrome 15734400



Rainmaker Select Overhead shower 460 1jet with shower arm

White/Chrome 24003400
Black/Chrome 24003600



- consists of: overhead shower, shower arm, escutcheon
- shower head size: 466 x 270 mm
- spray type: Rain
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- shower arm length 462 mm
- maximum flow rate at 3 bar: 19 l/min
- flow rate Rain spray (at 3 bar): 19 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- overhead shower removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15



Water saving EcoSmart version:

- **Rainmaker Select** Overhead shower 460 1jet EcoSmart 9 l/min with shower arm

White/Chrome 24013400


Optional parts:

- **ShowerSelect Glass** Thermostat for concealed installation for 2 functions
- **ShowerTablet Select** Thermostat 700 universal for exposed installation for 2 functions

White/Chrome 15738400

White/Chrome 13184400

finish code no.



Rainmaker Select Overhead shower 460 1jet with ceiling connector

White/Chrome 24002400
Black/Chrome 24002600



- consists of: overhead shower, ceiling connector, escutcheon
- shower head size: 466 x 270 mm
- spray type: Rain
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 21 l/min
- flow rate Rain spray (at 3 bar): 21 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- overhead shower removable for cleaning
- installation: ceiling
- connection dimension: DN15
- not included: basic set

Water saving EcoSmart version:

Rainmaker Select Overhead shower 460 1jet EcoSmart 9 l/min with ceiling connector White/Chrome 24012400


Required parts:

· **Rainmaker Select** Basic set for overhead shower with ceiling connector 24010180

Optional parts:

· **ShowerSelect Glass** Thermostat for concealed installation for 2 functions White/Chrome 15738400
· **ShowerTablet Select** Thermostat 700 universal for exposed installation for 2 functions White/Chrome 13184400

Rainfinity



Rainfinity Overhead shower 250 1jet with wall connector

Chrome 26226000
Matt White 26226700




- consists of: overhead shower, wall connector
- shower head size: 250 mm
- spray type: PowderRain
- projection 273 mm
- middle spray disc: 151 mm
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 19 l/min
- flow rate PowderRain spray (at 3 bar): 19 l/min
- minimum flow pressure: 1,4 bar
- overhead shower removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Alternative sizes:

· **Rainfinity** Overhead shower 360 1jet with wall connector Chrome 26230000
Brushed Bronze 26230140
Brushed Black 26230340
Chrome 26230670
Matt Black 26230700
Matt White 26230700
Polished Gold Optic 26230990

Water saving EcoSmart version:

Rainfinity Overhead shower 250 1jet EcoSmart with wall connector Chrome 26227000
Matt White 26227700



Rainfinity Overhead shower
250 1jet

- shower head size: 250 mm
- spray type: PowderRain
- ball-joint: overhead shower angle (2 x 5°) adjustable
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- maximum flow rate at 3 bar: 16 l/min
- flow rate PowderRain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

finish **code no.**

Chrome	26228000
Brushed Bronze	26228140
Brushed Black	26228340
Chrome	
Matt Black	26228670
Matt White	26228700
Polished Gold Optic	26228990



Required parts (choose one)

· Shower arm square 39 cm	Chrome	27694000
	Brushed Bronze	27694140
	Brushed Black	27694340
	Chrome	
	Matt Black	27694670
	Matt White	27694700
	Polished Gold Optic	27694990
· Ceiling connector S 10 cm	Chrome	27393000
	Brushed Bronze	27393140
	Brushed Black	27393340
	Chrome	
	Matt Black	27393670
	Matt White	27393700
	Polished Gold Optic	27393990
· Ceiling connector S 30 cm	Chrome	27389000
	Brushed Bronze	27389140
	Brushed Black	27389340
	Chrome	
	Matt Black	27389670
	Matt White	27389700
	Polished Gold Optic	27389990


Alternative sizes:

· Rainfinity Overhead shower 360 1jet	Chrome	26231000
	Brushed Bronze	26231140
	Brushed Black	26231340
	Chrome	
	Matt Black	26231670
	Matt White	26231700
	Polished Gold Optic	26231990

Water saving EcoSmart version:



· Rainfinity Overhead shower 250 1jet EcoSmart	Chrome	26229000
	Brushed Bronze	26229140
	Brushed Black	26229340
	Chrome	
	Matt Black	26229670
	Matt White	26229700
	Polished Gold Optic	26229990



Rainfinity Overhead shower 360 1jet with wall connector

- consists of: overhead shower, wall connector
- shower head size: 360 mm
- spray type: PowderRain
- projection 381 mm
- middle spray disc: 205 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 21 l/min
- flow rate PowderRain spray (at 3 bar): 21 l/min
- minimum flow pressure: 2 bar
- overhead shower removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15


Alternative sizes:

- **Rainfinity** Overhead shower 250 1jet with wall connector

finish	code no.
Chrome	26230000
Brushed Bronze	26230140
Brushed Black	26230340
Chrome	
Matt Black	26230670
Matt White	26230700
Polished Gold Optic	26230990



Chrome	26226000
Matt White	26226700



Rainfinity Overhead shower
360 1jet

- shower head size: 360 mm
- spray type: PowderRain
- ball-joint: overhead shower angle (2 x 5°) adjustable
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- maximum flow rate at 3 bar: 20,3 l/min
- flow rate PowderRain spray (at 3 bar): 20,3 l/min
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

finish **code no.**

Chrome	26231000
Brushed Bronze	26231140
Brushed Black	26231340
Chrome	
Matt Black	26231670
Matt White	26231700
Polished Gold Optic	26231990



Required parts (choose one)

- Shower arm square 39 cm

Chrome	27694000
Brushed Bronze	27694140
Brushed Black	27694340

- Ceiling connector S 10 cm

Chrome	
Matt Black	27694670
Matt White	27694700
Polished Gold Optic	27694990
Chrome	27393000
Brushed Bronze	27393140
Brushed Black	27393340

- Ceiling connector S 30 cm

Chrome	
Matt Black	27393670
Matt White	27393700
Polished Gold Optic	27393990
Chrome	27389000
Brushed Bronze	27389140
Brushed Black	27389340
Chrome	
Matt Black	27389670
Matt White	27389700
Polished Gold Optic	27389990

Alternative sizes:

- **Rainfinity** Overhead shower 250 1jet

Chrome	26228000
Brushed Bronze	26228140
Brushed Black	26228340
Chrome	
Matt Black	26228670
Matt White	26228700
Polished Gold Optic	26228990

finish

code no.

Rainfinity Overhead shower
250 3jet with wall connector

Chrome
Matt White

26232000
26232700



- consists of: overhead shower, wall connector
- shower head size: 250 mm
- spray type: PowderRain, Intense PowderRain, RainStream
- projection 273 mm
- middle spray disc: 151 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 20 l/min
- flow rate PowderRain spray (at 3 bar): 20 l/min
- flow rate Intense PowderRain (at 3 bar): 18 l/min
- flow rate RainStream spray (at 3 bar): 16 l/min
- minimum flow pressure: 1,7 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- overhead shower removable for cleaning
- installation: wall-mounted - for installation on iBox

Alternative sizes:

- **Rainfinity** Overhead shower 360 3jet with wall connector

Chrome 26234000
Brushed Bronze 26234140
Brushed Black 26234340
Chrome
Matt Black 26234670
Matt White 26234700
Polished Gold Optic 26234990

Water saving EcoSmart version:





- **Rainfinity** Overhead shower 250 3jet EcoSmart with wall connector

Chrome 26233000
Matt White 26233700

Required parts:

- Basic set iBox universal 01800180





Rainfinity Overhead shower
360 3jet with wall connector

- consists of: overhead shower, wall connector
- shower head size: 360 mm
- spray type: PowderRain, Intense PowderRain, RainStream
- projection 381 mm
- middle spray disc: 205 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 28,1 l/min
- flow rate PowderRain spray (at 3 bar): 20 l/min
- flow rate Intense PowderRain (at 3 bar): 18 l/min
- flow rate RainStream spray (at 3 bar): 16 l/min
- minimum flow pressure: 1,7 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- overhead shower removable for cleaning
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15

finish **code no.**

Chrome	26234000
Brushed Bronze	26234140
Brushed Black	26234340
Chrome	
Matt Black	26234670
Matt White	26234700
Polished Gold Optic	26234990



Alternative sizes:

· Rainfinity Overhead shower 250 3jet with wall connector	Chrome	26232000
	Matt White	26232700


Required parts:

· Basic set iBox universal		01800180
----------------------------	--	----------

Raindance Rainmaker

finish

code no.



Raindance Rainmaker
Overhead shower 680/460
3jet with lighting

Chrome

28418000



- shower head size: 680 x 460 mm
- spray type: RainAir, Whirl, RainAir XL
- material spray disc: metal
- maximum flow rate at 3 bar: 28,1 l/min
- flow rate RainAir spray (at 3 bar): 20 l/min
- flow rate RainAir XL (at 3 bar): 28,1 l/min
- flow rate WhirlAir spray (at 3 bar): 22 l/min
- minimum flow pressure: 3 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- installation: ceiling mounted
- connection thread G 1/2
- connection dimension: DN20
- with integrated lighting
- illuminant: LED
- power supply: 12 V - DC
- transformer power supply for concealed installation 12 V, 18 W
- input voltage: 100 - 240 V AC / 50 / 60 Hz
- output voltage: 12 V - DC
- colour temperature: 2700 K
- TÜV certified
- not included: basic set

Alternative products:

- **Raindance Rainmaker** Overhead shower 680/460 3jet without lighting

Chrome

28417000

Required parts:

- **Raindance Rainmaker** Basic set for overhead shower 680/460 3jet

28414180

Optional parts:


- **ShowerSelect** Thermostat HighFlow for concealed installation for 1 function and additional outlet
- **ShowerSelect** Valve for concealed installation for 3 functions

Chrome

15761000

Chrome

15764000



Raindance Rainmaker
Basic set for overhead shower
680/460 3jet

28414180

- connection dimension: G 1/2

Optional parts:


- **Raindance Rainmaker** Overhead shower 680/460 3jet with lighting
- **Raindance Rainmaker** Overhead shower 680/460 3jet without lighting

Chrome

28418000

Chrome

28417000



finish

code no.




Raindance Rainmaker
Overhead shower 600 3jet
with lighting

Chrome

26117000



- shower head size: 600 mm
- spray type: RainAir, Whirl, RainAir XL
- material spray disc: metal
- maximum flow rate at 3 bar: 25 l/min
- flow rate RainAir spray (at 3 bar): 20,5 l/min
- flow rate RainAir XL (at 3 bar): 25 l/min
- flow rate WhirlAir spray (at 3 bar): 20,5 l/min
- minimum flow pressure: 3 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- installation: ceiling mounted
- connection thread G 1/2
- connection dimension: DN20
- with integrated lighting
- illuminant: LED
- power supply: 12 V - DC
- transformer power supply for concealed installation 12 V, 18 W
- input voltage: 100 - 240 V AC / 50 / 60 Hz
- output voltage: 12 V - DC
- colour temperature: 2700 K
- TÜV certified
- not included: basic set



Alternative products:

- **Raindance Rainmaker** Overhead shower 600 3jet without lighting

Chrome

26115000

Required parts:

- **Raindance Rainmaker** Basic set for overhead shower 600 3jet

28412180

Optional parts:

- **ShowerSelect S** Valve for concealed installation for 3 functions
- **ShowerSelect S** Thermostat HighFlow for concealed installation for 1 function and additional outlet

Chrome

15745000

Chrome

15742000

Raindance Rainmaker Basic
set for overhead shower 600
3jet

28412180

- connection dimension: G 1/2

Optional parts:


- **Raindance Rainmaker** Overhead shower 600 3jet with lighting
- **Raindance Rainmaker** Overhead shower 600 3jet without lighting

Chrome

26117000

Chrome

26115000



Raindance Rainfall

finish

code no.



Raindance Rainfall Overhead shower 180 2jet

Chrome
White/Chrome

28433000
28433400




- consists of: overhead shower, wall connector
- shower head size: 180 mm
- spray type: RainAir, wide flood jet
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- maximum flow rate at 3 bar: 24 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- flow rate RainFlow spray (at 3 bar): 24 l/min
- minimum flow pressure: 2 bar
- the 2 spray zones must be controlled via 2 valves or a diverter valve with 2 outlets
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15
- not included: basic set

Required parts:

· Basic set iBox universal 01800180

Optional parts:

· **ShowerSelect** Thermostat HighFlow for concealed installation Chrome 15760000
 · **ShowerSelect** Valve for concealed installation for 3 functions Chrome 15764000



Raindance Rainfall Overhead shower 150 1jet stream

Chrome


26443000



- shower head size: 153 mm
- spray type: Stream
- ball-joint: overhead shower angle adjustable
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainStream spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,7 bar
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Optional parts:

· **ShowerSelect** Thermostat for concealed installation for 1 function Chrome 15762000



Raindance Rainfall Overhead shower 150 1jet

Chrome


26442000



- shower head size: 153 mm
- spray type: RainFlow
- ball-joint: overhead shower angle adjustable
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainFlow spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,7 bar
- installation: wall
- connection thread G 1/2
- connection dimension: DN15


Optional parts:

· **ShowerSelect** Thermostat for concealed installation for 1 function Chrome 15762000



Overhead showers

Raindance 260 x 260 mm overhead shower for concealed installation



Raindance Overhead shower 260/260 1jet

- shower head size: 260 x 260 mm
- spray type: RainAir
- material spray disc: metal
- maximum flow rate at 3 bar: 15 l/min
- flow rate RainAir spray (at 3 bar): 15 l/min
- minimum flow pressure: 1,7 bar
- spray disc removable for cleaning
- installation: flush with the ceiling
- connection thread G 1/2
- connection dimension: DN15
- not included: basic set

finish

code no.

Chrome

26472000



Water saving EcoSmart version:

- **Raindance** Overhead shower 260/260 1jet EcoSmart 9 l/min

Chrome

26481000

Required parts:

- **Raindance** Basic set for overhead shower 260/260 1jet


26471180

Optional parts:

- **ShowerSelect** Thermostat for concealed installation for 2 functions

Chrome

15763000



Raindance Basic set for overhead shower 260/260 1jet

- connection dimension: G 1/2

26471180

Optional parts:

- **Raindance** Overhead shower 260/260 1jet
- **Raindance** Overhead shower 260/260 1jet EcoSmart 9 l/min


Chrome

26472000

Chrome

26481000

Raindance Select S



Raindance Select S Overhead shower 300 2jet with ceiling connector

- consists of: overhead shower, ceiling connector
- shower head size: 301 mm
- spray type: Rain, RainAir
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15

Chrome


27337000

White/Chrome

27337400



Measurements within scale drawings are in mm.




Raindance Select S Overhead shower 300 2jet with shower arm

- consists of: overhead shower, shower arm
- shower head size: 301 mm
- spray type: RainAir, Rain
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- shower arm length 390 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

finish

code no.

Chrome
White/Chrome27378000
27378400

Raindance Select S Overhead shower 240 2jet with ceiling connector

- consists of: overhead shower, ceiling connector
- shower head size: 243 mm
- spray type: RainAir, Rain
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate RainAir spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15

Chrome
White/Chrome26467000
26467400

Water saving EcoSmart version:

- Raindance Select S Overhead shower 240 2jet EcoSmart 9 l/min with ceiling connector

Chrome

26469000





finish

code no.

Raindance Select S Overhead shower 240 2jet with shower arm

Chrome 26466000
White/Chrome 26466400



- consists of: overhead shower, shower arm
- shower head size: 243 mm
- spray type: RainAir, Rain
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- shower arm length 390 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate RainAir spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Water saving EcoSmart version:



- **Raindance Select S** Overhead shower 240 2jet EcoSmart 9 l/min with shower arm

Chrome 26470000
White/Chrome 26470400

Raindance Select S Shower system for concealed installation with ShowerSelect S thermostat


Chrome 27297000




- consists of: overhead shower, hand shower, shower thermostat, basic set, shower arm, shower holder, wall outlet, shower hose
- maximum flow rate at 3 bar: 17 l/min

Consisting of:

- **Raindance Select S** Overhead shower 240 2jet with shower arm (# 26466000)
- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Isiflex** Shower hose 125 cm (# 28272000)
- Shower holder Porter S (# 28331000)
- **FixFit** Wall outlet S without non-return valve (# 27453000)
- **ShowerSelect S** Thermostat for concealed installation for 2 functions (# 15743000)
- Basic set iBox universal (# 01800180)



Raindance E



Raindance E Overhead shower
300 1jet with shower arm

- consists of: overhead shower, shower arm
- shower head size: 300 x 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- minimum flow pressure: 1,6 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

finish	code no.
Chrome	26238000
Brushed Bronze	26238140
Brushed Black	26238340
Chrome	
Matt Black	26238670
Matt White	26238700
Polished Gold Optic	26238990



Water saving EcoSmart version:

- **Raindance E** Overhead shower 300 1jet EcoSmart 9 l/min with shower arm

Chrome 26239000





Raindance E Shower system
300 1jet with ShowerSelect
Square

Chrome 27952000

- consists of: overhead shower, hand shower, Thermostat, basic set, wall outlet, shower hose
- shower head size: 300 x 300 mm
- spray type overhead shower: RainAir
- spray type hand shower: PowderRain, Rain, Whirl
- maximum flow rate at 3 bar: 17,1 l/min
- minimum flow pressure: 1,5 bar
- pivot connector prevent hose from tangling



NEW




Consisting of:

- **Raindance E** Overhead shower 300 1jet with shower arm (# 26238000)
- **Raindance Select S** Hand shower 120 3jet PowderRain (# 26014000)
- **ShowerSelect** Thermostat for concealed installation for 2 functions (# 15763000)
- Basic set iBox universal (# 01800180)
- **FixFit** Wall outlet square with shower holder (# 26486000)
- **Isiflex** Shower hose 125 cm (# 28272000)

finish

code no.



Raindance E Shower system
for concealed installation
with ShowerSelect thermostat


Matt Black

27939670

- consists of: overhead shower, hand shower, shower thermostat, shower arm, shower holder, wall outlet, shower hose, basic set

Consisting of:

- **Raindance E** Overhead shower 300 1jet with shower arm (# 26238670)
- **Raindance Select S** Hand shower 120 3jet (# 26530670)
- **ShowerSelect** Thermostat for concealed installation for 2 functions (# 15763670)
- Shower holder Porter E (# 28387670)
- **FixFit** Wall outlet Square with non-return valve (# 26455670)
- **Isiflex** Shower hose 125 cm (# 28272670)
- Basic set iBox universal (# 01800180)



Raindance E Overhead shower
300 1jet with ceiling connector

Chrome

26250000

Brushed Bronze

26250140

Brushed Black

26250340

Chrome

Matt Black

26250670

Matt White

26250700

Polished Gold Optic

26250990

- consists of: overhead shower, ceiling connector
- shower head size: 300 x 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- brass ceiling connector
- ceiling connection length: 158 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- minimum flow pressure: 1,4 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15




Water saving EcoSmart version:

- **Raindance E** Overhead shower 300 1jet EcoSmart 9 l/min with ceiling connector

Chrome

26251000



Raindance E Overhead shower
400/400 1jet

Chrome

26252000

- shower head size: 400 x 400 mm
- spray type: RainAir
- material spray disc: metal
- maximum flow rate at 3 bar: 20 l/min
- flow rate RainAir spray (at 3 bar): 20 l/min
- minimum flow pressure: 1,2 bar
- spray disc removable for cleaning
- installation: flush with the ceiling
- connection thread G 1/2
- connection dimension: DN15
- not included: basic set



Water saving EcoSmart version:

- **Raindance E** Overhead shower 400/400 1jet EcoSmart 9 l/min

Chrome

26253000


Required parts:

- **Raindance E** Basic set for overhead shower 400/400 1jet

26254180

finish

code no.



Raindance E Basic set
for overhead shower 400/400
1 jet

26254180

Optional parts:

- **Raindance E** Overhead shower 400/400 1 jet
- **Raindance E** Overhead shower 400/400 1 jet EcoSmart 9 l/min

Chrome

26252000

Chrome

26253000



Raindance E Overhead shower
360 1jet with ceiling connector

Chrome

27381000




- consists of: overhead shower, ceiling connector
- shower head size: 360 x 190 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 16,5 l/min
- flow rate RainAir spray (at 3 bar): 16,5 l/min
- minimum flow pressure: 1,3 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15

Water saving EcoSmart version:

- **Raindance E** Overhead shower 360 1jet EcoSmart 9 l/min with ceiling connector

Chrome

26604000




Raindance E Overhead shower
360 1jet with shower arm 24 cm

Chrome

27371000





- consists of: overhead shower, shower arm
- shower head size: 360 x 190 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 240 mm
- maximum flow rate at 3 bar: 16,5 l/min
- flow rate RainAir spray (at 3 bar): 16,5 l/min
- minimum flow pressure: 1,3 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15



finish

code no.



Raindance E Overhead shower
360 1jet with shower arm 39 cm

Chrome

27376000



- consists of: overhead shower, shower arm
- shower head size: 360 x 190 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 16,5 l/min
- flow rate RainAir spray (at 3 bar): 16,5 l/min
- minimum flow pressure: 1,3 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15



Water saving EcoSmart version:


Raindance E Overhead shower 360 1jet
EcoSmart 9 l/min with shower arm Chrome

26605000

Raindance E Overhead shower
240 1jet with ceiling connector

Chrome

27380000





- consists of: overhead shower, ceiling connector
- shower head size: 250 x 150 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 19,5 l/min
- flow rate RainAir spray (at 3 bar): 19,5 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15

Raindance E Overhead shower
240 1jet with shower arm

Chrome

27370000



- consists of: overhead shower, shower arm
- shower head size: 250 x 150 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 240 mm
- maximum flow rate at 3 bar: 17,6 l/min
- flow rate RainAir spray (at 3 bar): 17,6 l/min
- minimum flow pressure: 1,1 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15



Water saving EcoSmart version:

Raindance E Overhead shower 240 1jet
EcoSmart 9 l/min with shower arm Chrome

27375000

Raindance S

finish

code no.


Raindance S Overhead shower Chrome
 300 1jet with shower arm 46 cm

27492000



- consists of: overhead shower, shower arm
- shower head size: 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 460 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainAir spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15


Raindance S Overhead shower Chrome
 300 1jet with shower arm 39 cm

27493000



- consists of: overhead shower, shower arm
- shower head size: 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainAir spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

**Water saving EcoSmart version:**

- **Raindance S** Overhead shower 300 1jet Chrome
EcoSmart 9 l/min with shower arm

26601000


Raindance S Overhead shower Chrome
 300 1jet with ceiling connector

27494000



- consists of: overhead shower, ceiling connector
- shower head size: 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 20 l/min
- flow rate RainAir spray (at 3 bar): 20 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15

**Water saving EcoSmart version:**

- **Raindance S** Overhead shower 300 1jet Chrome
EcoSmart 9 l/min with ceiling connector

26600000

finish

code no.




Raindance S Overhead shower 240 1jet PowderRain with shower arm

Chrome

27607000



- consists of: overhead shower, shower arm
- shower head size: 240 mm
- spray type: PowderRain
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 18,1 l/min
- flow rate PowderRain spray (at 3 bar): 18,1 l/min
- minimum flow pressure: 1,6 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15



Alternative products:

- **Raindance S** Overhead shower 240 1jet PowderRain with ceiling connector Chrome 27620000
- **Raindance S** Overhead shower 240 1jet PowderRain Chrome 27623000
Matt Black 27623670
Matt White 27623700

NEW



Raindance S Shower system 240 1jet PowderRain with ShowerSelect S

Chrome

27951000




- consists of: overhead shower, hand shower, shower thermostat, basic set, wall outlet, shower hose
- shower head size: 240 mm
- spray type overhead shower: PowderRain
- spray type hand shower: PowderRain, Rain, Whirl
- maximum flow rate at 3 bar: 18,1 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling



Consisting of:

- **Raindance S** Overhead shower 240 1jet PowderRain with shower arm (# 27607000)
- **Raindance Select S** Hand shower 120 3jet PowderRain (# 26014000)
- **ShowerSelect S** Thermostat for concealed installation for 2 functions (# 15743000)
- Basic set iBox universal (# 01800180)
- **FixFit** Wall outlet S with shower holder (# 26487000)
- **Isiflex** Shower hose 125 cm (# 28272000)



finish

code no.

Raindance S Overhead shower 240 1jet PowderRain with ceiling connector

Chrome


27620000



- consists of: overhead shower, ceiling connector
- shower head size: 240 mm
- spray type: PowderRain
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate PowderRain spray (at 3 bar): 18 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15

Alternative products:

- **Raindance S** Overhead shower 240 1jet PowderRain with shower arm Chrome 27607000
- **Raindance S** Overhead shower 240 1jet PowderRain Chrome 27623000
- Matt Black 27623670
- Matt White 27623700



Raindance S Overhead shower 240 1jet PowderRain

Chrome
Matt Black
Matt White

27623000
27623670
27623700




- shower head size: 240 mm
- spray type: PowderRain
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- maximum flow rate at 3 bar: 18 l/min
- flow rate PowderRain spray (at 3 bar): 18 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

Alternative products:

- **Raindance S** Overhead shower 240 1jet PowderRain with shower arm Chrome 27607000
- **Raindance S** Overhead shower 240 1jet PowderRain with ceiling connector Chrome 27620000

Optional parts:

- Shower arm 38.9 cm Chrome 27413000
- Matt Black 27413670
- Matt White 27413700
- Ceiling connector 10 cm Chrome 27479000
- Matt Black 27479670
- Matt White 27479700



finish

code no.

NEW



Raindance S Shower system 240 1 jet PowderRain with ShowerSelect S

Matt Black


27959670



- consists of: overhead shower, hand shower, Thermostat, basic set, wall outlet, shower holder, shower hose
- shower head size: 240 mm
- spray type overhead shower: PowderRain
- spray type hand shower: Rain, RainAir, Whirl
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling

Consisting of:


- **Raindance S** Overhead shower 240 1jet PowderRain (# 27623670)
- Shower arm 38.9 cm (# 27413670)
- **Raindance Select S** Hand shower 120 3jet (# 26530670)
- **ShowerSelect S** Thermostat for concealed installation for 2 functions (# 15743670)
- Basic set iBox universal (# 01800180)
- Shower holder Porter S (# 28331670)
- **FixFit** Wall outlet E without non-return valve (# 27454670)
- **Isiflex** Shower hose 125 cm (# 28272670)



Raindance S Overhead shower 240 1jet with shower arm

Chrome

27474000



- consists of: overhead shower, shower arm
- shower head size: 240 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainAir spray (at 3 bar): 18 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Consisting of:

- Shower arm 38.9 cm (# 27413000)

Water saving EcoSmart version:



- **Raindance S** Overhead shower 240 1jet EcoSmart 9 l/min with shower arm

Chrome

27461000